# YEAR BODIE

# ingle randonomentorio

Arskie in Articological

1931

# **ACKNOWLEDGEMENTS**

#### TO THIS ONLINE EDITION

The eleven volumes of the *Year Book of the Rhododendron Association* issued between 1929 and 1939 and the three supplements from 1933–1935 could not have been published online without the generosity of others.

The Rhododendron, Camellia & Magnolia Group extend their thanks to the descendants of the contributing authors, and others who are now responsible for the copyright, for permitting those words to be reproduced in this format.


Despite our diligence in seeking the current copyright holders, there may be authors whose work is still in copyright who we were unable to trace, for which we apologise. The Group's 'Takedown Policy' may apply in this case; please visit


http://www.rhodogroup-rhs.org/takedown-policy for details.


This material is made freely available for research purposes only.

Copyright in the text remains with the authors and further copying or reuse of this work is expressly prohibited.









# YEAR BOOK

OF

# THE RHODODENDRON ASSOCIATION.

1931.

## CONTENTS.

			PAGE
Rhododendron Species, List of		 	22
Synonims, List of		 	125
Hybrid Rhododendrons, List of	RH	 1.7	132
Forrest Rhododendrons, List of	1224	 	155
Rock Rhododendrons, List of		 	223
Kingdon Ward Rhododendrons, List	of	 	237
Rhododendron Show of 1930, The		 	249

## The Rhododendron Association.

President.
LIONEL N. DE ROTHSCHILD.

Vice=president.

Admiral A. W. HENEAGE-VIVIAN.

Monorary Treasurer.

J. B. STEVENSON.

Council.

J. J. CROSFIELD.
R. E. GILL.
THE MARQUESS OF HEADFORT.
G. W. E. LODER.
Hon. H. D. McLAREN.
F. GOMER WATERER.
E. H. WILDING.
P. D. WILLIAMS.

#### Secretary.

GURNEY WILSON, Royal Horticultural Society's Hall, Vincent Square, Westminster, S.W. 1.

#### Bankers.

NATIONAL PROVINCIAL BANK, LTD., 1, Lombard Street, London, E.C. 3.

#### Huditor.

E. P. RICHARDSON (Messrs. H. C. Richardson & Son, Chartered Accountants). GALEDONA LURSERY Guernsey

# The Rhododendron Association

CIONEC N. DÉ ROTASCHI

CHANTEN THE

SAMUEL A. W. HENRACH VITA

Bountary Cremewick

I, II, WITEVENSON,

Jionned

J.). cnosrumb.

R. E. GH.L.

BROOT H W. D

BEGGH, D. MCLAREN

F. GOMER WATERER

F H WEIGHDS

W.D. WHILLIAMS.

DECEMBER !!

CORNEY WILSON, Royal Hericolomal Society's Hall, Viocent Square, Westerlauter, SAU.

35anteces.

NATIONAL PROVINCIAL BANK, LTD. 1. Loudend Street,

Hundricer.

P. RICHARDSON (Messrie, H. C. Richardson & Son, Characted Accessions).

#### LIST OF MEMBERS.

#### Honorary Life Members.

Bean, W. J., 2, Mortlake Road, Kew, Surrey. Forrest, George, Bellfield, Bonnyrigg Road, Eskbank, Midlothian. Smith, Professor W. Wright, Royal Botanic Gardens, Edinburgh. Ward, Capt. F. Kingdon, 43, Clifton Hill, St. John's Wood, London, N.W. 8.

Williams, J. C., Caerhays Castle, Gorran, R.S.O., Cornwall.

#### Founder Members are distinguished by a \*

- \*Aberconway, The Lady, Bodnant, Tal-y-Cafn, North Wales. Acland, Sir Francis D., Bart., Killerton, Exeter. Adams, John, Stellawood, York Road, Broadstone, Dorset.
  - \*Ainsworth, Sir Thomas, Bart., Ardanaiseig, Kilchrenan, Argyll. Allen, W. E. R., Fairwell, Llandaff, Cardiff.

Annesley, Richard G., Annes Grove, Castletownroche, Co. Cork. Arthur, T. Alan, Montgomerie Castle, Tarbolton, Ayrshire.

- Atkinson, William, Handsworth Nurseries, Sheffield.
- \*Baker, H. L. P., Wayford Manor, Crewkerne.
- Baker, N. T., c/o Messrs. Bakers, Codsall, Wolverhampton.
  - \*Balfour, F. R. S., Dawyck, Stobo, Scotland. Balfour, Miss, Balbirnie, Markinch, Fifeshire.
  - \*Banks, W. H., Hergest Croft, Kington.
- Barclay, Colonel H. G., Colney Hall, Norwich.
  - Barto, J. E., R.F.D., 1, Junction City, Oregon, U.S.A.
- \*Bedford, A., The Gardens, Exbury House, Exbury, Southampton. Bedford, The Duke of, Woburn Abbey, Woburn, Bletchley, Bucks. Bewley, Ernest, Danum, Rathgar, Co. Dublin.

Blair, James H., Blairquhan, Maybole, Ayrshire.

- Boastrup, Dr. Skat, Skive, Denmark.
- Bolitho, Lieut.-Col. E. H. W., Trengwainton, Heamoor, Cornwall.

\*Bolitho, R. F., Ponsandane, Penzance.

Bond, Mrs., Creech Grange, Wareham, Dorset.

Booth, Major W. H., Brynmelyn, Hay, Herefordshire.

Boyle, J. A., The Gardens, Headfort, Kells, Co. Meath.

Brower, Ancel J., 418, West 25th Street, New York, U.S.A.

Brown, H. Atherton, Croft House, Grendon, Atherstone.

Buchanan, Mrs., Corsewall, Stranraer.

Bury, Lieut.-Col. Charles K. H., Belvedere House, Mullingar, Ireland.

Buxton, A. Redmond, Fritton Hall, Great Yarmouth.

Campbell, Mrs. Ethel M., Arduaine, Argyll.

Carew, Major R. H., Ballinamona Park, Waterford, Ireland.

Cave, Sir Charles H., Bart., Sidbury Manor, Sidmouth.

\*Chamberlain, Walter S., 10, Clements Lane, Lombard Street, London, E.C. 3.

\*Cheal, J. H., The Nurseries, Crawley, Sussex.

\*Christie, Major G. H., Ross Priory, Ballock, Dumbartonshire.

Christie-Miller, Mrs., Clarendon Park, Salisbury, Wilts.

\*Christie, Thos. North, Blackhills House, Lhanbryde, Morayshire.

\*Christy, William M., Watergate, Emsworth, Hants. Clark, Capt. William R., Trabolgan, Whitegate, Co. Cork.

\*Clarke, Douglas, Hartridge House, Cranbrook, Kent.

Clarke, Col. Stephenson R., Borde Hill, Haywards Heath, Sussex.

\*Clarke, William, Windlesham Manor, Windlesham, Surrey. Clutterbuck, Sir Peter H., Pensbury, Walton-on-Thames.

\*Colborne-Vivian, Hon. Mrs. Ulick, Bosahan, St. Martin, Cornwall. Colman, Jeremiah, Burrows Lea, Gomshall, Surrey.

\*Comber, J., Nymans Gardens, Handcross, Sussex. Congreve, Ambrose, Mount Congreve, Waterford, Ireland. Cooke, Randle B., Kilbryde, Corbridge-on-Tyne.

\*Cory, Reginald, Duffryn, nr. Cardiff.

/\*Cotton, A. D., Royal Botanic Gardens, Kew.

\*Cox, Euan, 12, York Terrace, London, N.W. 1.

\*Cranfield, William B., East Lodge, Enfield Chase, Middlesex.

\*Crisp, B. W., 10, Culford Gardens, Sloane Square, London, S.W.3.

- Crocker, Gordon G., Thorne, Exford, Taunton, Somerset.
- \*Crosfield, J. J., Embley Park, Romsey, Hants.
  - Crosland, Mrs. Gladys E., Colby Lodge, Amroth, Kilgetty, Pembrokeshire.
  - \*Crossman, F. W., White's Hill, Hambrook, nr. Bristol.
- Cullen, Mrs. N., Cross Keys House, Sevenoaks.
- Curtis, Chas. H., 5, Tavistock Street, Covent Garden, London, W.C. 2.
  - \*Curtis, John R., Edge Grove, Aldenham, Watford.
  - \*Curwen, Rev. R. Basil, St. Joseph's Convent, Gosford Green, Coventry.
- \*Cuthbert, George H., Southgate Nurseries, Southgate, London, N.14. Cuthbert, Sidney G., Southgate Nurseries, Southgate, London, N.14. Daffarn, Mrs. Alice I., Valewood, Haslemere, Surrey.
  - Dalrymple, Bertram H., Furzey, Minstead, Lyndhurst, New Forest.
  - Dalrymple, G. H., The Nurseries, Bartley, nr. Southampton.
  - \*Dalton-Sayle, R. T., Langton's, Ottershaw, Chertsey, Surrey.
    Davis, Mrs. Paul M., Graywoods, Nashville, Tennessee, U.S.A.
    Desborough, Capt. A. P. H., Tulgey Wood, Broadstone, Dorset.
- Digby, Major The Lord, Minterne, Dorchester, Dorset.
  - \*Dillistone, George, 50, Claremont Road, Tunbridge Wells.
  - \*Donaldson, Miss Margaret E., Auchineden, Blanefield, Stirlingshire. Ebbisham, Right Hon. The Lord, Fairmile Hatch, Cobham, Surrey. Egerton, W. F., Sawithfield, Ulverston.
- \*Eley, Charles, East Bergholt Place, Suffolk.
  Elvin, Edgar, 255, High Road, Chiswick, London, W. 4.
  - \*Faggetter, E., Goldsworth Nursery, Woking.
  - Falmouth, The Viscountess, Tregothnan, Truro, Cornwall.
    - \*Farrell, A. E., Birchenholt, Wellington College Station, Berks.
    - \*Favell, R. V., Pemberth, St. Buryan, Cornwall.
      - Feilden, Major Ramsay R., The King's Barrow, Wareham, Dorset.
    - \*Fenwick, Mark, Abbotswood, Stow-in-the-Wold.
    - \*Findlay, R., Royal Horticultural Society, Wisley, Ripley, Surrey. Findlay, Thos. H., The Gardens, Luton Hoo, Luton, Beds.

\*Findlay, R., Jun., Exbury Gardens, Exbury.

\*Fisher, G. Forster, Higham, Bassenthwaite Lake, Cockermouth, Cumberland.

Fletcher, Capt. A. M. T., Margam Abbey, Port Talbot.

\*Fletcher, W. H. B., Aldwick Manor, Bognor, Sussex

Flower, Mrs. Neville, Codicote Mill, Welwyn, Herts.

\*Fortune, Robert, Newhouse, Cranleigh, Surrey.

Foster, Major A. W., Apley Park, Bridgnorth.

Fox, Wilfrid S., Winkworth Farm, Hascombe, Godalming, Surrey.

Fraser, A. R., Auchengare, Rhu, Dumbartonshire.

Gable, J. B., Stewartstown, Penna., U.S.A.

Gardner, R. C. B., Rofant Cottage, Northwood, Middlesex.

Gardner, Thomas E., 2, Darley Street, Bradford.

Garton, Sir Richard, Lythe Hill, Haslemere, Surrey.

Gibson, A. C., Glenarn, Rhu, Dumbartonshire.

Gilbertson, Cecil F., Abercrave House, Abercrave, Swansea Valley.

\*Gill, R. E., 14, Market Street, Falmouth.

Gillen, James R., Ambler, Pennsylvania, U.S.A.

Gilmer, Mrs. Knox, Boulcott Street, Wellington, New Zealand.

Godman, Dame Alice, South Lodge, Horsham.

Gooch, Frederick, The Gardens, Earlywood, Ascot, Berks.

Grant, J. M., The Gardens, Grayswood Hill, Haslemere, Surrey.

Greatorex, Heyrick A., Witton, Norwich, Norfolk.

Grey, Lieut.-Col. Charles H., Hocker Edge, Cranbrook, Kent.

Grigg, Harry, Cann House, Crown Hill, South Devon.

\*Grove, A., 2, Albion Street, London, W. 2.

\*Gunther, C. E., Tongswood, Hawkhurst, Kent.

Hall, Admiral Sir W. Reginald, Hawk's Lease, Lyndhurst, Hants. Hambro, Mrs., Kidbrooke Park, Forest Row, Sussex.

Hamilton, Capt., Lord Claud N., Lady Cross Lodge, Brockenhurst.

\*Hamilton, W. Frank, Pylewell Park Gardens, Lymington, Hants.

Hanbury, Frederick J., Brockhurst, East Grinstead, Sussex.

Hanbury, Mrs. Mairi J., Inverewe, Poolewe, Ross-shire.

Hanger, Francis, The Gardens, Exbury, Southampton.

\*Harley, Andrew, Blinkbonny, Kirkcaldy.

\*Harris, James E., Blackpill Nurseries, Swansea.

Harris, Sir Austin E., 10, Catherine Street, Buckingham Gate, London, S.W. 1.

Hartridge, Charles Eric A., Findon Place, Findon, Sussex.

Harvey, Sir Robert G., Bart., Langley Park, Slough.

Haskins, H. J., Branksome Nurseries, Bournemouth West.

\*Hawker, Capt. H. G., Strode, Ermington, Devon.

\*Headfort, The Marquess of, Headfort, Kells, Co. Meath.

\*Heath, C. E., 15, Aldford Street, London, W. 1.

\*Heneage-Vivian, Admiral A., Clyne Castle, Blackpill, Swansea. Hext, Mrs. Charles H., Trebah, West Falmouth.

Hillier, E. L., West Hill Nurseries, Winchester.

\*Holland, Arthur D., 9, Tithebarn Street, Liverpool.

Holmes, Mrs. Carl, The Node, Welwyn, Herts.

\*Holms, John A., Formakin, Bishopton, Renfrewshire.

\*Horlick, Lieut,-Col. J. N., Little Paddocks, Sunninghill, Berks. How, C. E., 3,315, South Monroe, Tacoma, Washington, U.S.A. Hughes-Onslow, Commander, Alton Albany, Girvan, Ayrshire.

\*Hutchinson, J., Royal Botanic Gardens, Kew.

\*Hutchinson, W., The Lea House, Backford, nr. Chester.

\*Ingram, Collingwood, The Grange, Benenden, Cranbrook.

Ivens, A. J., Hiltingbury Nursery, Chandler's Ford, Hants.

Jacques, Mrs. F. A., The Woodlands, Water Orton, Warwickshire.

\*Jenkinson, Capt. R. C., Knapp Hill Manor, nr. Woking, Surrey. Jessel, Sir George, Ladham, Goudhurst, Kent.

\*Johnstone, G. H., Trewithen, Grampound Road, Cornwall. Jowitt, Sir William A., 35, Upper Brook Street, London, W.

\*Joynson, Capt. William, The Glassert, Aberfoyle, Perthshire.

\*Keeble, Mrs. Alexander, Mottingsden, Burwash, Sussex.

\*Keir, Robert, The Gardens, Tower Court, Ascot.

Kelsey, Harlan P., East Boxwood, Mass., U.S.A.

Koster, P., M. Koster & Sons, Boskoop, Holland.

Leconfield, The Lady, Petworth House, Petworth, Sussex.

Leith, Gordon, 14<sup>A</sup>, Manchester Square, London, W. 1 Le Marchant, Herbert C., Norney Grange, Eashing, Godalming. Liggett, John, The Gardens, Montgomerie, Tarbolton, Ayrshire. Lockyer, Lady, Salcombe Regis, Sidmouth, Devon.

\*Loder, Gerald W. E., Wakehurst, Ardingly, Sussex.

Loder, Lady, Leonardslee, Horsham, Sussex.

Lofthouse, Thomas A., The Croft, 14, Cambridge Road, Linthorpe, Middlesbrough.

Londonderry, The Marchioness of, Londonderry House, Park Lane, W. 1.

Louch, Charles, Colbury House, Hillstreet, Totton, Hants.

Lunn, Robert H., Westhayes, Ottery St. Mary, Devon.

Macdonald, John M., Largie Castle, Tayinloan, Argyll.

- \*MacEacharn, Capt. Neil, Galloway House, Garlieston, Wigtownshire.
- \*MacEwen, D. L., Corsock, Dalbeattie, Kirkcudbrightshire. Mackenzie, Austin, Carradale, Argyllshire.
  - \*MacKenzie, T. C., Ruigh-Ard, Inverness.

McComb, Thomas, The Gardens, Corsewall, Stranraer, Wigtownshire.

- McDouall, Kenneth, Logan, Port Logan, Wigtownshire, N.B.
- \*McLaren, Hon. Henry D., Bodnant, Tal-y-Cafn, North Wales. McNeil, Lt.-Col. A. H., Shennanton, Kirkcowan, Wigtownshire.
- \*Magor, E. J. P., Lamellen, St. Tudy, R.S.O., Cornwall.
  - \*Martineau, Mrs. Philip, 2, Mount Street, London, W. 1.
    Marwood, J. L., The Gardens, The Camp, Windlesham, Surrey.
- \*Maxwell, Sir Herbert, Bart., Monreith, Whauphill, Wigtownshire.

  Meade-Waldo, Edmund G. B., Stonewall Park, Chiddingstone,

  Kent.
  - \*Melchett, The Lady, Melchet Court, nr. Romsey, Hants.
- \*Messel, Lieut.-Col. L. C. R., Nymans, Handcross, Sussex. Meyer, Gus, Wistlers Wood, Woldingham, Surrey.
  - \*Millais, Lieut.-Commander J. G., Comptons Brow, Horsham, Sussex.

Milner, William, 20, Cheyne Row, Chelsea, S.W. 3.

Moore, C. Armytage, Winterfold House, Cranleigh, Surrey.

Moore, Dr. F. Craven, Duckyls, nr. East Grinstead, Sussex.

Moore, Sir Frederick, Willbrook House, Rathfarnham, Co. Dublin.

\*Moore, H. Armytage, Rowallane, Saintfield, Co. Down.

Moore, Lady, Willbrook House, Rathfarnham, Co. Dublin.

Morgan, Edgar S., Cefn Eithin, Swansea.

Morley, The Earl of, Saltram, Plympton, Devon.

Mounsey-Heysham, R. H. G., Castletown, Carlisle.

Murray, Mrs., Murraythwaite, Ecclefechan, Annan, Dumfrieshire.

\*Napier, Miss Isabel N., The Delph House, Broadstone, Dorset. Nearing, G. G., Guyencourt Nurseries, Guyencourt, Del., U.S.A. Neilson, Mrs. Hugh, Chapeltoun, Stewarton, Ayrshire.

\*Nelson, Thomas E., Achnacloich, Connel, Argyll.

Nes, C. B. van, 143, B.C. Street, Boskoop, Holland.

Newdegate, Sir Francis, Arbury, Nuneaton.

Nix, Charles G. A., Tilgate, Crawley, Sussex.

Noble, Sir John H. B., Bart., Ardkinglas, Inverary, Argyll.

\*Norman, The Hon. Lady, Ramster, Chiddingfold, Surrey.

Osborn, Arthur, Royal Botanic Gardens, Kew.

Ouden, H. den, Boskoop, Holland.

\*Pack-Beresford, Lieut.-Col. H. J., Brambletye, Headley, Bordon, Hants.

Paterson, Robert, Stonehurst, Ardingly, Sussex.

Petty, William R., Melchet Court Gardens, Romsey, Hants.

\*Pike, Leonard G., King Barrow, Wareham, Dorset.

Porter, C. J., c/o Messrs. W. H. Rogers & Sons, The Red Lodge Nursery, Bassett, Southampton.

Power, A. D., Brockdale, Bracknell, Berks.

Preston, E. M., The Warren, Hayes, Kent.

\*Puddle, F. C., The Gardens, Bodnant, Tal-y-Cafn, North Wales.

\*Putron, H. L. du, Caledonia Nursery, Guernsey.

Raffill, C. P., Royal Botanic Gardens, Kew, Surrey.

Ramsden-Jodrell, Mrs., Taxal Lodge, Whaley Bridge, Cheshire.

\*Ramsden, Sir John F., Bart., Bulstrode, Gerrards Cross, Bucks.

Renshaw, Sir Charles S., Hartfield, Headley, Hants.

Renton, John T., Branklyn, Perth.

\*Reuthe, G., 109, Crown Lane, Bromley, Kent.

Rogers, Arthur E., Angle House, Seal, Kent.

Rogers, Lieut.-Colonel J. M., Riverhill, Sevenoaks, Kent.

Rose, Frederick J., Townhill Park Gardens, Bitterne, Southampton.
Rosebery, The Countess of, Cleveland House, Newmarket.

\*Rothschild, Lionel N. de, Exbury House, Exbury, Southampton.

Russell, L. R., Richmond Nurseries, Richmond, Surrey.

Sander, Louis, St. André, Bruges, Belgium.

Scannell, David, Hastings, Hawkes Bay, New Zealand.

Schneider, Dr. Camillo, Neue Ansbacherstr 11<sup>III</sup> Berlin W. 50, Germany.

Schröder, Baron Bruno, The Dell Park, Englefield Green, Surrey. Schröder, Capt. W. H., Attadale, Strathcarron, Ross-shire.

Sebag-Montefiore, The Hon. Mrs. Ida Marie, Thorn, Wembury, Plymouth.

Seddon, T. E. Y., Greymouth, Westland, New Zealand.

Serocold, Mrs. Germaine, Three Fords, Seud, Surrey.

Shaw, Mrs., Bourton Hall, Rugby, Warwickshire.

Shearburn, Harry, Munstead, Godalming, Surrey.

\*Slade, J., Embley Gardens, Romsey, Hants.

\*Slocock, W. A., Goldsworth Nursery, Woking, Surrey.

Smith, Mrs. H. Lindsay, Ashfold, Handcross, Sussex.

Smith, Samuel, The Gardens, Penjerrick, Budock, Falmouth, Cornwall.

Snow, Francis H., St. Wilfrid's, Aldgate, South Australia.

Soames, Arthur G., Sheffield Park, Uckfield, Sussex.

Spring-Rice, Mrs. Gerald, Gatesgarth, Penrith, Cumberland.

Stair, Lieut.-Col. The Earl of, 17, Eaton Square, London, S.W. 1.

\*Stead, Edgar, Ilam, Christchurch, New Zealand. Steffen, Alexander, Pillnitz, Dresden, Germany.

\*Stern, Major F. C., Highdown, Goring-by-Sea, Sussex.

\*Stevenson, J. B., Tower Court, Ascot.

Stewart, A. F. M., c/o Messrs. D. Stewart & Son, Ferndown Nurseries, nr. Wimborne, Dorset.

\*Stewart, Edward, Ferndown, near Wimborne, Dorset. Stewart, Major William, Shambellie, Dumfries.

Stirling, Brig.-General Archibald, Keir, Dunblane.

\*Stirling-Maxwell, Sir John, Bart., Pollok House, Pollokshaws, Glasgow.

St. Lawrence, T. J. Gaisford, Howth Castle, Co. Dublin.

Stoker, Fred., The Summit, Golding's Hill, Loughton.

Streeter, F., The Gardens, Petworth Park, Sussex.

Swaythling, The Lord, 114, Old Broad Street, London, E.C.

Taylor, Darcy, The Rocks, Marshfield, Chippenham.

\*Taylor, George, The Gardens, Bulstrode Park, Gerrards Cross, Bucks.

Thomas, Donald W., 31. Basset Road, Camborne, Cornwall.

Traherne, Capt. Onslow, Bryngarw, Aberkenfig, Glamorgan.

Trepplin, E. C., Sidd, Sidmouth.

Trotter, Noel, Frognal, Sunninghill, Berks.

\*Trotter, Richard D., Leith Vale, Ockley, Surrey.

Tweedy, John, Hill Top House, Howth, Co. Dublin.

\*Tylden-Pattenson, Lt.-Col. E. C., Dashmonden, Biddenden, Kent. Upcher, Henry E. S., The Gables, Upper Sheringham, Norfolk.

\*Veitch, Miss A. M., Royal Nurseries, Exeter.

Venning, Charles E., Boscovean, Heamoor, Cornwall.

\*Vyvyan, Col. Sir Courtenay, Bart., Trelowarren, Mawgan, Helston, Cornwall.

Waley, Alfred J., Broadfield, Crawley, Sussex.

Walker, Lieut.-Col. B. J., 11, Westbourne Terrace, London, W. 2.

\*Wallace, R. W., The Old Gardens, Tunbridge Wells.

Waring, Denton, Hebers Mount, Ilkley, Yorks.

\*Waterer, F. Gomer, Whitfield Court, Knapp Hill, nr. Woking, Surrey.

Wathen-Bartlett, W., Vereley, Burghley, Hants.

Watson, Eustace H., Framewood Manor, Stoke Poges, Bucks.

\*Whitaker, W. I., Pylewell Park, Lymington, Hants.

\*White, Harry, Sunningdale Nurseries, Windlesham, Surrey.

Whittall, W. J. H., Grayswood Hill, Haslemere, Surrey.

\*Wilding, E. H., Wexham Place, Stoke Poges, Bucks.

Wilkinson, Arthur B. B., Drumbrae, Bantry, Co. Cork.

Willcocks, William, The Gardens, Langley Park, Slough.

- Williams, A. M., Werrington Park, Launceston.
- \*Williams, E. Trevor, Dromenagh, Iver Heath, Bucks.
  - \*Williams, Mrs. Charles, Greenway, Churston Ferrers, Devon.
- Williams, J. E., Hillside, Llandaff, Cardiff.
- \*Williams, P. D., Lanarth, St. Keverne, R.S.O., Cornwall. Williamson, S., Heligan, St. Ewe, Cornwall.
- \*Wilson, Edward Kenneth, Cannizaro, Wimbledon, London, S.W.19.Wilson, J. E. B., Downgate, Sandhurst, Kent.
  - \*Wiseman, Percy, c/o J. Waterer, Sons & Crisp, Ltd., Bagshot, Surrey. Wood, Arthur H. E., Glassel, Aberdeenshire.
  - Wuyts, Prof. O. F., 183, Chausee de Bruxelles, Ledeberg, Belgium.
  - \*Younger, Harry Geo., Kittoes, Bishopsteignton, South Devon.

#### CONSTITUTION AND RULES RELATING THERETO

OF

#### THE RHODODENDRON ASSOCIATION.

#### Title.

 The title of this Association is "The Rhododendron Association."

#### Office.

2. The office of the Association shall be in London at such place as may from time to time be fixed by the Council of the Association.

#### Objects.

3. The object of the Association is to encourage, improve and extend the study and cultivation of Rhododendrons by means of publications, the holding of Exhibitions and otherwise.

#### Membership.

4. The Association shall consist of Members paying annual subscriptions of 21s. or, in the case of working gardeners, 10s. 6d., or such other amounts as shall hereafter be determined at a General Meeting of the Association, and the receipt and acceptance of a subscription by the Hon. Treasurer or Secretary shall, subject to election as hereinafter provided, constitute the subscriber thereof a Member of the Association.

All candidates for Membership shall be proposed and seconded by two Members of the Association and such candidature shall come before a meeting of the Council. On demand by any Member of the Council, voting shall be by ballot when one black ball in four shall exclude.

Any person desiring to commute his or her annual subscription for life may do so by making one payment of £15. 15s. in lieu of an annual subscription of one guinea, and

shall thereby become entitled to all the rights and privileges of the corresponding annual subscription.

No person shall be entitled to any of the rights and privileges of Membership until his or her subscription for the current year has been received by the Hon. Treasurer or Secretary.

The rights and privileges of Members of the Association shall be as follows:—

- (a) To receive copies of such publications issued by the Association as may be decided by the Council.
- (b) To exhibit, subject to the Exhibition Regulations for the time being in force, at the Association's Exhibitions and at Exhibitions held by the Association in conjunction with any other Association.
- (c) To receive Members' tickets of admission to the Association's Exhibitions.
- (d) To vote at all General Meetings of the Association.

#### Subscriptions.

5. Subscriptions shall be payable on January 1st in each year. Any Member desirous of relinquishing membership shall give notice thereof in writing to the Hon. Treasurer or Secretary not later than February 1st in any year and in default of such notice such Member shall be liable for the subscription for the current year.

#### Application of Income and Funds.

6. The income and funds of the Association shall be applied towards the promotion of the objects of the Association.

#### Executive Council.

- The management and administration of the affairs of the Association shall, subject to these rules, be vested in a Council consisting—
  - (a) Of the Officers of the Association as hereinafter defined;
    - (b) Of eight other Members of the Association, two of whom shall retire annually and shall not be re-eligible

for election until one year has elapsed; this rule, as far as affects retirement, shall only become operative three years after the founding of the Association, when the names of those to retire shall be settled by ballot.

The Members of the Council referred to under (b) shall be elected as hereinafter provided, and shall hold office until the next Annual General Meeting.

Any vacancy occurring during the year may be filled by the Council, and such appointments shall hold good until the next Annual General Meeting. Five Members of the Council shall form a quorum.

#### Appointment and Duties of Officers.

- 8. The Officers of the Association who shall be elected as hereafter provided and hold office until the next Annual General Meeting, shall be the following:—
  - (a) A President of the Association who shall take the chair at all Meetings of the Association and of the Council.
  - (b) A Vice-President who shall, in the absence of the President, preside at all meetings of the Association and of the Council.
  - (c) An Hon. Treasurer who shall be the Accounting Officer, and shall be responsible for the payment into the Association's banking account of all moneys received by him on behalf of the Association. The Hon. Treasurer shall prepare for the Annual General Meeting a Balance Sheet and Statement of Accounts in respect of his year of office, and
  - (d) A Secretary who shall be responsible for all the Secretarial work of the Association and shall be Editor of the Association's publications. The Secretary shall account to the Hon. Treasurer for all moneys received by him on behalf of the Association.

The President, Vice-President and Hon. Treasurer shall be ex-officio Members of the Council and all Committees thereof.

Any vacancy amongst the Officers occurring during the year, shall be filled by the Council, and such appointments shall hold good until the next Annual General Meeting.

#### Election of Hon. Life Members.

9. Such persons as the Association may desire to honour may, on the nomination of the Council, be elected as Hon. Life Members of the Association, but they shall not as such be entitled to vote or take any part in the management and administration of the affairs of the Association.

#### Appointment of Committees.

10. The Council may appoint special Committees for special purposes. Unless otherwise directed by the Council no Committee of the Council shall have any executive powers, and no act or decision of any Committee shall be deemed to be an act or decision of the Council.

#### Council Meetings.

11. A meeting of the Council, of which not less than seven days' notice in writing, together with particulars of the business to be transacted thereat, shall be sent by the Secretary to each Member thereof, shall be convened so often as the Council may decide, or whenever the Secretary shall think necessary, or on a requisition in writing signed by not less than six Members of the Council stating the purposes for which such meeting is desired.

#### Financial Provisions.

12. The bankers of the Association shall be such bankers as the Council shall hereafter from time to time appoint. The Association's Banking Account shall be in the name of "The Rhododendron Association," and all cheques drawn on this account must be signed by the Secretary and any one other Hon. Officer of the Association.

The Reserve and Special Funds of the Association shall be invested as the Council may direct in the joint names of not less than three Members of the Association, who shall be nominated by the Council. Such investments shall not be varied or realised except with the authority of the Council

#### Appointment of Auditor and Duties.

13. The Association shall at the Annual General Meeting appoint as Auditor for the ensuing year a Certified Accountant, who shall hold office for one year, but shall be eligible for re-election. The Auditor shall exmine and audit the books and accounts of the Association and the Annual Balance Sheet, and shall ascertain that all payments have been duly authorised by the Council and vouched.

#### Exhibitions.

14. The Association shall hold at least one Metropolitan Exhibition in each year and Provincial Exhibitions when practicable, and may also hold Exhibitions in conjunction with any other Society or make special awards at any other horticultural exhibition.

The Council shall have power to make regulations for the management and conduct of such exhibitions, and such rules for judging thereat as it may think proper, and such regulations and rules shall be binding on all exhibitors.

#### Nominations for Election of Hon. Officers and Council.

15. The nominations for election of Hon. Life Members and Officers shall be made by the Council, which may also nominate Members of the Association for election as ordinary Members of the Council. Members of the Association may make nominations for the election of ordinary Members of the Council provided that such nominations shall be signed by not less than two Members of the Association and sent to the Secretary, together with the written consent of the nominee to act, not later than February 1st next preceding the Annual General Meeting.

#### Method of Election.

16. If the number of candidates for any office or membership of the Council should exceed the vacancies to be filled, the Secretary shall send to each Member of the Association, with the notice convening the Annual General Meeting, a voting paper setting out the names of the candidates in alphabetical order.

Each Member shall be entitled to as many votes as there are vacancies to be filled, but not more than one vote may be given for any candidate.

Every voting paper shall be filled in and signed by the Member voting, and returned, endorsed voting paper, so as to reach the Secretary at least five clear days before the Annual General Meeting. The provisions of this rule as to the mode of voting with a note as to the total number of candidates that may be voted for shall be printed on the voting papers, and any voting paper which is out of time or does not conform to this rule shall be void.

The voting papers shall be handed, unopened, to the Scrutineers (not less than two in number) appointed by the President, who shall count the same and report the voting to the Annual General Meeting.

#### Annual General Meeting.

- 17. The Annual General Meeting of the Association, of which meeting not less than 14 days' notice in writing, together with particulars of the business to be transacted thereat, shall be sent by the Secretary to each Member of the Association, shall be held at a date to be fixed by the Council in each year, and the order of business shall be as follows:—
  - (i.) Confirmation of Minutes of the last Annual General Meeting.
  - (ii.) Reception of Annual Report of the Council and the Hon. Treasurer's Statement of Accounts as audited by the Association's Auditor.
  - (iii.) Reception of the Report of the Scrutineers appointed by the President.

- (iv.) Election of Auditor for ensuing year.
- (v.) Other General Business.

#### Special General Meeting.

18. A Special General Meeting of the Association, of which meeting not less than seven days' notice in writing, together with particulars of the business to be transacted thereat, shall be sent by the Secretary to each Member of the Association, shall be convened by direction of the Council, or on a requisition in writing signed by not less than 25 Members of the Association stating the purpose for which such meeting is desired.

No business other than that for which the meeting has been convened shall be taken at any Special General Meeting.

All voting at General Meetings shall be either by Members of the Association in person, or, if a poll be demanded by not less than twelve Members, then in writing under such conditions as the Council may determine.

#### Removal of Member's Name from List of Members.

19. For the consideration of any question affecting the conduct of any Member of the Association, or any motion to disqualify a person for membership, a Special General Meeting shall, at the instance of the Council be convened, and such meeting shall have power on a vote taken by ballot by a majority of two-thirds of the Members present and voting, to remove the name of such Member from the list of Members, whereupon such person shall cease to be entitled to any of the rights and privileges of membership of the Association.

#### Alteration, etc., of Rules.

20. These rules shall not be added to, amended or rescinded except at an Annual General Meeting, or a Special Meeting of the Association, and then only with the consent of not less than two-thirds of the Members present and voting at such meeting.

### RHODODENDRON SPECIES.

The alphabetical list of Rhododendron Species which follows has been entirely re-written. The monograph published by the Rhododendron Society, "The Species of Rhododendron" has been freely copied and the series and subseries, height and colour of flower have been quoted almost in extenso from this book together with a few botanical descriptions in the most important species. The Rhododendron Association owes much to the Rhododendron Society for the valuable information contained in the book, and acknowledge with thanks the help it has given in compiling this list. All Members of the Rhododendron Association are advised to obtain a copy of this monograph, which may be obtained from the Secretary for 25s. post free, and which will enable them to identify many of the new Chinese Rhododendrons at present grown merely under the collector's number.

An attempt has been made to enumerate the hardiness of the different species by marking them with letters in the following way:—

- (A) Hardy anywhere in the British Isles and may be planted in full exposure if desired.
- (B) Hardy anywhere in the British Isles but requires some shade to obtain the best results.
- (C) Hardy along the seaboard and in warm gardens inland.
- (D) Hardy in south and west but requires shelter even in warm gardens inland.
- (E) Requires shelter in most favoured gardens.
- (F) Usually a greenhouse shrub.
- (P) Early flowering.

and any help in correcting mistakes will be welcomed. Those species considered worth growing have also been marked with

asterisks varying from one to four, and criticism as to this marking will also be welcome. Some not marked may be well worth growing when they have flowered in our gardens.

A full list of all the names given to varieties of Rhododendrons follows with the species into which the plant has been merged or the name which holds good.

Lastly, the thanks of the Rhododendron Association are due to Mr. E. H. Wilding for allowing the English translation of the Latin and Greek names to be copied from his book, "Rhododendrons, Their Names and Addresses," to Mr. W. J. Bean and Mr. J. B. Stevenson, who have always been ready to help me in compiling this list, as well as to Professor Smith, of Edinburgh, who is always ready to help in elucidating the differences of the species of Rhododendrons.

LIONEL DE ROTHSCHILD.

#### LIST OF RHODODENDRON SPECIES.

R. aberrans. (wandering)

s. Lacteum.

A shrub of 6-15 feet, with white flowers more or less flushed rose and crimson markings. Very similar to *Traillianum* but with smaller leaves and flowers.

R. achroanthum. (paler coloured flowers) A. s. Lapponicum.

A shrub of 2 feet, with dull deep magenta-red flowers.

R. acraium.
(dweller on the heights)

\* A.

s. Cephalanthum.

A shrub, 3-5 feet high, with white flowers.

R. Adamsii.

s. Cephalanthum.

A small shrub with purplish flowers.

R. adenogynum. (glandular ovary)
A.

s. Taliense. s.s. Adenogynum.

A shrub of 9 feet, with white flowers shaded rose at base or with a magenta tint and many crimson spots.

R. adenophorum. (gland bearing)
A.

s. Taliense. s.s. Adenogynum.

A shrub of 4-8 feet high, flowers rose coloured with a few crimson markings.

R. adenopodum.
(glandular pedicel)
\*\* B.

s. Ponticum. -s.s. Caucasicum.

A shrub of 10 feet with pale rose flowers.

R. admirabile. (admirable)

D.

s. and s.s. Irroratum.

A subspecies of R. lukiangense with larger deep rose flowers, with or without a few spots.

R. adroserum.

(eglandular) D.

s. and s.s. Irroratum.

A subspecies of R. lukiangense, with smaller leaves and flowers, light rose at base flushed magenta-rose at margins and conspicuously spotted outside.

R. aechmophyllum. (with a pointed leaf)

s. Triflorum. s.s. Yunnanense.

A shrub of 3-4 feet. Very near R. longistylum.

R. aeruginosum. (verdigris coloured) A.

s. Campanulatum.

A shrub of 6-8 feet with lilac-rose to reddish purple flowers, spotted deeper within at back and blotched. Its chief beauty is in its young foliage, which is brilliant verdigris and forms a striking object in the spring.

R. afghanicum. (from Afghanistan) s. Triflorum. s.s. Hanceanum.

A poisonous shrub, creeping on rocks, with whitish-green flowers.

R. aganniphum. (snowy)

s. and s.s. Taliense.

A shrub of 2-4 feet; flowers white or white flushed rose spotted crimson.

R. agapetum. (delightful)

s. Irroratum. s.s. Parishii.

A shrub up to 20 feet high. Flowers crimson scarlet.

R. agastum. (charming) D.

s. and s.s. Irroratum.

A shrub up to 20 feet high. Flowers rose with crimson blotch possibly breaking into lines and spots.

R. agetum. (wondrous)

s. and s.s. Neriiflorum.

A subspecies of R. neriiflorum, which differs from it in having more pointed leaves.

R. agglutinatum. (stuck together)

s. and s.s. Taliense.

A shrub of 3-6 feet. Flowers white or creamy white, or white tinged rose with crimson markings.

R. aiolopeplum. (with a gleaming covering) A shrub up to 8 feet in height. B.

s. Lacteum.

Flowers white faintly flushed rose.

R. aischropeplum. (with an ugly covering) s. Taliense. s.s. Roxieanum.

A shrub of 4-6 feet. Flowers white or creamy white, occasionally flushed rose with deep crimson spotting.

R. alabamense. (from Alabama)

s. Azalea. s.s. Luteum.

A fragrant white-flowered azalea from Alabama.

R. Albertsenianum. C.

s. and s.s. Neriiflorum.

A shrub of 4-7 feet. Flowers bright rose-crimson.

R. albiflorum. (white flowered)

s. Albiflorum.

A shrub up to 6 feet in height. Flowers white.

R. Albrechtii.

\*\*\*

s. Azalea. s.s. Canadense.

A very beautiful bright rosecoloured azalea, 3-5 feet in height. Hardy but somewhat fastidious as to situation.

R. alpicola. (dweller in the Alps) A.

s. Lapponicum.

A shrub up to 3 feet in height, with lavender-purple flowers.

R. alutaceum. (leathery in texture) s. Taliense. s.s. Adenogynum. A shrub up to 14 feet, with rose flowers spotted crimson and blotched at base.

R. ambiguum. (doubtful) A.

s. and s.s. Triflorum.

A shrub up to 5 feet in height, with vellow flowers spotted with green. Some forms are better than others and as it strikes easily these should be sought for.

R. Amesiae. B.

s. Triflorum. s.s. Polylepis. A small shrub with purple flowers.

R. Annae. D.

s. and s.s. Irroratum.

A shrub of 4-6 feet. Flowers creamy-white flushed rose, purple spotted.

R. annamense. (from Annam)

s. Azalea. s.s. Obtusum. A shrub with rose-purple flowers.

R. anthopogon. (bearded flowers) C.

s. Anthopogon. A shrub with pink flowers.

R. anthopogonoides. (resembling anthopogon) s. Cephalanthum. A small shrub.

R. anthosphaerum. (round flowered)

s. and s.s. Irroratum.

A small tree up to 30 feet in height; rose-magenta to mauve flowers with a deep black crimson blotch.

R. anwheiense. (from Anwhei)

s. Barbatum. s.s. Maculiferum.

R. aperantum.

(limitless)

A.

\*\*\*

s. Neriiflorum. s.s. Sanguineum.

A very slow growing dwarf spreading shrub 6-20 inches high eventually forming mats 1-20 feet across; eminently suitable for the rock garden. Its flowers vary in different forms from white to rose, deep rose, orange and yellow, sometimes flushed or margined.

R. apiculatum. (pointed leaves)

C.

s. Triflorum. s.s. Oreotrephes.

A shrub up to 5 feet. Flowers dark purple.

R. apodectum. (acceptable)

A.

21.

\*\*\*

s. Neriiflorum. s.s. Sanguineum.

A shrub eventually 4-8 feet high. Flowers dull orange, sometimes crimson. This rhododendron, flowering a fortnight later than dichroanthum, is worth growing for this reason.

R. araiophyllum. (narrow leaved)

D.

\*\*\*

s. and s.s. Irroratum.

A shrub up to 16 feet. Flowers white or white suffused rose with a crimson blotch and few or many crimson spots within.

R. araliaeforme. (aralia like)

C.

s. and s.s. Fortunei.

A geographical form of R. vernicosum.

R. arborescens. (tree like)

1

---

\*\*

s. Azalea. s.s. Luteum.

A pretty American azalea, 8-18 feet in height. Flowers white or pinkish. f. rubescens has smaller purple-pink flowers, f. flavescens pale yellow, whilst var. Richardsonii is smaller both in height and flowers and comes from a higher altitude.

R. arboreum.

(tree like) D.

s. and s.s. Arboreum.

This well-known Himalayan rhododendron is unfortunately only hardy in the south and west. Its varieties roseum and album can be grown in sheltered positions inland but the blood red variety, even including Kermesinum, should only be attempted in favoured localities. A tree of 30-40 feet.

R. argenteum.

(silvery) E.

= R. grande.

R. argipeplum.

(white robed)

R. argyrophyllum.

(silver leaves) B.

A shrub of 6 feet or more in height.

s. and s.s. Barbatum.

s. Arboreum. s.s. Argyrophyllum. A shrub up to 20 feet in height. Flowers white or white flushed rose with deeper pink spots within. Pretty slender leaves, silvery underneath.

R. arizelum.

(notable) C.

s. Falconeri.

A shrub or small tree of 10-20 feet, with large leaves and white, creamyvellow or vellow tinged rose flowers with a crimson blotch. But Forrest has sent some forms back which are said to have flowers of as deep a shade of yellow as lacteum and others of a rosy shade.

R. artosquameum. (with compressed scales)

s. Triflorum. s.s. Oreotrephes.

A shrub of 2-8 feet or more in Rose flowers without height. markings.

R. asmenistum. (very pleasing)

s. Neriiflorum. s.s. Sanguineum. A subspecies of cloiophorum. Very near it but with white flowers margined rose.

s. Vaccinioides.

R. asperulum.

(slightly roughened)

R. asteium.

(elegant) C.

s. Neriiflorum. s.s. Sanguineum.

flowers and orange anthers.

A subspecies of and very near to eudoxum.

An epiphyte, with pale flesh pink

R. asterochnoum.

(with star-like down)

A small tree with flowers said to

be white suffused rose.

R. astrocalyx. (star-like calyx)

s. Thomsonii. s.s. Souliei.

A small shrub of 3-5 feet, with flat open pale yellow flowers.

R. atlanticum.

(from the Atlantic seaboard)

E.

s. Azalea. s.s. Luteum.

A fragrant azalea from Carolina, 2 feet in height. White flowers flushed pink or purple outside.

R. atrovirens.

(dark green)

s. Azalea. s.s. Obtusum.

Large shrub or small tree, with red flowers and some scattered dark red dots.

R. Augustinii.

(after Augustine Henry)

\*\*\*\*

s. Triflorum. s.s. Augustinii.

The finest of the blue Triflorum rhododendrons. Wilson sent back two forms of which, unfortunately, the deep blue one is the most tender; this one should only be attempted in the south and west. The grey-blue form is, however, probably hardy in sheltered positions in all but the coldest districts of the British Isles. It eventually forms a shrub of 10 feet or more in height and as much through.

R. aureum.

(golden) D.

\*

s. Boothii.

A shrub of 4 feet with slender leaves and bright yellow flowers, sometimes pale or even greeny-yellow. A taller variety, said to reach 12-15 feet in height, has recently been introduced and is the more desirable variety.

R. auriculatum.

(ear shaped)

le sie

s. Auriculatum.

A large shrub of 15 or more feet in height with sweet-scented white flowers in August. This and serotinum are the two latest flowering rhododendrons and desirable from this point of view; it is, however, very shy of flowering until it reaches a big size. Perfectly hardy in all but the coldest districts of England, it makes its growth too late for the greater part of Scotland. If the weather is dry during its growing season, watering is advisable.

R. austrinum. (southern)

E.

s. Azalea. s.s. Luteum.

A shrub up to 8 feet high, with yellow and orange flowers, the tube purplish or with 5 purplish stripes.

R. axium. (worthy)

C.

s. Thomsonii. s.s. Selense.

A subspecies of *selense*, with larger flowers distinctly blotched and spotted.

R. Bachii.

E.

s. Ovatum.

A shrub forming a twiggy bush 6 feet or perhaps more high. Flowers soft rosy-lilac. Intermediate in character, etc., between R. ovatum and R. leptothrium.

R. Baileyi.

B.

s. Lepidotum.

A small shrub, up to 3 feet in height, with dark reddish-purple open flowers.

R. Bainbridgeanum.

C.

s. Barbatum. s.s. Crinigerum.

A shrub 3-6 feet high with white or creamy-yellow flowers, sometimes flushed rose, blotched crimson and more or less spotted outside.

R. Balfourianum.

B.

s. Taliense. s.s. Adenogynum.

A shrub 4-8 feet high, with pale rose flowers marked crimson; var. aganniphoides has a spongy indumentum.

R. barbatum.

(bearded)

B.

s. and s.s. Barbatum.

This well-known Himalayan rhododendron forms a tree 30-60 feet in height, with bright crimson scarlet flowers in small trusses.

R. basilicum.

(royal)

s. Falconeri.

A small tree up to 30 feet, with large leaves, flowers pale yellow or tinted crimson, with a crimson blotch at base.

R. bathyphyllum.

(leafy)

s. Taliense. s.s. Roxieanum.

A low shrub of 3-5 feet with white flowers and copious crimson spots.

R. bauhiniiflorum. (Bauhinia-like flowers)

D.

flor

s. and s.s. Triflorum.

A shrub very similar to R. Tri-florum.

R. Beesianum.

C.

s. Lacteum.

A shrub or small tree 20 feet in height, with fairly large dark green leaves, flowers white to rose with few crimson markings. A somewhat difficult plant in our gardens.

R. beimaense. (from Beimashan)

R. bivelatum. (twice covered)

R. blepharocalyx. (with a fringed calyx)

R. Bodinieri. C.

R. boninense. (from Bonin)

R. Bonvalotii.

R. Boothii. F.

R. brachyanthum. (short flowers)

R. brachycarpum. (short fruited) A.

R. brachysiphon. (short tubed) F.

s. Thomsonii. s.s. Selense.

A subspecies of erythrocalyx, but with white flushed rose flowers.

s. Triflorum. s.s. Augustinii. A shrub of 6 feet, with small rose flowers.

s. Lapponicum. An erect shrublet with mauve flowers.

s. Triflorum. s.s. Yunnanense. A small shrub, with rose coloured flowers spotted with purple.

s. Azalea. s.s. Obtusum. A shrub up to 6 feet high, with large white flowers.

s. Thomsonii. s.s. Souliei. A small shrub.

s. Boothii. An epiphytic shrub, with bright lemon yellow flowers.

s. Glaucum. A small shrub, with pale yellow or greeny-yellow flowers. Of little garden value.

s. Ponticum. s.s. Caucasicum. A shrub of 8 to 10 feet in height, with creamy-white flowers flushed with pink, green spotted at back.

s. and s.s. Maddenii. A shrub of 8 feet, with scented pink flowers.

R. bracteatum.
(furnished with bracts)
B.

s. Triflorum. s.s. Oreotrephes.

A shrub up to 6 feet with white flowers and red spots.

R. breviperulatum. (with short buds)

s. Azalea. s.s. Obtusum. A shrub not yet introduced.

R. brevistylum. (with a short style)

B.

THE REAL PROPERTY.

s. Heliolepis.

A shrub up to 10 feet high, with pale to deep rose flowers with crimson markings.

R. brunneifolium. (brown coloured foliage) C. s. Neriiflorum. s.s. Sanguineum.
A subspecies of and very near to

R. bullatum. (puckered leaves) D.

\*\*\*

s. Edgeworthii.

The Chinese form of Edgeworthii, with large white sweet-scented flowers or tinged with pink. A very beautiful greenhouse rhododendron, but some of the forms sent back recently, especially F. 21,564 and Rock 59,202, seem hardy in the south of England and should be perfectly hardy on the western seaboard. It forms a straggling bush 8 feet in height. It differs from Edgeworthii in the corolla and style being scaly.

R. Bureavi.

C.

s. Taliense. s.s. Adenogynum.

A shrub 6 feet high, with rose or reddish flowers with crimson markings and dark green foliage with woolly brown indumentum on the under side of the leaves and on the young shoots. An attractive foliage plant.

R. bureavoides. (resembling Bureavi) s. Taliense. s.s. Adenogynum.

A shrub of 4-10 feet, with rose coloured flowers crimson spotted and a deep blotch at base. It has larger leaves and flowers than Bureavi

R. burmanicum.

(from Burma) F.

s. Maddenii. s.s. Ciliicalyx.

A pretty shrub 6 feet or more in height, with greenish-yellow greenish-white flowers, sweet scented.

R. calciphilum.

(lime-loving) A.

s. Saluenense.

A prostrate shrublet, with rosy purple flowers. Apparently confined to limestone in the wild.

R. calendulaceum. (like marigold)

s. Azalea. s.s. Luteum.

A shrub 4-10 feet, rarely 15 feet high, with yellow or orange to scarlet flowers, sometimes partly salmon pink with orange blotch. Many garden hybrids have been obtained from this azalea but it is well worth growing from a decorative point of view. Var. croceum has yellow flowers, var. aurantium orange red to scarlet.

R. californicum. (from California) A.

s. and s.s. Ponticum.

A shrub up to 12 feet, with purplish-rose flowers and yellow spots. R. macrophyllum is a variety of this species with white and smaller flowers

R. callimorphum. (lovely shaped) B

\*\*\*

s. Thomsonii. s.s. Campyiocarpum.

A shrub 4-9 feet in height, with small round leaves and soft rose flowers with a crimson blotch at the base inside and deep rose in bud. A group of these free flowering little shrubs just coming into flower is most attractive.

R. calophyllum. (beautiful leaf) F.

s. and s.s. Maddenii.

A shrub of 5 feet or more in height, with sweet-scented white flowers. Not in cultivation those passing under its name being forms of *Maddenii*.

R. calophytum. (beautiful plant)
B.

\* \* \*

s. Fortunei. s.s. Calophytum.

A small tree, eventually 30 to 40 feet high. Large leaves and large trusses of either white or pink flowers with a deep blotch. Perfectly hardy. This rhododendron unfortunately flowers in April, which makes it unsuitable for growing in places where spring frosts are prevalent.

R. calostrotum.
(with a beautiful covering)

n a oeautijui covering) A. \*\*\*

s. Saluenense.

A small shrub up to 1 foot high, with showy bright magenta-purple flowers with an open flat corolla.

R. caloxanthum. (beautiful yellow flower) B. \*\* s. Thomsonii. s.s. Campylocarpum. A shrub of 3-5 feet with pale sulphur yellow flowers tipped with orange, scarlet when in bud.

R. calvescens. (becoming bald)
C.

s. Thomsonii. s.s. Selense.

A shrub of 3-6 feet, with rose coloured flowers.

R. camelliaeflorum. (Camellia-like flowers) D. s. Camelliaeflorum.

A shrub of 2-6 feet. Flowers white tinged with pink.

R. campanulatum. (bell-shaped) B. s. Campanulatum.

A shrub or small tree up to 12-18 feet or more in height. Flowers white, rosy-white and various shades of rosy-purple, more or less purple spotted, and, in the best forms, almost blue. Handsome hardy shrub but requires the protection of a wood as it flowers early. Among the best varieties is the one sent out from Knapp Hill.

#### R. Campbelliae.

C.

s. and s.s. Arboreum.

A subspecies of arboreum, with purplish-rose flowers.

#### R. campylocarpum. (bent fruits)

B.

\*\*\*\*

s. Thomsonii. s.s. Campylocarpum.

A shrub of 4-8 feet in height. Flowers canary yellow, very floriferous and should be in every collection of rhododendrons as being certainly the best yellow for general planting. It varies from a small compact growing shrub with clear yellow flowers to a looser growing, taller form which has its buds tipped with orange and faint basal crimson blotching.

#### R. campylogynum. (bent ovary)

A.

s. Campylogynum.

A shrub up to 6 feet in height, with small flowers ranging from pale rosepurple to almost black-purple.

## R. camtschaticum. (from Kamtschatka)

A.

s. Camtschaticum.

A deciduous dwarf rhododendron from north-east Asia with reddishpurple flowers. The plant itself never grows more than 6 inches high and, coming from the extreme north where it is frozen all the winter, takes none too kindly to English gardens. A successful grower in a cold garden writes that "after coddling this species in various ways, always attended with failure, I now have it growing in a rockery in full sun and in a dry position, where it is well established, spreading itself among the stones and flowering freely."

# R. canadense. (from Canada)

s. Azalea. s.s. Canadense.

A small deciduous shrub 1-3 feet high, with rose-purple rarely white flowers, commonly known Rhodora.

R. canescens.

(hoary) A.

R. cantabile.

(worthy of song)
A.

\*\*\*\*

R. capitatum.

(flowers in a head)

R. carneum.

(flesh coloured) F.

\*\*

R. carolinianum.

(from Carolina)
A.

R. catacosmum. (adorned)

\*\*\* B.

R. catawbiense. (from Catawba, North

Carolina)

A.

s. Azalea. s.s. Luteum.

A shrub 12-15 feet in height, with pink to nearly white flowers with pink tube.

s. Lapponicum.

A small shrub up to 3 feet, with dark violet or deep bright blue-purple flowers. Quite one of the best alpines and should be in every collection.

s. Lapponicum.

A small shrub up to 3 feet high, with mauve flowers.

s. Maddenii. s.s. Ciliicalyx.

A shrub of 3 feet or more, with fragrant flesh coloured or whitish-pink flowers. In the greenhouse it can be trained to form a shaplely plant 6-8 feet high.

s. Carolinianum.

Flowers rosy-purple or rarely whitish. Forms a little bush 3-4 feet in height and is quite pleasing with its numerous blooms.

s. Neriiflorum. s.s. Haematodes.

A shrub of 6-9 feet in height, with crimson-rose flowers.

s. and s.s. Ponticum.

A shrub of 10 feet or more in height. This is the parent of many of the Waterer hybrids. It is usually of a magenta colour and its only merit is its extreme hardiness—it will stand 60 degrees of frost. Some forms with rather bluer flowers may be permitted in a collection.

R. caucasicum. (from the Caucasus) s. Ponticum. s.s. Caucasicum.

A shrub of 3-4 feet, with yellowish flowers or tinted rose, spotted within. *Cunningham's Sulphur* is probably merely a form of this.

R. cavalerei.

s. Stamineum.

A shrub 6-9 feet high, with white to rose flowers.

R. cephalanthoides. (like R. cephalanthum)
A.

s. Cephalanthum.

A dwarf shrub up to 4 feet in height, with white flowers and a yellow tube; grows on limestone cliffs.

R. cephalanthum.

s. Cephalanthum.

(head of composite flowers) A small shrub with white flowers.

B.

R. ceraceum. (wax like) D. s. and s.s. Irroratum.

A subspecies of R. lukiangense, with magenta-rose flowers and a small blotch, with or without a few spots.

R. cerasinum. (cherry like) C.

\*\*

s. and s.s. Thomsonii.

A shrub 10-12 feet high, with creamy-white flowers with a broad cherry red band round the summit or cherry red or brilliant scarlet.

R. cerinum. (wax coloured) E. s. Boothii.

A small shrub 3-4 feet in height, with small butter yellow flowers.

R. cerochitum. (covered with wax)
C.

s. and s.s. Irroratum.

A shrub or small tree of 20 feet, with rose coloured flowers with or without a few deeper markings. R. chaetomallum. (with fleecy hair) C.

\*\*

s. Neriiflorum. s.s. Haematodes.

A shrub 4-5 feet high, with deep crimson flowers. A somewhat variable species, the following varieties are recognised—var. glaucescens, a shrub of 5 feet with flowers a deep rich crimson; var. hemigynum, a shrub of 5 feet with rich bright crimson flowers; var. xanthanthum, a shrub of 2-4 feet with larger creamy-yellow flowers flushed more or less rose pink especially on the margins. This variety should also be hardier than the type as it comes from 14,000 feet elevation.

R. chalarocladum. (with loose shoots) C. s. Thomsonii. s.s. Selense. A subspecies of selense, with oblong leaves.

R. chamaetortum. (creeping) \* A. s. Cephalanthum.
A small shrub 6-12 inches in height, with rose flowers.

R. chamaezelum.
(growing on the ground)
A.

s. Lapponicum.

A matted shrub 6-8 inches high, with pale yellow flowers.

R. chameunum.
(lying on the ground)
A.

s. Saluenense.

A shrub with deep purple rose flowers and crimson markings.

R. Championae.

s. Stamineum.
A shrub with pink flowers.

R. Chapmanii.

s. Carolinianum.
A pretty shrub up

A pretty shrub up to 6 feet in height, with rose coloured flowers.

R. charianthum. (beautiful flowers)
B.

s. Triflorum. s.s. Yunnanense.
A shrub with rose coloured flowers densely spotted with red on the upper side of the corolla within.

R. charidotes. s. Saluenense.

(giving joy)

A dwarf shrublet a few inches high with magenta-crimson flowers.

R. charitopes. (graceful of aspect)

s. Glaucum.

A small shrub I foot high, with flowers of a clear apple blossom pink speckled with crimson.

R. charitostreptum. (gracefully bent)

s. Glaucum.

A small shrub with pretty clear green leaves and pale lemon yellow flowers with red stamens.

R. charopoeum. (causing joy)

s. Campylogynum.

A low bush of 6-8 inches with rosy-purple flowers.

R. chartophyllum. (paper-like leaves)

s. Triflorum. s.s. Yunnanense.

A shrub very near yunnanense, q.v., with the leaves usually deciduous and lacking the bristles on the upper surface. When the leaves are entirely deciduous it is called chartophyllum praecox.

R. chasmanthoides. (resembling chasmanthum)

s. Triflorum. s.s. Augustinii. A shrub up to 8 feet in height with

rose-lavender flowers, possibly only a form of chasmanthum.

R. chasmanthum. (with gaping flowers)

s. Triflorum. s.s. Augustinii.

A shrub of 8 feet or more in height with somewhat varying colour of flowers, ranging from pale lavender to deep lavender mauve. It flowers about a week after R. Augustinii with similar size flowers but rather more of a truss than the latter and is certainly the next best of the Triflorum series. In time, no doubt, the best forms will be available but all that I have seen are attractive.

R. chawchiense.

(from the Chawchi Pass)

R. chionanthum. (snowy flowers) B

R. chloranthum.

(green yellow) B.

R. chrysanthum.

(golden flowered)

R. chryseum. (golden vellow)

R. chrysolepis. (with golden scales)

R. ciliatum. (fringed)

R. ciliicalyx. (fringed calyx)

s. and s.s. Irroratum.

A subspecies of eritinum with smaller blue-magenta flowers.

s. Neriiflorum. s.s. Haematodes.

A shrub of 3 feet with white flowers.

s. Trichocladum.

A deciduous shrub of 2-4 feet in height with yellow flowers tinged with green at the base.

s. Ponticum. s.s. Caucasicum.

A dwarf shrub up to I foot in height with pale yellow flowers. Difficult to grow. var. niko-montanum is an erect growing form from Japan.

s. Lapponicum.

A small alpine shrub 1-21 feet in height with bright yellow flowers. One of the best of the yellow Lapponicums and is very pretty planted amongst the pale lavender forms of the series.

s. Boothii.

A small epiphytic bush with bright canary yellow flowers.

s. Maddenii. s.s. Ciliicalyx.

A small spreading shrub 6 feet in height with flowers white to tinged with rose in April. hybrid with R. dauricum, praecox, is well known.

s. Maddenii. s.s. Ciliicalyx.

A robust shrub 10 feet in height with sweet-scented large white or rose flowers.

R. cilipes. (fringed at the base)

E.

R. cinnabarinum.

(cinnabar red)

B.

\*\*\*\*

s. Maddenii. s.s. Ciliicalyx.

A shrub with solitary fragrant white flowers with a green or vellowish blotch.

s. Cinnabarinum.

A hardy shrub up to 6 feet high, with tubular flowers of bright cinnabar red. Its variety Roylei has flowers of an intense rosy red with a more open corolla, and the variety Blandfordiaeflorum has yellow flowers tipped with red. It is extremely free flowering as it gets older and should be in every garden, planted so that the setting sun can be seen through the flowers.

A sub-species of arboreum, distinguished by having a rusty brown

indumentum under the leaves with white or pale rose flowers with

s. Neriiflorum. s.s. Sanguineum.
A small shrub 4 feet in height
with bright lemon yellow flowers

and the under surface of the leaves covered with a dense fawn indumentum. R. chlanidotum is a form of this species with longer leaves.

R. cinnamomeum. (cinnamon coloured)

C.

\*

R. citriniflorum. (citron-like flowers)

C.

zje z

R. Clementinae.

sk sk

s. and s.s. Taliense.

s. and s.s. Arboreum.

purple or yellowish spots.

A shrub of 4-10 feet with flowers creamy white flushed rose to bright rose with deeper crimson markings. This rhododendron was named by Forrest after his wife and should therefore be attractive. It is somewhat fastidious as to situation.

R. clivicola.
(living on hillsides)

s. Cephalanthum.

A shrub of 3-5 feet with white flowers and yellow tube.

R. cloiophorum. (wearing a collar)

C

s. Neriiflorum. s.s. Sanguineum. A shrub of 4 feet with rose coloured flowers with a darker margin.

R. codonanthum.

(with a bell-shaped flower)

s. Taliense. s.s. Adenogynum.

A small shrub 2-3 feet high, with bright yellow flowers with crimson markings. Not in cultivation.

R. coelicum.

(heavenly) C.

s. Neriiflorum. s.s. Haematodes.

A thin bush or small stout tree with bright scarlet flowers.

R. coeloneurum.

(with impressed nerves)

A small tree about 12 feet high, probably allied to R. Wasonii.

R. Collettianum.

C.

s. Anthopogon.

A shrub several feet high with white flowers tinged with rose.

R. colletum.

(glued together)

s. Lacteum.

A shrub 10-15 feet, with whitish flowers flushed rose or pale rose with faint crimson markings.

R. comisteum.

(to be taken care of) A. .

s. Taliense. s.s. Roxieanum.

A shrub 2-3 feet in height, flowers rose coloured with a few crimson spots.

R. commodum. (favourable)

D.

s. Boothii.

A shrub of 2-3 feet with small vellow flowers.

R. complexum.

(interwoven) A.

s. Lapponicum.

A matted shrublet, 1-2 feet high, with deep rosy purple flowers.

R. concinnoides. (like R. concinnum)

s. Triflorum. s.s. Polylepis.

A small shrub with pinkish-purple flowers with darker spotting fading to white at the base.

R. concinnum. (neat)

R

s. Triflorum. s.s. Polylepis.

A small shrub with spotted purplish flowers.

R. coriaceum. (leathery)

D.

2.

s. Falconeri.

A shrub or tree 10-25 feet in height with white or white flushed rose flowers with crimson blotch, with or without crimson spots at back within.

R. Coryanum.

E.

3/ 3

\*

s. Arboreum. s.s. Argyrophyllum.

A shrub 10-20 feet in height, with creamy-white flowers spotted with crimson.

R. coryphaeum. (leading)

C.

s. Grande.

A large shrub or tree 15-20 feet in height with large leaves and creamy white flowers with a purple blotch.

R. cosmetum.

(neat)

s. Saluenense.

A shrub 1-2 feet high with rosy purple flowers.

R. crassum.

(fleshy)

D.

de ele

s. and s.s. Maddenii.

A shrub or tree up to 20 feet in height, with white flowers, sweet-scented. The only Maddenii that is fairly hardy and a most desirable species, flowering as it does in June when other rhododendron species are scarce.

R. crebreflorum.

(densely flowered)

s. Cephalanthum.

A prostrate shrublet with pale pink flowers.

R. cremastum.

(suspended)

s. Campylogynum.

A small shrub with rose-purple flowers.

R. cremnophilum.

(cliff loving)

s. Cephalanthum.

A small shrub a few inches high with white flowers tinged yellow.

R. crinigerum. (bearing hairs)

s. Barbatum. s.s. Crinigerum.

A shrub of 8-12 feet with white or white flushed rose flowers with a deep blotch. Some plants that have flowered in this country have been heavily spotted on a creamy ground. Many forms have been sent home and some are no doubt better than others. but collectors as a whole do not lead one to believe that it will be of great garden value.

R. croceum.

(vellow) C.

\*\*\*

s. Thomsonii. s.s. Souliei.

A shrub or small tree 15-20 feet high, with saucer-shaped bright yellow flowers sometimes with a crimson blotch.

R. cruentum. (colour of gore)

s. Taliense. s.s. Adenogynum.

A small tree with white or white flushed rose flowers.

R. Cubittii. F.

s. Maddenii. s.s. Ciliicalyx.

R. cucullatum. (hooded) A.

s. Taliense. s.s. Roxieanum.

A shrub 3-8 feet with white flowers and crimson spots.

R. Cuffeanum. F.

s. Maddenii. s.s. Ciliicalyx.

A shrub with white flowers and a vellow blotch.

R. cuneatum. (wedge-shaped) s. Lapponicum.

A small shrub up to 4 feet with deep rose flowers in the wild on limestone cliffs.

R. cyanocarpum. (with blue fruits)

s. and s.s. Thomsonii.

A shrub or small tree 5-20 feet high with round blue-green leaves resembling Thomsonii but with flowers white or creamy-white flushed rose or a rich soft rose. R. eriphyllum is a botanical variety of the species.

R. cyclium. (round)

s. Thomsonii. s.s. Campylocarpum. A shrub of 4-6 feet with deep rose flowers and a darker blotch.

R. cymbomorphum. (cup-shaped) C.

s. Thomsonii. s.s. Selense.

A shrub of 6-8 feet in height with vellow flowers without markings.

R. Dalhousiae. F

s. Maddenii. s.s. Megacalyx.

A thin shrub of 6-10 feet in height with large tubular flowers white flushed pink. Fragrant.

R. daphniflorum. (flowers like Daphne) A.

s. Cephalanthum.

A small low shrublet with rose coloured flowers.

R. dasycladum. s. Thomsonii. s.s. Selense.

(hairy boughs) A shrub 6-10 feet high with rose? coloured flowers.

R. dasypetalum. (hairy petals)

R. dauricum. (from Dauria) B.

R. Davidii.

R. Davidsonianum.

\*\*

R. decipiens. (deceptive)

R. decorum. (ornamental)
C.

s. Lapponicum.

A small shrub up to  $2\frac{1}{2}$  feet high with purple-rose flowers. One of the less interesting of the series.

s. Dauricum.

A shrub eventually 8 feet in height. There are two forms of this, one semi-deciduous and the other evergreen, called atrovirens. They both have bright rose-purple flowers in February and make an attractive sight in frost free gardens. They are perfectly hardy and form the other parent of R. praecox.

s. Fortunei. s.s. Davidii.

A tall shrub 9-15 feet in height with rosy red or lilac flowers spotted purple within, but it is doubtful if this species is in cultivation.

s. Triflorum. s.s. Yunnanense.

A shrub with pink flowers with red spots, very attractive in its better forms.

s. Falconeri.

A small tree with large leaves and purple-rose flowers, possibly a hybrid between *Falconeri* and *Hodgsonii*.

s. and s.s. Fortunei.

A shrub of 12 to 20 feet in height with white slightly sweet-scented flowers, sometimes shell pink. This species, which has been sent home numerous times, is worth a place in the garden. The form sent home by Wilson seems to be later flowering and hardier than those sent back by Forrest, while Farrer's decorun, which has larger flowers than the type, is tender and unfit for any garden except in the west.

GUERRSEY.

# R. Degronianum. B.

s. Ponticum. s.s. Caucasicum.

A compact rounded bush 3-4 feet high with clear soft pink flowers with deep pink lines along the middle of the petals. This plant has been grown in our gardens under the name of *Metternichii*, from which it differs in its five partite corolla, hence the varietal name of "pentamerum." The narrow-leaved form, var. angustifolium has been given the specific name of R. Makinoi, q.v.

### R. Delavayi.

s. and s.s. Arboreum.

E.

The Chinese equivalent of the Himalayan arboreum, this makes a small tree of 20-40 feet in its native home, but in England so far is only known as a shrub. Its blood red flowers are very fine, but it is tender and only suitable for the south and west. Forms with white and pink flowers have been introduced and these should be avoided.

### R. deleiense.

s. Boothii.

(from the Delei Valley)
E.

A shrub with flowers of a deep magenta rose colour darker than *R*. tethropeplum.

# R. dendricola. (dweller on trees) F.

s. Maddenii. s.s. Ciliicalyx.

A small shrub with white flowers tinged with pink and an orange mark.

## R. dendritrichum.

s. Fulvum.

(hairy tree) C. A shrub of some 15 feet in height with white flowers faintly flushed rose with crimson spots and a crimson blotch.

# R. dendrocharis. (graceful tree)

s. Moupinense.

An epiphytic shrub with bright rosy red flowers.

R. denudatum. (naked)

s. Arboreum. s.s. Argyrophyllum.
A shrub of 12 feet with rose flowers and a crimson blotch.

R. desquamatum. (bereft of scales) D. s. Heliolepis.
A shrub or small tree up to 25 feet in height with mauve coloured flowers spotted, large for the series.

R. detersile. (clean)
D.

s. Taliense. s.s. Adenogynum.
A shrub about 3 feet high with reddish flowers.

R. detonsum. (shorn)
B.

s. Taliense. s.s. Adenogynum.
A shrub 9-12 feet high with rosepink flowers and crimson spots.
R. xenosporum is probably a form of
detonsum.

R. diacritum. (separated)
A.

s. Lapponicum.

A matted shrublet up to 2 feet high with deep rose-purple flowers with a white throat.

R. diaprepes. (distinguished) E.

s. and s.s. Fortunei.

The finest of the Fortunei series, this plant is unfortunately only hardy in the extreme west. It suffers very much from bark splitting. A shrub of 10-25 feet with very large slightly scented white flowers or very faintly flushed rose.

R. dichroanthum. (two coloured flowers) B.

\*\*\*

s. Neriiflorum. s.s. Sanguineum.

A low shrub eventually 6 feet in height with flowers deep orange, dull orange or salmon pink. Some of the best forms have recently been propagated by cuttings by various nursery gardeners as it strikes readily, and these should be sought for.

R. dictyotum. (not veined) C.

s. Lacteum.

A shrub of 9-12 feet with whitish flowers faintly flushed rose on margins and crimson spots outside.

R. didymum. (twofold)

B.

skt skt

s. Neriiflorum. s.s. Sanguineum.

A small shrub of 2-3 feet or more in height with deep black-crimson flowers in June or later. hardy little rhododendron seems to grow well in most parts of the British Isles. In the wild it is found on ledges of limestone cliffs.

R. dimidiatum.

A natural hybrid between R. callimorphum and R. neriiflorum.

R. dimitrum. (with double cap) D.

s. and s.s. Irroratum.

A shrub of 6-7 feet with deep rose flowers, crimson spotted, and a large calyx.

R. diphrocalyx. (calvx like a chariot board) C

s. Barbatum. s.s. Glischrum.

A shrub of 5-15 feet with light rosy-crimson flowers and a calyx so large as to give almost a bonbon impression.

R. discolor. (different colours) B.

\*\*\*

s. and s.s. Fortunei.

A tall shrub of 20 feet in height or more, this is probably the most desirable of the Fortunei series for general cultivation in this country. Flowers either white or pink, the first week in July, and although shy to flower in the early stage, a full size bush in full bloom is very attractive. Its late growth tells against it in Scotland and it is not satisfactory at Edinburgh or in very cold places in the British Isles, where it is apt to split its bark.

R. docimum. (estimable)

s. Thomsonii. s.s. Selense.

A subspecies of erythrocalyx, but with smaller flowers, white flushed rose with a crimson blotch.

C. flowers.

R. dolerum. s. Thomsonii. s.s. Selense.

(deceitful) A subspecies of selense with larger

R. doshongense.

(from Doshong Mountain) A tangled shrub 2-3 feet high with

s. Taliense. s.s. Adenogynum.

pink flowers and many dark purple

spots outside.

R. drumonium.

(from woods)

s. Lapponicum.

A small tufted shrub about I foot high with mauve flowers.

R. dryophyllum. (leaves like an oak)

B.,

s. Lacteum.

A shrub up to 9 feet in height with white flowers or flushed rose, marked crimson.

R. dumicola.

(dweller in thickets)

s. Taliense. s.s. Adenogynum.

A shrub 3-4 feet high with white flushed rose flowers with a faint blotch of crimson.

R. dumosulum.

(bushy)

s. Lacteum.

A small shrub of 2-3 feet in height with white flowers faintly flushed rose and crimson spots outside.

R. duseimatum.

(meanly clad) C.

s. Thomsonii. s.s. Selense.

A subspecies of selense with rose coloured flowers and a crimson blotch and longer leaves.

R. eclecteum.

(to be chosen out)

aje.

s. and s.s. Thomsonii.

A shrub about 7 feet high with flowers ranging from white to deep rose, sometimes rose-magenta or rarely yellowish unspotted or more or less spotted. R. brachyandrum is a variety of this species with dark much spotted flowers, whilst R. bellatulum is a form with bright rose flowers. Ward has recently sent back varieties with whitish or rose pink flowers and minor botanical differences.

R. Edgarianum.

s. Lapponicum.

A shrub up to 3 feet high with rosy-purple flowers.

R. Edgeworthii. F.

s. Edgeworthii.

A thin straggling bush 8-10 feet in height or more with large fragrant white flowers or tinged with pink.

R. elaeagnoides. (resembling an olive) A. s. Lepidotum.

A dwarf shrublet up to 9 inches high with solitary bright yellow or dull reddish-purple flowers.

R. elegantulum. (small and elegant)
C.

s. Taliense. s.s. Adenogynum.

A compact bush or shrub of 3-5 feet with pale purplish-pink flowers and darker spots.

R. Elliottii.

s. Irroratum. s.s. Parishii.

A small straggling tree with deep rosy-purple flowers with darker spots.

R. emaculatum. (without spots)
B.

s. Lacteum.

A shrub of 6-7 feet with deep magenta-rose flowers.

R. emarginatum. (notched at the apex)
E.

s. Vaccinioides.

A small bush up to 2 feet with yellow flowers.

R. epapillatum. (without a nipple)

s. and s.s. Irroratum.

A small tree of 17 feet with pale rose flowers with deeper tinted spots and a faint blotch.

R. epipastum. (sprawling)

s. Neriiflorum. s.s. Sanguineum.
A subspecies of eudoxum. A form of mesopolium with smaller dark rose flowers.

R. erastum. (lovely)
A.

s. Neriiflorum. s.s. Forrestii.

A creeping undershrub with clear begonia pink flowers.

R. eriandrum.
(with woolly stamens)
C.

s. Triflorum. s.s. Yunnanense.

A shrub of 3-5 feet high with deep rose lavender flowers and olive markings.

R. erileucum. (very white)

s. Triflorum. s.s. Yunnanense.

A shrub of 9 feet in height with white flowers, very near zaleucum.

R. eriogynum.
(with a woolly oviary)
D.

36 36 36 36

s. Irroratum. s.s. Parishii.

This rhododendron and facetum are hardly distinguishable from one They have magnificent another. clear bright red flowers in June but unfortunately the earlier introductions are only hardy in the south and west; later introductions may be more amenable to cultivation, but while they may be grown in favoured localities in Sussex they should not be attempted in colder districts. Their growth is naturally late and they do not very much like being transplanted; often after this they make their new growth so late as not to get it ripened before the winter. A shrub 10 feet or more in height.

**R.** eriphyllum. = a variety of eclecteum. (with many or large leaves)

R. eritimum. (highly prized) E.

s. and s.s. Irroratum.

A shrub of 18 feet with dark crimson or lighter rose magenta flowers blotched at base but not conspicuously spotted.

R. erubescens. (blush red)
C.

s. Fortunei. s.s. Oreodoxa.
A shrub related to Fargesii, flowers white inside, rose-carmine outside. Flowering in April it is liable to have its blossoms injured by frost.

R. erythrocalyx. (with a red calyx)
B.

s. Thomsonii. s.s. Selense.
A shrub of 6-8 feet with creamy white flowers with a pale crimson blotch and some small crimson spots.

R. esetulosum. (hairless)
B.

s. Thomsonii. s.s. Selense.
A shrub of 4-6 feet with creamy white flushed rose flowers copiously spotted crimson.

R. Esquirolii.

s. Stamineum.

A shrub with rose violet flowers.

R. euanthum.
(beautiful flowers)

\* C.

s. and s.s. Fortunei.
A geographical form of R. vernicosum.

R. eucallum. (beautiful)
B.

s. Thomsonii. s.s. Selense.

A subspecies of R. erythrocalyx but with smaller flowers, white without markings.

R. euchaites.
(with beautiful hairs)

\*\*\*\*

s. and s.s. Neriiflorum.

A subspecies of *neriiflorum* with the same glaucous under side to the leaves and bright crimson scarlet flowers. This may be described as the woodland form of neriiflorum and has larger flowers than the type. It may rech 15-20 feet in height and is the finest of the section.

R. euchroum.
(with a good colour)
C.

s. and s.s. Neriiflorum.

Not in cultivation. A shrub of 1½-2 feet with bright brick red flowers.

R. eudoxum. (of good report)
C.

s. Neriiflorum. s.s. Sanguineum.
A shrub of 3-6 feet with deep clear crimson rose flowers.

R. euonymifolium. (euonymous-like leaves)

s. Vaccinioides. A small shrub.

R. eurysiphon. (broad tube)
B.

s. Thomsonii. s.s. Martinianum.

A shrub of 3-5 feet with creamy white or very pale rose flowers, more or less heavily flushed deep magenta copiously spotted crimson.

R. exasperantum.

s. Barbatum. s.s. Glischrum.

A shrub or small tree of 10-15 feet high with rusty brick-red flowers.

R. excellens. (superb) F.

s. and s.s. Maddenii.

A shrub of 10 feet with white flowers.

R. eximium.

s. Falconeri.

(excellent) A tree of 30 feet with large leaves resembling Falconeri, but its flowers are slightly tinted with pink. This rhododendron grows very late and its young foliage covered with bright orange indumentum is very attractive even surpassing the flowers in beauty. Requires a sheltered position and, if required, watering during the time it is making its new growth.

R. Faberi. B.

s. Taliense. s.s. Adenogynum.

A shrub very near Prattii and probably the plants in cultivation under the name of Faberi belong to that species.

R. Faberioides. (like Faberi)

s. Taliense. s.s. Adenogynum. Perhaps only a subspecies of Faberi.

R. facetum. (elegant)

s. Irroratum. s.s. Parishii. R. eriogynum.

A tree of 20 feet with scarlet flowers and deeper coloured spots.

R. Falconeri.

C.

\*\*\*

s. Falconeri.

A tree of 40-50 feet with large leaves and large trusses of creamy white to pale vellow flowers with a purple blotch. This well-known Himalayan rhododendron is extremely handsome in the south and west. Elsewhere its leaves are apt to grow smaller but it succeeds fairly well in warm and sheltered gardens over the greater part of the British Isles.

R. Fargesii.

B.

s. Fortunei. s.s. Oreodoxa.

One of the most attractive of the series. This shrub is handsome in flower, when it is covered with its rather bright slightly blue pink flowers. Its floriferousness is such that unless the dead flowers are picked off, the plant is apt to get a severe check if not die. Requires a sheltered position but is fairly hardy. A shrub eventually 20 feet high.

R. farinosum.

(mealy)

s. Arboreum. s.s. Argyrophyllum. A shrub 4-6 feet in height with white flowers.

R. Farrerae.

F.

s. Azalea. s.s. Schlippenbachii.

A low shrub with pale to deep rose coloured flowers with purple spots.

R. fastigiatum.

(erect)

A.

s. Lapponicum.

An erect shrublet with light purple flowers.

R. Fauriei. B.

s. Ponticum. s.s. Caucasicum.

A shrub 5-10 feet high, with white or yellowish flowers with a pinkish flush and green spots.

R. Feddei.

s. Stamineum.

R. ferrugineum. (rusty coloured)

s. Ferrugineum.

The Alpine Rose of Switzerland, with small rosy crimson flowers. Is easily grown in a rock garden. A shrub of 3-5 feet.

R. fictolacteum. (false lacteum)

B

\*\*\*

s. Falconeri.

A shapely tree of 15-45 feet with leathery green leaves and white, creamy white or tinted rose flowers with a crimson blotch. The first introductions bore rather small flowers but lately forms with fine large flowers have been sent home and will, when mature, form a magnificent sight; when small it is a shy bloomer.

R. flavantherum.

(with yellow stamens)

s. and s.s. Triflorum.

A shrub of 6-10 feet with bright clear yellow flowers and deep orange anthers.

R. flavidum.

(somewhat yellow)
\*\* A.

s. Lapponicum.

A small shrub with pale yellow flowers.

R. flavorufum. (yellow to brown)

A.

s. and s.s. Taliense.

A shrub of 2-6 feet with white or soft rose coloured flowers with a few crimson spots.

R. floccigerum.

s. and s.s. Neriiflorum.

A shrub of 3-5 feet with curious floccate indumentum on the lower surface of its leaves. This shrub has been sent home of recent years with many coloured forms, some of which are said to be desirable. The type has flowers of a deep or lighter crimson, but it varies to a rose or to a yellow margined rose. Some varieties are actually ugly and care in selection is desirable. var. appropinguans lacks the characteristic indumentum.

R. floribundum. (free flowering)

s. Arboreum. s.s. Argyrophyllum. A shrub of 15 feet in height with numerous flowers of a magentapurple or lavender-purple. The

better varieties are very pleasing in the woodland.

s. Arboreum. s.s. Argyrophyllum. A shrub allied to R. longipes.

R. Fordii.

R. fokienense.

(from Fokien)

= R. Simiarum.

R. formosanum. (from Formosa)

s. Arboreum. s.s. Argyrophyllum. A shrub 6-18 feet in height with white or rose coloured flowers and

purple brown spots.

R. formosum. (beautiful)

s. Maddenii. s.s. Ciliicalyx.

A shrub with fragrant white flowers tinged yellow and rose with five red stripes outside.

R. Forrestii. A.

s. Neriiflorum. s.s. Forrestii.

A creeping shrub with dark crimson flowers, varying from repens in this and in the under surface of the leaf, which is purple.

R. Fortunei. B.

\*

s. and s.s. Fortunei.

One of the hardiest of the Chinese rhododendrons, this has been used in late years in producing many of our garden hybrids. Its fragrant pale pinky-lilac flowers are quite attractive and a plant of this in the woodland is worth growing in any rhododendron collection. A small tree of 15-20 feet or more in height.

R. fragariflorum. (strawberry flowered) s. Saluenense.

A shrublet forming carpets not over 6 inches high with slightly fragrant crushed strawberry coloured flowers.

R. fulgens.

(shining)

s. Campanulatum.

A shrub of 4-8 feet with small trusses of bright scarlet flowers in late February and early March. When in flower it makes a very attractive sight in the late winter sunshine, but takes some time to reach flowering size.

R. fulvastrum.

(tarony)

s. Neriiflorum. s.s. Sanguineum. A small shrub of 2 feet in height

with pale yellow flowers.

R. fulvoides.

(resembling fulvum)

C.

R. fulvum.

(tarony)

R. fumidum. (smoke coloured)

R. galactinum. (milky)

A.

s. Fulvum.

An attractive looking shrub 8-20 feet high with white or white flushed rose flowers with a crimson blotch.

s. Fulvum.

A shrub or small tree of 20 feet in height with dark green leaves and a brilliant orange indumentum underneath, giving the tree a handsome appearance. The flowers, which are white flushed rose to deep rose with a crimson blotch, are, however, on the small side, though very free flowering when it has reached a certain size.

s. Heliolepis.

A shrub of 6 feet with violet coloured flowers.

s. Falconeri.

A very hardy tree 15-22 feet high with grey-green foliage and pale rose flowers with crimson blotch which breaks into lines and spots. This is one of the lesser attractive of Chinese rhododendrons but owing to its hardiness is well worth growing in cold gardens.

R. genestierianum.

s. Glaucum.

An attractive foliage plant with small bright green leaves, white This shrub, underneath. which grows 12 feet in height, carries very small plum purple flowers almost like campylogynum.

R. giganteum.

(gigantic) E.

s. Grande.

A large tree 80 feet high with deep rose crimson flowers and a slight blotch of deeper crimson. The giant of the race.

R. glanduliferum. (gland bearing)

s. and s.s. Fortunei.

A shrub with white flowers.

R. glandulosum. (glandular)

A.

s. Camtschaticum.

A dwarf shrub with rose-purple flowers.

R. glaphyrum. (polished)

C.

s. Neriiflorum. s.s. Sanguineum.

A subspecies of eudoxum with many colour variations. The type is rose, but it varies to white and vellow.

R. glaucopeplum. (shining covering)

s. and s.s. Taliense.

A shrub of 6-8 feet with bright rose coloured flowers with conspicuous crimson markings.

R. glaucum. (bluish-grey)

B.

s. Glaucum.

A small shrub of 4 feet, which has long been known in British gardens, very aromatic foliage and pretty flowers of pale old rose colour.

R. glischroides. (resembling glischrum)

s. Barbatum. s.s. Glischrum.

A tree or shrub of 6-15 feet with white or creamy-white flowers more or less flushed rose with a crimson blotch. In var. arachnoideum the whole undersurface of the leaf is covered with a cobweb of white hairs.

R. glischrum. (sticky) s. Barbatum. s.s. Glischrum.

A large shrub of 20-25 feet, which has hairy shoots like barbatum but paler yellowy-green foliage. flowers are usually of a dull magentapink with a crimson blotch, sometimes, however, paler, and a form with white flowers is said to exist. Care in selection is desirable as some forms are not very attractive.

R. globigerum. s. Taliense. s.s. Roxieanum.

(bearing a globe) A shrub of 6 feet with white B. flowers and crimson markings.

R. grande. (large)

\*\*\*

s. Grande.

A tree of 30 feet with large leaves and a fine truss of creamy-white flowers with a purple blotch. This and argenteum are now merged into the same species, forms having been found with the under surface of the leaves ranging from the tawny indumentum of grande to the silvery sheen of argenteum.

#### R. Griersonianum.

s. Auriculatum.

One of the most striking of the newer Chinese rhododendrons. A shrub of 7 feet or more in height with bright geranium scarlet flowers, quite unlike any other rhododendron. Flowering in June this is an eminently desirable rhododendron in all sheltered gardens especially in the south and west. Hardy in most of the Sussex gardens it was killed to ground level at White's Rhododendron Nursery during the winter of 1926/1927 in a damp position, whilst a year later in a dryer situation it came through very well. It is worth experimenting with in any sheltered position in a warm garden in all but the coldest districts.

#### R. Griffithianum.

E.

\*\*\*\*

s. Fortunei. s.s. Griffithianum.

A large shrub or small tree of 14-20 feet with large slightly fragrant white flowers with green spots, or sometimes touched or even flushed with pink. This and Aucklandii are synonymous but several forms of this magnificent rhododendron exist. It is the largest flowered of all the Himalayans and has been the parent of many of our garden hybrids. In itself, unfortunately, it is only hardy in the extreme south and west.

# R. gymnanthum.

s. and s.s. Irroratum.

(naked flowers) A subspecies of lukiangense with C. rose coloured flowers with crimson markings.

R. gymnocarpum. s. Taliense. s.s. Roxieanum.

(with naked fruit) A shrub of 2-3 feet with deep A. claret-crimson flowers and deeper markings.

R. gymnogynum. (naked pistils) E.

s. and s.s. Irroratum.

A subspecies of eritimum, with crimson flowers and smaller leaves.

R. gymnomiscum. (with a bare stalk) A

s. Cephalanthum.

A small shrub with yellow flowers.

R. habrotrichum. (with soft hairs)

C.

s. Barbatum. s.s. Glischrum.

A shrub 4-10 feet high with very hairy stems and dark green leaves. Its flowers are white or pale rose without markings or faintly blotched. A somewhat difficult plant to grow.

R. haemaleum.

(blood red)

s. Neriiflorum. s.s. Sanguineum.

A small shrub of 4 feet with deep black-crimson flowers, quite hardy but fastidious as to its location.

R. haematocheilum. (blood red lips)

C.

s. Fortunei. s.s. Oreodoxa.

A geographical form of R. oreodoxa, g.v. A shrub of 10 feet in height with flowers which open deep red and fade almost to white.

R. haematodes.

(bloodlike)

B.

\*\*\*

s. Neriiflorum. s.s. Haematodes.

A small spreading bush 10 feet in height with dark green felted leaves and brilliant scarlet-crimson flowers. This is one of the finest Chinees rhododendrons ever introduced. Perfectly hardy and flowering late it should be grown in every collection of rhododendrons. It takes some years before it is free flowering but is well worth the trouble and patience.

R. haemonium.

(bloody)

s. Anthopogon. A shrub with yellow flowers.

R. hainanense. (from Hainan)

s. Azalea. s.s. Obtusum.

A shrub with red flowers. Not yet in cultivation.

R. Hanceanum. C.

s. Triflorum. s.s. Hanceanum.

A shrub 3 feet in height with pale vellow flowers.

R. Hancockii. F.

s. Stamineum.

A shrub 3-6 feet high with white flowers; upper corolla lobe tinged yellow.

R. Hardingii. E. s. and s.s. Irroratum.

A shrub 6-8 feet high with white flowers more or less flushed rose pink and more or less crimson spotted.

R. hedythamnum. (sweet shrub) B.

s. Thomsonii. s.s. Campylocarpum. A shrub of 4-5 feet in height with pale rose flowers without spots.

R. heliolepis. (glittering scales) C.

s. Heliolepis.

A shrub up to 10 feet in height or more with intensely aromatic foliage. The flowers are in small loose trusses, either rosy purple or in some form of a charming shade of pale old rose with darker spots or almost white. They come in June when most of the species have finished their flowering period.

R. hemidartum. (half flayed)

s. Neriiflorum. s.s. Haematodes. A shrub of 3-4 feet in height with

deep rich crimson flowers.

R. hemitrichotum. (half hairy) C.

s. Scabrifolium.

A shrub of 2-3 feet in height with numerous small white or pale pink flowers deeper on the margin, tipped bright brick red in bud.

R. Hemsleyanum.

s. and s.s. Fortunei.

A small tree of 18 feet in height with white flowers. Not in cultivation.

R. Henryi.

s. Stamineum.

A shrub with pink flowers.

R. heptamerum. (with seven parts)
D.

s. and s.s. Irroratum.

A subspecies of *eritimum* with large deep crimson flowers.

R. herpesticum. (spreading)
B.

s. Neriiflorum. s.s. Sanguineum.

A dwarf shrub of I foot in height with dull yellow to orange red flowers.

R. hesperium. (western)
C.

s. Triflorum. s.s. Yunnanense.

A shrub of 4-6 feet with smoky rose-lavender flowers, deepest at base, with olive brown markings.

R. himertum. (lovely)

s. Neriiflorum. s.s. Sanguineum.

A small shrub 1-2 feet in height with yellow flowers. R. nebrites is a form with lemon yellow flowers and R. poliopeplum with dull pale yellow flowers.

R. hippophaeoides. (resembling sea buckthorn)

s. Lapponicum.

A shrub about 2-3 feet in height with pale lilac to rose flowers. This easy growing plant is well worth a place in a collection of rhododendrons and has the advantage of growing equally well in rather wetter places than the majority of rhododendrons care for. In China it is often found growing in boggy ground.

R. hirsuticostatum. (hairy ribs)
D.

s. Triflorum. s.s. Augustinii.
A shrub with whitish-rose flowers, not spotted.

R. hirsutum.

(hairy)

s. Ferrugineum.

This is merely a hairy form of the Alpine Rose with small rose pink to nearly scarlet flowers, but coming from limestone districts it can be grown in calcareous soil.

R. hirtipes. (shaggy footed)

s. Barbatum. s.s. Glischrum.

A gnarled tree of 20-25 feet with whitish to rose-pink flowers spotted with carmine dots broadly striped pink and white outside.

R. Hodgsonii.

s. Falconeri.

A shrub or small tree of 12-20 feet with fine foliage of shiny green. The flowers are the least attractive part of the plant, being of a dull magentapurple fading.

R. hongkongense. (from Hong Kong) F. s. Ovatum.

A shrub with white flowers and violet specks.

R. Hookeri.

E.

\*\*\*

s. and s.s. Thomsonii.

This magnificent rhododendron forms a shrub of 12-14 feet and has flowers of the most intense blood red colour. It is easily distinguishable from any other rhododendron by the veins on the under side of the leaves bearing a number of tufts of hairs like small barbs. A fine rhododendron for a cool greenhouse.

R. horaeum. (beautiful)
B.

s. Neriiflorum. s.s. Sanguineum.

A procumbent shrub  $\frac{1}{2}$ -I foot high with deep crimson flowers.

R. hormophorum. (bearing a necklace)

s. Triflorum. s.s. Yunnanense.

A shrublet up to 3 feet in height with rose coloured flowers and brown markings. R. Houlstonii.

C.

s. and s.s. Fortunei.

A bush of 12 feet or more in height with trusses of rather smaller flowers, white or very pale pink.

R. Hunnewellianum.

s. Arboreum. s.s. Argyrophyllum.

A shrub of 6-16 feet with white flowers tinted pink, deeper in bud, pink spotted inside.

R. hylaeum.

(belonging to forests)

s. and s.s. Thomsonii.

A round headed tree of 20-40 feet with pale rose coloured flowers, more or less dappled a deeper tint on the petals.

R. hylothreptum.

(growing on wood)

C.

s. and s.s. Irroratum.

A subspecies of anthosphaerum. It differs in the narrower and smaller leaves with spotting on the outside of the corolla.

R. hypenanthum. (bearded flowers)

s. Anthopogon.

A shrub with yellow flowers.

R. hyperythrum.

(reddish)

s. Ponticum. s.s. Caucasicum. A bush with purple spotted flowers.

R. hypoglaucum. (blue beneath)

s. Arboreum. s.s. Argyrophyllum.

A shrub or small tree up to 20 feet in height. Flowers white flushed rose with deep rose spots. The under surface of the leaves is very white and the plant whilst not showy is quite attractive.

R. hypolepidotum. (scaly beneath)

B.

s. Glaucum.

A shrub up to 4½ feet high with pale yellow flowers. Of little garden value.

R. hypophaeum. (grey beneath)
C.

R. idoneum. (suitable)

R. imberbe. (not bearded)
C.

R. impeditum. (tangled)
A.
\*\*

R. imperator. (Emperor)
A.

R. inaequale. (of unequal size) F.

R. indicum. (Indian)
C.

R. inopinum. (unexpected)
C.

s. Triflorum. s.s. Yunnanense.

A shrub of 5 feet in height with white flowers faintly tinged with rose.

s. Lapponicum.

A small shrublet 1½ feet in height with deep blue-purple flowers and a white throat.

s. and s.s. Barbatum.

A shrub 8 feet in height with red flowers with lines of darker spots inside.

s. Lapponicum.

A low shrublet with mauve or light purplish-blue flowers. An attractive plant for the rock garden.

s. Lepidotum.

A dwarf shrublet forming a flat carpet with bright purple flowers.

s. Maddenii. s.s. Ciliicalyx. A shrub 3-6 feet in height.

s. Azalea. s.s. Obtusum.

An evergreen shrub 6 feet high with bright red to scarlet flowers, sometimes rose red. A form with double salmon red flowers is f. balsaminaeflorum or Azalea rosaeflora of the trade. The Azalea indica of the trade is not this species but R. Simsii and allied forms.

s. Taliense. s.s. Wasonii.

A low bush with creamy white flowers with a deep crimson blotch and some crimson spots, but it varies from white to cream and some forms have no blotch. R. insculptum.

(carved)

R. insigne. (remarkable)

B.

\*\*

R. intricatum.

(webby)

A

R. invictum.

(unconquered)
D.

R. iodes.
(violet coloured)
B.

R. irroratum. (covered with dew)

C.

作冰

R. iteophyllum. (willow leaved)

F.

R. japonicum. (from Japan)

s. Vaccinioides.

An epiphyte with bright orange flowers with brownish-red anthers.

s. Arboreum. s.s. Argyrophyllum.

A slow growing shrub 5-12 feet in height with fairly large trusses of pinky white flowers with crimson spots inside.

s. Lapponicum.

A small shrublet with mauve flowers. Worth growing in a rock garden.

s. Heliolepis.

A shrub of 7 feet with purple flowers.

s. Taliense. s.s. Roxieanum.

A shrub of 6-8 feet in height, flowers white with crimson spots.

s. and s.s. Irroratum.

A large shrub or small tree as much as 25 feet high, flowers white or creamy yellow, often suffused a pale or deeper rose colour with many or few crimson or greenish spots. A fine rhododendron in sheltered gardens but early flowering.

s. Maddenii. s.s. Ciliicalyx. A bush 6 feet in height.

s. Azalea. s.s. Luteum.

Formerly known as molle. This azalea is one of the parents of the numerous hybrids which do so much to beautify our gardens. A shrub of 2-6 feet in height with orange or salmon red to brick red flowers with large orange blotch.

R. Johnstoneanum.

E.

s. Maddenii. s.s. Ciliicalyx.

A large bush with very fragrant white flowers spotted with red inside back lobe and vellow blotch.

R. jucundum. (pleasant)

C.

s. Thomsonii. s.s. Selense.

A shrub or tree of 6-20 feet in height with flowers of rose, pale rose or almost white. R. blandulum is a form of the species with larger flower's.

R. Kanehirai.

s. Azalea. s.s. Obtusum.

An evergreen bush up to 8 feet in height with carmine red to scarlet flowers.

R. kasoense.

(from Kaso) C.

s. and s.s. Triflorum.

A lanky shrub with yellow flowers and red anthers.

R. Kawakamii.

s. Vaccinioides.

A shrub 3-5 feet high, usually epiphytic.

R. Keiskii.

C.

s. and s.s. Triflorum.

A low compact shrub with lemon yellow flowers not spotted. It is very free flowering and a pretty sight in April, very suitable for the rock garden.

R. keleticum.

(charming)

s. Saluenense.

A dwarf alpine with deep purplish crimson flowers and deeper markings.

R. Kendrickii.

s. and s.s. Irroratum.

A small tree of 15-25 feet in height with pink or deep red flowers spotted red.

### R. Keysii.

s. Cinnabarinum.

A shrub 12 feet high with bright red flowers tipped with yellow. A most attractive plant but though it grows up to 16,000 feet in Bhutan the plants in cultivation have come from a lower altitude and require a sheltered position.

### R. Kingianum.

D.

s. and s.s. Arboreum.

A subspecies of arboreum from Manipur, this small tree has bright crimson scarlet flowers, very valuable because they come late in May or early June when it is very handsome with its dark green foliage.

### R. Kotschvi.

A.

s. Ferrugineum.

A low shrub with pink or very rarely white flowers.

### R. Kyawi. E.

\*\*\*

s. Irroratum. s.s. Parishii.

A truly magnificent rhododendron flowering at the end of July or in early August with bright crimson scarlet trusses of the same colour as R. eriogynum but considerably larger. A shrub of 15-20 feet.

## R. lacteum.

(milky)

#### s. Lacteum.

A tree up to 30 feet in height with a fine truss of clear yellow flowers rather deeper than those of R. campylocarpum. This is probably finest vellow rhododendron capable of being grown in our gardens and seems hardy in sheltered positions but somewhat slow growing and somewhat difficult. Its early flowering habit (April) makes it unsuitable for gardens where late spring frosts occur. Forms with creamy white flowers are known to exist.

R. lampropeplum. (bright covering)

R. lanatum.

(woolly)

s. Campanulatum.

spotted crimson.

s. Taliense. s.s. Roxieanum.

A shrub of 2-3 feet in height with white flowers faintly flushed rose

A thin shrub of 10-15 feet in height with light brown indumentum on the under side of its smallish leaves. Pale yellow flowers spotted with crimson purple. Seems fairly hardy but a difficult rhododendron requiring exactly the right amount of moisture to keep it in robust growth. Usually seen in poor health in our gardens but an attractive rhododendron when well grown.

R. lanigerum. (woolly)

D.

s. Falconeri.

A small tree with rose purple flowers.

R. lapponicum. (from Lapland)

s. Lapponicum.

A small shrublet from Lapland and widely distributed in the Arctic regions. Flowers purple. Collected plants are matted with rushes and indicate a moist situation.

R. lasiopodum. (woolly footed) E.

s. Maddenii. s.s. Ciliicalyx.

A shrub of 16 feet with white fragrant flowers, yellow inside the base.

R. lasiostylum. (woolly style)

s. Azalea. s.s. Obtusum.

A shrub of 3 feet with pink flowers.

R. Latoucheae. F.

s. Stamineum.

R. laxiflorum. (loose flowered) E.

s. and s.s. Irroratum.

A tall shrub 12-20 feet in height with pure white flowers sometimes suffused rose.

R. Leclerei.

s. Heliolepis.

A shrub with blue flowers.

R. ledoides. (Ledum-like)
B.

s. Cephalanthum.

A pretty dwarf shrub up to 2 feet in height with small bunches of flowers from white to a clear rose, resembling a Daphne, and very fragrant. This and R. sphaeranthum are hardly distinguishable.

Tankill .

R. leilungense. (from Lei-lung-shan) C. s. Triflorum. s.s. Yunnanense.

A shrub of 3 feet with pale rose coloured flowers.

R. leiopodum. (smooth footed)
F.

s. Stamineum.

A shrub with flowers varying from pink to white.

R. lepidanthum. (scaly flowered)

B.

s. Cephalanthum.

A shrub up to 5 feet in height, with white flowers.

R. lepidostylum. (scaly style) B. s. Trichocladum.

A deciduous shrub of I foot with pale yellow flowers.

R. lepidotum. (beset with scales) A-C.

s. Lepidotum.

A small shrub 3-4 feet in height with pale yellow, greenish yellow, pink or purple flowers. As this rhododendron grows at varying altitudes from 7,000-15,000 feet, some forms are much hardier than others.

R. leptopeplum.

(with smooth covering)

s. and s.s. Irroratum.

A shrub of 9-14 feet with flowers creamy-white flushed rose blotched crimson and freely spotted outside.

R. leptothrium.

(with thin leaves) E.

s. Ovatum.

A shrub of 6-10 feet high with handsome bright green foliage and deep magenta rose flowers.

R. leucaspis.

(white shield)

C.

ole ole

s. Boothii.

A small bushy undershrub of 1-2 feet in height with large milky white flowers. It flowers at a very early stage when raised from seed and is apparently hardy, a pan of seedlings showing no signs of damage after being frozen solid during the winter of 1928-1929. Its early flowering habit, however, at the end of February or early March renders a sheltered garden desirable.

R. leucobotrys. (with white clusters)

F.

s. Stamineum.

A shrub with white flowers.

R. leucopetalum. (with white petals)

C.

s. Neriiflorum. s.s. Sanguineum.

A subspecies of cloiophorum, from which it differs in having pure white flowers.

R. levistratum.

s. Lacteum.

(with smooth indumentum) A shrub of 10 feet with white or white flushed rose flowers copiously spotted crimson.

R. liliiflorum. (lily-like flowers)

s. Maddenii. s.s. Megacalyx. A shrub with scented white flowers. R. Limprichtii.

s. Fortunei. s.s. Oreodoxa. A geographical form of R. oreodoxa,

q.v.

R. Lindleyi.

D.

s. Maddenii. s.s. Megacalyx.

A sweet scented epiphytic shrub with white flowers flushed with rose.

R. linearifolium. (linear shaped leaves)

s. Azalea. s.s. Obtusum.

A narrow leaved evergreen azalea from Japan with bright rose pink flowers also much lanceolated. It is a garden form of *R. linearifolium var. macrosepalum*, a shrub 1-3 rarely 8-10 feet tall, with lilac pink to rose purple flowers.

R. litangense. (from Litang)

s. Lapponicum.

A small shrub 2 feet high with dull plum purple flowers.

R. lithophilum.

(stone lover) B. s. Trichocladum.

A deciduous shrub of 2-3 feet with pale sulphur yellow flowers.

R. litiense.

(from Liti)

C.

s. Thomsonii. s.s. Souliei.

A shrub 4-9 feet in height with yellow saucer shaped flowers without blotch or spots.

R. lochmium.

(from a coppice)
C.

s. Triflorum. s.s. Yunnanense.

A shrub up to 10 feet in height, with white flowers flushed rosy purple.

R. longesquamatum. (with long scales)

B.

s. Barbatum. s.s. Maculiferum.

A shrub of 10 feet with pink to rose flowers blotched deep crimson.

R, longiperulatum. (with long bud scales)

s. Azalea. s.s. Obtusum.

A shrub with red flowers. Not yet in cultivation.

R. longipes.
(with long foot stalk)
C.

s. Arboreum. s.s. Argyrophyllum.
A shrub of 3-8 feet with pale rose spotted flowers.

R. longistylum. (long pistils)

s. Triflorum. s.s. Yunnanense.
A shrub up to 7 feet high with small pink flowers.

R. lophogynum. (crested ovary) C. s. Trichocladum.

A deciduous shrub with yellow flowers.

R. lophophorum. (crested)
B.

s. and s.s. Taliense.

A shrub of 6-8 feet with white flowers flushed rose sparingly spotted.

R. lucidum. (shining)

s. Camelliaeflorum.

R. Ludwigianum.

s. Maddenii. s.s. Ciliicalyx.

A shrub of  $4\frac{1}{2}$  feet with white and rose flowers.

R. lukiangense. (from Lukiang) D. s. and s.s. Irroratum.

A medium sized shrub with rose to magenta rose flowers with a small blotch and more or less spotted crimson.

R. lutescens. (becoming yellow) C. s. and s.s. Triflorum.

A shrub of 5 feet or more in height with pale primrose yellow flowers spotted with light green. The spring foliage with bright bronzy red leaves and shoots is attractive.

米米米

R. luteum.

(yellow) A.

\*\*

R. Lyi.
(named after J. Ly, a
Chinese collector)
\*\*
D.

R. lysolepis.
(with loose scales)
A.

R. Macabeanum.

R. maculiferum. (bearing spots)

0.

R. Maddenii.

s. Azalea. s.s. Luteum.

Often known as Azalea pontica or R. flavum. A native of Caucasus and Eastern Europe, this rhododendron has naturalised itself in parts of the country. Its fragrant yellow azalea flowers make it a desirable subject for the wild woodland though it is not as showy as many garden hybrids of which it is one of the parents. A deciduous shrub up to 12 feet in height.

s. Maddenii. s.s. Ciliicalyx.

A shrub 6 feet high with pure white fragrant flowers with a yellow blotch.

s. Lapponicum.

A dwarf shrublet with deep violet or pinkish violet flowers.

s. Grande.

A large tree some 45 feet in height, flowers pale yellow or yellowish white with large purple spots. This rhododendron has been introduced by Kingdon Ward from his 1928-1929 expedition and seeds have germinated. Probably not too hardy.

s. Barbatum. s.s. Maculiferum.

A pretty shrub or small tree 5-30 feet in height. The flowers are only medium size in small trusses, but give the impression of being absolutely pure white with deep black-purple blotches at the base. Some forms have white flowers faintly flushed rose.

s. and s.s. Maddenii.

A shrub of 6-9 feet. Flowers white with a faint flush of rose on the outside, scented, in June.

R. Magorianum.

C.

3

A medium sized shrub with white flowers suffused rose, deeper pink on lobes with crimson blotch and spots.

R. Makinoi.

B.

\*\*

s. Ponticum. s.s. Caucasicum.

A rounded bush 3-7 feet high with clear soft pink flowers with or without crimson dots. This is a new name for the plant which has long been grown in our gardens as Metternichii var. angustifolium.

R. mallotum. (fleecy)

C

C.

\*\*

s. Neriiflorum. s.s. Haematodes.

A shrub or small tree up to 15 feet in height with dark crimson flowers. "Aemulorum," under which name seed from both Farrer and Forrest has germinated, is synonymous and as Ward also found the plant it is a pity that the name "Rhododendron of the Rivals" could not stand.

R. manipurense. (from Manipur)

E.

s. and s.s. Maddenii.

A shrub of 8 feet or more with large pure white flowers.

R. mannophorum.
(bearing a collar)

fl

s. Neriiflorum. s.s. Sanguineum.
A subspecies of cloiophorum, with

flowers white suffused rose.

R. manopeplum.
(with a necklet covering)
C.

s. Thomsonii. s.s. Selense.

A shrub of a few feet with creamy white flowers flushed rose, faintly spotted.

R. Mariae.

s. Azalea. s.s. Obtusum.

A shrub 3-10 feet in height with fragrant lilac flowers. Not yet in cultivation.

R. Mariesii.

s. Azalea. s.s. Schlippenbachii.

A shrub of 3-10 feet tall with rose purple flowers and red purple spots on the upper lobes.

R. Martinianum.

C.

-

s. Thomsonii. s.s. Martinianum.

A shrub of 3-6 feet in height with pale rose coloured flowers of a very attractive shade. A pretty bush in leaf and character.

R. maximum.

(very large)

s. and s.s. Ponticum.

A shrub of 12 feet—in the wild a tree—with light rose purplish or white flowers spotted yellow green on the upper lobe in July, but the flowers are largely hidden by the growth which comes just before.

R. Meddianum.

C.

\*\*\*

s. and s.s. Thomsonii.

The Chinese Thomsonii. A shrub of 6 feet or more in height. Flowers fleshy, rich deep crimson, but a form has flowered in Cornwall with bright hunting-coat scarlet flowers. var. atrokermesinum has still darker and larger flowers.

R. megacalyx. (large calyx)
E.

٠.

s. Maddenii. s.s. Megacalyx.

A small tree 10-16 feet in height. Flowers tubular, large and white, fragrant. The earlier importations of this rhododendron are very tender and only suitable for growing in the extreme west, but recent introductions may prove hardier in sheltered gardens in the south of England. A fine rhododendron where it can be grown.

R. megeratum.

(passing lovely)

4

s. Boothii.

A dwarf shrublet 1-2 feet in height with bright yellow flowers; somewhat fastidious as to situation. R. mekongense. (from River Mekong) s. Trichocladum.

A deciduous shrub of 4 feet with pale yellow flowers tinged with green.

R. melinanthum. (honey flowered)

B.

s. Trichocladum.

A deciduous shrub 6-8 feet with precocious yellow flowers. This is said to be the finest of the Trichocladums.

R. mengtszense. (from Mengtze)

s. and s.s. Irroratum.

A tree of 20 feet with purple-red flowers blotched deep crimson.

R. mesopolium. (grey in middle) C. s. Neriiflorum. s.s. Sanguineum.
A subspecies of eudoxum with pale

rose flowers.

R. metrium. (of average height) C. s. Thomsonii. s.s. Selense.

A subspecies of *selense*, with white flowers without markings.

R. Metternichii.
B.

A shrub 3-8 feet high with rose flowers spotted deeper within and a seven lobed corolla. The true form is probably not in cultivation in Europe, plants under this name being R. Degronianum or R. Makinoi, q.v.

R. micranthum. (small flowered) A. s. Micranthum.

A small bush up to 6 feet or more in height with tiny flowers of a milky white. At first glance the flowers resemble a small spiraea rather than a rhododendron.

R. microgynum. (small ovary)
B.

s. Taliense. s.s. Roxieanum.

A shrub of 4 feet with flowers of a soft dull rose faintly crimson spotted.

R. microphyton. (small plant)

s. Azalea. s.s. Obtusum.

A shrub 1-6 feet in height with rose coloured to nearly white flushed pink flowers dotted carmine on the upper lobes.

R. mimetes.

(imitative)

s. Taliense. s.s. Adenogynum.

A shrub 3-7 feet high with white flowers faintly flushed and margined rose with a few crimson markings. A variety var. simulans, has broader leaves and a splitting indumentum.

R. minus. (smaller)

C.

s. Carolinianum.

A shrub of a few feet with rose coloured flowers.

R. mishmiense. (from Mishmi)

E.

s. Boothii.

An epiphytic shrub with bright lemon yellow flowers.

R. missionarum. (of the missionaries)

E.

s. Maddenii. s.s. Ciliicalyx.

A shrub with violet or white flowers.

R. molle.

(soft)

s. Azalea. s.s. Luteum.

A shrub of 4 feet with scentless yellow flowers with large greenish blotch separated into dots, long known as sinensis.

R. mollicomum.

(soft haired)

D.

s. Scabrifolium.

A small shrub up to 6 feet in height with numerous rose coloured or crimson flowers.

R. monanthum.

(one flowered)

s. Boothii.

A small spreading shrub 2-3 feet high with bright yellow flowers.

R. monosematum. (with one blotch)

B.

s. Barbatum. s.s. Maculiferum.

A small shrub of about 5 feet with white flowers suffused rose pink with a purple blotch.

R. Morii. B. s. Barbatum. s.s. Maculiferum.

A shrub or tree 15-25 feet in height with white or white flushed rose flowers with crimson spots.

R. moulmeinense. (from Moulmein)
F.

s. Stamineum.

A shrub with red flowers.

R. moupinense. (from Moupin)

B.

\*\*

s. Moupinense.

A small spreading shrub up to 4 feet in height with small shiny evergreen leaves and white azalealike flowers, sometimes pink and even deep rose. This rhododendron is perfectly hardy but as it flowers at end of January or early February it is only suitable for warmer districts and sheltered positions. A very desirable rhododendron where it can be grown.

R. mucronatum. (pointed)

C.

\*\*\*

s. Azalea. s.s. Obtusum.

Commonly called Azalea ledifolium. A wide spreading shrub up to 6 or even 10 feet in height with large white flowers, slightly fragrant. A very attractive plant when in flower in the middle of May.

R. mucronulatum. (with a sharp point) B.

s. Dauricum.

A native of Korea, this little dedicuous rhododendron is perfectly hardy in the British Isles and forms a shrub 7-8 feet high. It is usually in flower the first week in January and if this should coincide with an absence of frost it makes a pretty sight in the woodland covered with its bright rosy-purple flowers. Frost will only injure the flowers, or if it should catch the young growth this will all be repaired during the course of the following summer. One of the few early flowering rhododendrons which is worth trying in a cold garden. Its variety acuminatum flowers a fortnight later.

R. muliense. (from Mu-li)

A.

s. Lapponicum.

A small shrub 13-23 feet high with bright yellow flowers. attractive little plant.

R. myiagrum. (the fly catcher)

s. Thomsonii. s.s. Campylocarpum.

A shrub of 3-5 feet with white flowers with a few spots and a faint basal blotch.

R. myrtilloides. (myrtle like) A.

s. Campylogynum.

A small dwarf 3-4 inches in height with tiny plum colour flowers, suitable for the rock garden.

R. Nakaharai.

s. Azalea. s.s. Obtusum. A low shrub with dark red flowers.

R. nakotiltum.

off) C. s. Lacteum.

(having the wool plucked A shrub of 6-12 feet with pale rose coloured flowers, spotted and a crimson blotch.

R. nankotaisanense.

s. Barbatum. s.s. Maculiferum. A small bush allied and similar to R. Morii.

R. nanothamnum. (dwarf shrub)

s. Thomsonii. s.s. Selense.

A subspecies of selense with creamy white flowers faintly flushed pink and a small crimson blotch.

R. neriiflorum. (flowers like oleander)

C.

s. and s.s. Neriiflorum.

A small shrub 3-9 feet high. This pretty little rhododendron has bright scarlet flowers, which form a striking picture when the plant is in bloom owing to its free flowering habit, even small plants will have a truss or two. The leaves, which are lightish green in colour, have a very white undersurface. Some forms are hardier than others. A very desirable rhododendron for all who have a sheltered position to give it.

R. nigro-punctatum. (marked with black spots)

s. Lapponicum.

A small shrub with pale purple flowers.

R. nilagiricum. (from the Niligiris) D.

s. and s.s. Arboreum.

A subspecies of arboreum from the Nilgherry Hills with flowers varying from rose to deep crimson.

R. ningyuenense. (from Ningyuen) D.

s. and s.s. Irroratum.

A medium sized shrub with whitish rose flowers.

R. niphargum. (snowy white)

s. Fulvum.

A small tree 15-25 feet high with white flushed rose or pale rose flowers and a crimson blotch and crimson markings on the back, the underside of the leaves covered with a white indumentum.

R. niphobolum. (snow clad)

R. nipponicum. (from Japan)
B.

R. nitidulum. (shining)
A.

A.
R. niveum.

R. nivale.

(snowy)

(snowlike) C.

R. nmaiense. (from the Nmai Hka)

R. notatum. (marked) F.

R. nudiflorum.
(naked flowers)
A.

= Stewartianum.

s. Azalea. s.s. Nipponicum.
A shrub of 6 feet with white flowers.

s. Lapponicum.
A shrub up to 4 feet in height with violet purple flowers. var. nubigenum is lower and has smaller leaves.

s. Lapponicum.

A low prostrate shrublet with bright magenta flowers.

s. and s.s. Arboreum.

A small tree or large shrub 15 feet or more in height, with rather tight trusses of dull purple flowers. This well-known Himalayan rhododendron is pretty in the woodland, but must be kept well away from any of the scarlet rhododendrons which are so abundant at the end of April and early May, when it is in flower. Fairly hardy.

s. Cephalanthum.
A shrub of 3 feet with yellow flowers.

s. Maddenii. s.s. Ciliicalyx.
A small epiphytic shrub with
slightly fragrant white flowers with
a purplish pink band.

s. Azalea. s.s. Luteum.
A shrub 2-8 feet high with light pink or whitish flowers with pink tube, rarely white. One of the earliest species to bloom.

### R. Nuttallii.

F.

\*\*\*

# R. oblongifolium. (oblong leaves)

C reaves

R. obovatum.

(egg shaped) C.

### R. obtusum.

(blunt)

\*\*\*

R. occidentale. (western)

A.

\*\*

s. Maddenii. s.s. Megacalyx.

Even in the south of Cornwall this magnificent rhododendron will only live with difficulty against a wall. It is undoubtedly the finest of the Maddenii series, with the largest flowers of any of its kind of a clear light yellow, very fragrant. Eventually forms a shrub or tree of 30 feet in height.

s. Azalea. s.s. Luteum.

A shrub of 6 feet with white flowers.

s. Lepidotum.

A small shrub 3-4 feet in height with purple flowers and carmine spots.

s. Azalea. s.s. Obtusum.

A Japanese azalea 3 feet or more in height, evergreen, and with flowers of every shade of colour from purple through reds and clear pinks to white. The variety amoenum was one of the first to be introduced and is pretty in the woodland when covered with its bright magenta flowers. Variety japonicum is the origin of all the Kurume azaleas which have been lately introduced by Wilson. Var. Kaempferi is up to 8 feet tall with larger bright salmon red to pink flowers and should be in every garden where rhododendrons will grow planted in semi shade.

s. Azalea. s.s. Luteum.

A shrub up to 8 feet in height with white flowers, sometimes pink, and a yellow blotch, sweet scented. A parent of a very beautiful race of hybrids. var. sonomense has smaller very fragrant rose coloured flowers.

R. ochraceum. (yellowish)

C.

A shrub of about 9 feet high with crimson flowers.

R. odoriferum.

(fragrant) E. s. and s.s. Maddenii.

A shrub with scented white flowers slightly tinged with rose outside.

R. Oldhamii.

E.

s. Azalea. s.s. Obtusum.

An evergreen azalea up to 10 feet in height with pale yellowish green foliage, hairy, with bright brick red flowers, from Formosa.

R. oleifolium.

(olive-like foliage) E.

\*

s. Virgatum.

An erect shrub with pink to almost white flowers. This is almost the counterpart in Yunnan of the Himalayan R. virgatum and should not be confused with R. racemosum var. oleifolium, see R. racemosum.

R. ombrochares. (lover of rain)

E.

s. and s.s. Irroratum.

A medium sized tree with deep or cherry crimson flowers marked with darker spots on the petals.

R. Openshawianum.

s. Fortunei. s.s. Calophytum.

A shrub of 18 feet with white flowers blotched within and narrower leaves than *R. calophytum*.

R. oporinum. (autumn flowering)

C.

s. Heliolepis.

A shrub of 6 feet in height with rose pink flowers with a dark red patch. R. orbiculare. (circular leaves)
B.

\*\*

R. oreodoxa.
(glory of the mountains)
C.

\*\*

R. oreotrephes. (mountain dweller)

\*\*

R. orthocladum.
(with straight twigs)
\*\* A.

s. Fortunei. s.s. Orbiculare.

A shrub to feet in height and as large through, flowers rose pink and in many cases with a decidedly bluish tinge. Though a well-flowered bush is attractive in the sunlight, yet the chief beauty of this plant is in the round foliage and in the perfectly symmetrical round bush which it forms, almost like one of the Dutch clipped yews. Seems hardy but requires a sheltered position and plenty of space to develop this attractive feature.

s. Fortunei. s.s. Oreodoxa.

A shrub or small tree with pinky flowers allied to R. haematocheilum, Limprichtii and Reginaldii, which may be considered as merely geographical forms. Very floriferous when it has reached a certain height, its early flowering habit renders a sheltered position in a warm place necessary for its beauty to be enjoyed. Its buds are, however, very frost resisting and are peculiar in sometimes opening and showing colour before they develop. Even in that stage they do not object to some frost.

s. Triflorum. s.s. Oreotrephes.

A shrub up to 7 feet in height with mauve or mauve pink flowers, often with darker spots. With its small glaucous leaves this plant is very attractive in flower at the end of April or early May, especially in the paler coloured forms.

s. Lapponicum.

A small shrub up to 4 feet in height with mauve flowers.

R. oulotrichum. (with curly hairs)

B.

s. Trichocladum.

A small deciduous shrub 2-4 feet in height with yellow flowers.

R. ovatum.

(elliptic) E. s. Ovatum.

A shrub of 12 feet with white or white and pink spotted flowers.

R. oxyphyllum. (pointed leaves)

F.

s. Stamineum.

A shrub of 15 feet with white flowers flushed yellow inside.

R. pachypodum. (thick footed)

E.

s. Maddenii. s.s. Ciliicalyx.

A shrub up to 5 feet in height with yellow flowers.

R. pachytrichum. (with thick hairs)

C.

s. Barbatum. s.s. Maculiferum.

A shrub 6-18 feet with white to pale rose flowers and a deep purple blotch. Allied to R. strigillosum. Some forms have a purplish-magenta tint and these should be avoided.

R. pagophilum. (peak lover)

C.

s. Thomsonii. s.s. Selense.

A subspecies of *selense* with small leaves and small flowers, dark rose to crimson.

R. paludosum.

(marshy)

s. Lapponicum.

A shrublet with bright violet flowers. In Tibet growing in bogs.

R. panteumorphum. (quite lovely)

= selense.

R. papillatum. (covered with nipples)

),

s. and s.s. Irroratum.

A small bush with pale cream flowers spotted with pink inside and a deep blotch. R. paradoxum.

(unexpected)

s. Taliense. s.s. Wasonii.

A small shrub 4-7 feet high with white flowers with a deep crimson blotch breaking into short lines of spots.

R. Parishii.

s. Irroratum. s.s. Parishii.

A tree of 18-25 feet in height with red flowers lined deeper along the petals.

R. parvifolium. (small leaves)

C.

s. Lapponicum.

A small shrublet up to 1½ feet in height with pale rosy-magenta flowers. var. albiflorum has white flowers.

R. patulum. (widely open flowers)

s. Lepidotum.

R. pendulum. (hanging)

F.

s. Edgeworthii.

A straggling epiphyte with white flowers tinged inside with yellow.

R. pennivenium. (pinnately veined)

s. and s.s. Irroratum.

A shrub reaching 20 feet in height with deep crimson flowers with deeper spots within.

R. pentaphyllum. (five leaved)

\*\*

s. Azalea. s.s. Canadense.

A shrub of 10 feet or more, sometimes a small tree up to 25 feet in height, with bright rose pink flowers. Pretty but fastidious.

R. peramoenum. (very pleasing)

E

s. and s.s. Arboreum.

A shrub of 6-12 feet in height with cherry-scarlet to deep rose crimson flowers.

R. peregrinum. (foreign)

s. Grande.

A small tree with white flowers with a faint rose tinge outside and a blotch of bright red inside breaking into lines and spots right up the base.

R. persicinum. (peach-like)

E.

s. and s.s. Irroratum.

A subspecies of eritimum with peach bloom colour or rose flowers and more pointed smaller leaves.

R. perulatum. (with persistent scale leaf)

A.

s. Taliense. s.s. Roxieanum.

A shrub 2-4 feet high with pale to deep rose coloured flowers without blotch or spots.

R. petrocharis.

(gracing the rocks)

s. Moupinense.

A small shrub with white flowers.

R. phaedropum. (of bright appearance) s. and s.s. Neriiflorum.

A shrub of 15 feet. A subspecies of neriiflorum and differs from it in its leaves, which resemble floccigerum but with only traces of indumentum. Its flowers are also said to vary from straw yellow to crimson.

R. phaeochrysum. (dark golden)

s. and s.s. Taliense.

A shrub of 6-15 feet in height with white flowers flushed rose with deep crimson markings.

R. phoenicodum.

(with purple red trumpet)

s. and s.s. Neriiflorum.

In "The Species of Rhododendron" this sub-species of neriiflorum is given as probably the equivalent of the variety R. euchaites. It is, however, based on Farrer's No. 877 and plants raised from this seed differ in having much smaller leaves and even flowers than R. neriiflorum itself.

R. pholidotum.

(scaly)

s. Heliolepis.

A shrub of 8 feet in height with rose to rose purple flowers, spotted.

R. piliicalyx. (hairy calyx)

s. Maddenii. s.s. Ciliicalyx.

A shrub of 4 feet in height with white flowers with a little pink.

R. planetum. (wandering)

C.

s. Fortunei. s.s. Davidii.

A shrub of 4-12 feet with pink

flowers.

R. platyphyllum.

(broad leaved) B.

s. Cephalanthum.

A shrub of 5 feet in height with

pure white flowers.

R. platypodum. (broad stalked)

s. and s.s. Fortunei.

A shrub or tree 6-20 feet high

with pinkish red flowers.

R. plebeium.

(plebeian)

= R. heliolepis.

R. pleistanthum. (many flowered)

s. Triflorum. s.s. Yunnanense. A shrub with violet flowers, very

near R. Davidsonianum.

R. pocophorum. (fleece bearing)

s. Neriiflorum. s.s. Haematodes.

A shrub of 4-10 feet with crimson flowers, sometimes faintly spotted.

R. poecilodermum.

(with a spangled garb) B.

s. Taliense. s.s. Roxieanum.

A shrub of 2-6 feet in height with white or creamy white flowers, at times faintly flushed rose with crim-

son spots.

R. pogonostylum.

(bearded style)

s. and s.s. Irroratum.

A tree of 15 feet with pink flowers spotted dark red. R. adenostemonum is a form of this with much less spotting.

R. polifolium.

(many leaved)

s. Lapponicum.

A small shrub with mauve flowers.

R. polyandrum.

(many stamens)

s. and s.s. Maddenii.

A shrub of 3 feet.

R. polycladum. (many branches)

s. Lapponicum.

A small shrub up to 4 feet high with purple flowers.

R. polylepis. (many scales)

s. Triflorum. s.s. Polylepis.

A thin shrub up to 12 feet in height with dark purple flowers. One of the least attractive of the Triflorums and of no garden value, though in the woodland a well-flowered large bush is not unattractive.

R. ponticum.

s. and s.s. Ponticum.

(from Pontus, Asia Minor) The well-known purple rhododendron naturalised in so many of our woods. R. baeticum is a form of ponticum growing wild in the Iberian Peninsula, whilst R. cheiranthfolium is a garden form with very narrow wavy leaves.

R. porphyrophyllum. (purple leaved) A.

s. Neriiflorum. s.s. Forrestii.

A creeping shrub about 2 feet high with deep rose coloured flowers.

R. Potanini.

s. Taliense?

A tree of 15 feet with white? flowers.

R. pothinum. (much desired)

s. Neriiflorum. s.s. Sanguineum.
A subspecies of eudoxum, probably identical with R. temenium.

R. praeclarum. (very remarkable)

s. Cephalanthum.

A small decumbent shrub with yellow flowers.

R. praestans. (excellent)
C.

s. Grande.

A shrub of from 20-30 feet high with flowers magenta-rose or flushed that colour and a crimson blotch.

R. praeteritum. (passed over)
C.

s. Fortunei. s.s. Oreodoxa.

A shrub with pink flowers, very near R. oreodoxa.

R. praevernum. (before the spring)
C.

s. Fortunei. s.s. Davidii.

A medium-sized compact shrub, very near R. sutchuenense but differs in having white flowers or white suffused rose with a large wine red blotch at the base, very similar to those of R. calophytum.

R. Prattii.
B.

s. Taliense. s.s. Adenogynum.

A shrub with white flowers spotted pink.

R. preptum. (distinguished)
D.

s. Falconeri.

A tree or shrub 8 feet in height with creamy white flowers and a crimson blotch. R. primulaeflorum.

(primrose flowered)
A.

R. Principis.

R. probum. (excellent)

(of the prince)

R. pronum.

A.

R. prophantum. (conspicuous)

R. prostratum. (low growing)

\* A.

R. proteoides. (resembling protea)

\*\* B.

R. protistum. (first of the first) E.

R. pruniflorum. (plum flowered)
C.

R. prunifolium. (plum-like leaves)
D.

s. Cephalanthum.

A shrublet I foot high with yellow flowers.

s. and s.s. Taliense.

A small tree. Not in cultivation.

s. Thomsonii. s.s. Selense.

A subspecies of *selense* with glaucous grey underleaf and white flowers without markings.

s. Taliense. s.s. Roxieanum.

A low growing prostrate shrub 3-10 inches high with creamy yellow flowers and copious deep crimson markings.

= R. Kyawi.

s. Saluenense.

A low shrublet 2-4 inches in height with pink violet flowers slightly spotted with red.

s. Taliense. s.s. Roxieanum.

A shrub of 1-3 feet with pale yellow flowers with crimson markings.

s. Grande.

A tree 25-45 feet in height with flowers creamy-white flushed rose. A fine species very near R. giganteum.

s. Glaucum.

A small undershrub 1-2 feet high with plum purple, nearly crimson or violet flowers. The foliage has an unpleasant smell when bruised.

s. Azalea. s.s. Luteum.

A shrub of 8 feet with crimson flowers.

R. Przewalskii.

A.

s. and s.s. Taliense.

A bush of 3-9 feet with white to rose pink flowers spotted.

R. pseudochrysanthum. s. Barbatum. s.s. Maculiferum.

(like R. chrysanthum)
C.

A bush 1-9 feet high with pink flowers and deeper rose lines outside, spotted crimson within.

R. pseudo-ciliicalyx. (like ciliicalyx)

F.

s. Maddenii. s.s. Ciliicalyx.
A shrub with white or rose flowers.

R. pseudo-yanthinum. s. Triflorum. s.s. Polylepis.

(like yanthinum)

Very like R. concinnum but a better garden plant with larger flowers of a deeper purple.

R. pubescens. (downy)

B.

s. Scabrifolium.

A shrub of 4 feet in height with pinky white flowers.

R. pulchrum. (beautiful)

C.

s. Azalea. s.s. Obtusum.

A shrub up to 6 feet in height. The wild form is not known and this is possibly a hybrid between R. scabrum and R. mucronatum. The flowers are usually of a purplish red colour but it has many forms; amongst the best are var. Maxwellii with crimson red flowers and var. tebotan with double rosy purple flowers.

R. pumilum. (dwarfish)

A.

s. Lepidotum.

A small shrublet with pure pink flowers.

R. puralbum. (very white)

C.

s. Thomsonii. s.s. Souliei.

A shrub of 12-15 feet in height with small pure white flowers of an open saucer shape. R. purdomii.

R. pyrrhoanthum. (fiery-red flower) C.

R. Quadrasianum.

R. quinquefolium. (leaves in fives)

\*\*

R. racemosum. (flowers in racemes)

\*\*\*

s. and s.s. Taliense. A robust shrub.

s. Neriiflorum.? s.s. Forrestii?
A prostrate shrub with blood red flowers like a very large repens, possibly a hybrid.

s. Vaccinioides.
A low bush with red flowers.

s. Azalea. s.s. Schlippenbachii.
A Japanese deciduous azalea, either a bush or in some forms a small tree up to 25 feet in height, with pure white flowers and green spots. Very attractive both in leaf and flower but shy blooming when small and distinctly difficult. Semi-shade in the open woodland seems to suit it best, with well-trenched ground and shelter from cold winds.

s. Virgatum. This well-known Chinese rhododendron with its small grey green leaves and bright pink or pinkish white to white flowers early in May, is a desirable shrub for any garden where rhododendrons can be grown. Of recent years better forms have been introduced, amongst them var. oleifolium, of gardens, which has much larger flowers and in warm gardens is a better grower, but unfortunately it flowers at the end of March or early April. All these grow eventually from 3-4 feet or more in height. Possibly the best form has been sent home by Forrest under No. 19,404, which is a much dwarfer shrub with bright pink flowers at the end of April or early May. This plant only grows a few inches in height, but all the forms are worth growing.

R. radicans. (rooting stems)

A.

\*\*\*

s. Saluenense.

A prostrate shrublet 2-4 inches high with purple flowers later in the season than most of the alpines. Very attractive in the rock garden.

R. radinum.

(slender) B.

s. Cephalanthum.

A dwarf shrub up to 4 feet in height with white flowers flushed rose.

R. ramosissimum.

(very branched)

s. Lapponicum.

A shrub up to 3 feet in height with dark purple flowers.

R. ravum. (grev)

s. Lapponicum.

A small shrub of 4 feet with deep rose flowers.

R. recurvum. s. Taliense. s.s. Roxieanum.

(bent back) A shrub of 6-9 feet with white B. flowers, flushed rose with a few crimson spots. Var. oreonastes is an alpine form with smaller leaves and flowers.

R. Redowskianum.

s. Camtschaticum.

A low shrub very near R. camt-schaticum but with smaller leaves.

R. Reginaldi.

s. Fortunei. s.s. Oreodoxa.

A geographical form of R. oreodoxa, q.v. A small tree eventually 15 feet in height, with pale pink flowers.

R. repens. (creeping)
A.

\*\*\*\*

s. Neriiflorum. s.s. Forrestii.

A creeping shrub, 6 inches to I foot high, but many inches in length, with small dark green leaves and bright scarlet trumpets, solitary or in pairs, very large for the size of the plant. In some allied forms of this the plant is said to hang down over rocks and the whole maintain side becomes a sheet of scarlet in its flowering season. In England it seems a difficult plant but does fairly well as long as it can get its roots under some sandstone rocks and can be kept fairly moist in dry weather, though it cannot stand a wet situation. Very slow growing but an extremely interesting and striking rhododendron and should be in every collection. Var. chamaedoron has the indumentum of R. serpens. Var. chamaethauma is a taller plant with carmine flowers. Var. chamae-Thomsonii has a larger leaf, glaucous above.

R. reticulatum. (netlike)

B

\*\*

s. Azalea. s.s. Schlippenbachii.

A deciduous shrub 3-25 feet in height with bright purple flowers, better known as dilatatum or rhombicum.

R. rex. (king)
D.

s. Falconeri.

A tree 15-20 feet in height, with rose coloured flowers with darker blotch and spots.

R. rhabdotum. (striped) s. Maddenii. s.s. Megacalyx.

A small tree of 12 feet with cream coloured flowers striped on the outside with red.

R. rhaibocarpum.

(crooked fruits)
B.

s. Thomsonii. s.s. Selense.

A shrub of 4-7 feet high with white flowers occasionally flushed rose with a small blotch of crimson at base.

R. rhantum.

(sprinkled)

s. and s.s. Fortunei.

A geographical form of R. vernicosum. An attractive shrub of up to 20 feet in height, flowers of pale rose

colour.

R. rigidum.

(stiff)

s. Triflorum. s.s. Yunnanense.

A shrub 4-7 feet high with very pale rose coloured flowers with crimson brown markings.

R. riparium.

(growing on river banks)

A.

s. Saluenense.

An undershrub I-I½ feet high with bright purple flowers and darker spots.

R. Ririei.

C.

s. Arboreum. s.s. Argyrophyllum.

A shrub eventually 18 feet high with dull purple flowers in fair size trusses, flowering in February or early March. This rhododendron is most attractive when seen at its best in southern gardens and is a welcome change from the usual scarlet. Its early flowering habit, however, renders it undesirable except for the most favoured localities.

R. rivulare.

(growing by streams)

s. Azalea. s.s. Obtusum.

A shrub of 3 or more feet in height. Not in cultivation.

R. Rockii.

C.

s. Arboreum. s.s. Argyrophyllum.

A shrub or small tree 12-18 feet in height with pale rose or pinkish purple flowers, spotted. R. roseatum.

(rosy)

s. Maddenii. s.s Ciliicalyx.

A shrub of 10 feet in height with white flowers faintly flushed rose outside.

R. roseotinctum.

(tinged with rose)

B

s. Neriiflorum. s.s. Sanguineum.

A subspecies of *cloiophorum*, with white flowers margined rose crimson giving it almost a picotee character.

R. roseum.

(rosy)

A.

s. Azalea. s.s. Luteum.

A shrub of 2-8 rarely 15 feet in height with bright pink rarely whitish flowers.

R. rosmarinifolium.

(rosemary-like leaves)

s. Vaccinioides.

A slender shrub up to 12 feet high with red flowers.

R. Roxieanum.

s. Taliense. s.s. Roxieanum.

A slow growing shrub with very narrow leaves covered with felt underneath, eventually growing 4-9 feet in height, with creamy white or white flowers faintly flushed rose with crimson markings. It takes a long time to get to flowering size. This applies to all plants of this subseries.

R. rubiginosum. (reddish brown)

B.

s. Heliolepis.

A shrub or tree up to 30 feet in height with small dark green leaves, very flotiferous in May with bunches of small rosy lilac flowers spotted with brown. Quite pretty in any garden but especially interesting as this rhododendron can be grown in calcareous soil provided the seedlings have been grown on in a soil of this description.

s. Trichocladum.

R. rubrolineatum.

(lined with red)

R. rubropilosum.

(red haired)

A deciduous shrub of 5 feet in height with yellow flowers lined and

flushed with rose on the outside.

s. Azalea. s.s. Obtusum.

A shrub with very small light green leaves eventually reaching to feet in height with pink flowers spotted

with rose.

R. rude.

(rough)

s. Barbatum. s.s. Glischrum.

A shrub of 8-9 feet with rather small purplish crimson flowers with

darker lines on the corolla.

R. rufescens.

(becoming reddish)

s. Anthopogon.

A shrub of 1-2 feet with white to

pale blue flowers.

R. rufohirtum. (red haired)

s. Azalea. s.s. Obtusum.

A shrub with deep rose flowers.

R. rufosquamosum. (with reddish scales)

s. Maddenii. s.s. Ciliicalyx.

A shrub of 3 feet with white

flowers pinkish in bud.

R. rufum.

(red)

C.

s. Taliense. s.s. Wasonii.

A shrub or small tree with white or pinkish purple flowers spotted

crimson.

R. rupicola.

(from stony places)

s. Lapponicum.

A small shrub 1-2 feet in height

with deep plum crimson flowers.

R. russatum.

(reddened)

s. Lapponicum.

A small shrub 2-4 feet high with bright deep blue-purple flowers and a white throat. One of the most

striking of the alpines.

(tinged with red)

R. russotinctum. s. Taliense. s.s. Roxieanum.

A shrub of 6-8 feet in height with white flowers flushed rose with a few crimson spots.

R. saluenense.

(from the Saluin River)

s. Saluenense.

A shrub about 2 feet high with deep purple crimson flowers with

darker markings.

R. sanguineum. (blood red)

s. Neriiflorum. s.s. Sanguineum.

A small shrub 3 feet in height with bright crimson flowers in trusses large for the size of the leaves. This, the type of many mountain rhododendrons, is one of a series which, though never very big, do not flower at an early age, at any rate in this country, and while they are all attractive plants for the rock garden or the front edging of sheltered shrubbery borders, require considerable patience. Var. didymoides is intermediate between R. didymum and this species and has small rose flowers.

R. Sargentianum.

C.

s. Cephalanthum.

A shrub of 2 feet in height with lemon yellow flowers.

R. Sasakii.

s. Azalea. s.s. Obtusum.

A shrub up to 6 feet in height with red flowers. Not in cultivation.

R. scabrifolium.

(rough leaves)

s. Scabrifolium.

A small shrub with small, narrow dark green leaves, hairy. It is covered in February with its numerous tubular small white or pink flowers.

R. scabrum.

(rough) E.

s. Azalea. s.s. Obtusum.

A shrub up to 6 feet high, evergreen, flowers rose red to brilliant scarlet. Better known as sublanceoatum.

R. schistocalyx. (with split calyx)
C.

s. Irroratum. s.s. Parishii.

A shrub of 15 feet in height with bright rose to crimson flowers.

R. schizopeplum.
(with split covering)
A.

s. and s.s. Taliense.

A shrub of 3-12 feet in height with rose flowers with deep crimson spots.

R. Schlippenbachii.

C

\*\*\*

s. Azalea. s.s. Schlippenbachii.

A shrub 3-15 feet in height with large deciduous heart-shaped leaves and beautiful large pure pale to rose pink flowers. A beautiful species which should be grown wherever possible.

R. sciaphilum. (shade loving)

s. Edgeworthii.

A small shrub of 2 feet with scentless white flowers.

R. scintillans. (sparkling)

A.

\*\*

s. Lapponicum.

A small shrub 2-3 feet in height with lavender blue flowers, the best forms almost tending to a royal blue. Very attractive when in bloom. As these alpines are easily struck from cuttings the best forms should be selected for propagation.

R. scopulorum. (of the crags) s. Maddenii. s.s. Ciliicalyx.

A bushy shrub 6-8 feet in height with pink (?) flowers.

R. Scottianum.

F.

s. Maddenii. s.s. Ciliicalyx.

A shrub up to 12 feet in height with large sweet scented white flowers, occasionally flushed with rose and a yellow blotch.

R. scyphocalyx. (cupped shaped calyx)

s. Neriiflorum. s.s. Sanguineum.
A shrub of 4-5 feet with rose orange, yellowish crimson or coppery yellow flowers. Plants raised from Farrer's seed that have flowered in this country have been of an unattractive dirty cinnabar yellow shade.

R. Searsiae.

s. Triflorum. s.s. Yunnanense.

A shrub with white or mauve flowers.

R. singhkuense. (from the Seinghku Valley)

E.

s. Edgeworthii.

An epiphytic undershrub with bright sulphur yellow flowers and red brown anthers.

R. selense. (from the Sie La)

C.

s. Thomsonii. s.s. Selense.

A shrub of 4-6 feet high with flowers white flushed rose or rose coloured in the type without spots or blotch.

R. semibarbatum. (partially bearded)

A.

s. Semibarbatum.

A small shrub 2-10 feet in height, with tiny white insignificant flowers. Leaves deciduous but colour in the autumn before they fall.

R. semilunatum. (half crescent shaped) s. Trichocladum.

A deciduous shrub 2-3 feet in height with deep yellow flowers.

R. semnoides.

(resembling semnum)

s. Grande.

A small tree 15-20 feet high with flowers white flushed rose and a crimson blotch.

R. semnum. (stately)

= R. coryphaeum.

R. seniavinii.

s. Azalea. s.s. Obtusum.

A shrub some 6 feet high, flowers white tinged with rose in the tube, spotted with purple above. Not yet introduced.

R. serotinum.

(autumnal) C.

s. and s.s. Fortunei.

A shrub very allied to decorum, but flowering in September. This, the latest flowering of all rhododendrons, is only worth growing for this particular feature. It reaches 10 feet or more in height and has white flowers, blotched and tinged with red within.

R. serpens. (creeping)

s. Neriiflorum. s.s. Forrestii.

A woody, creeping shrub a few inches to 1½ feet high. Flowers deep or paler rose.

R. serpyllifolium. (leaves like thyme)
D.

s. Azalea. s.s. Obtusum.

A shrub up to 4 feet in height with very small leaves and small rosy pink flowers. Var. albiflorum has white flowers.

R. serrulatum. (with small teeth)
C.

s. Azalea. s.s. Luteum.

An upright shrub up to 20 feet in height with white fragrant flowers.

R. setiferum. (bristle bearing)
B.

s. Thomsonii. s.s. Selense.

A shrub 5-9 feet in height with creamy-white flowers lined crimson at base. R. setosum.

(bristly)

s. Lapponicum.

A small shrub with bright purple pink flowers.

R. Sheltonae.

C.

s. and s.s. Fortunei.

A geographical form of R. vernicosum. A shrub up to 6 feet in height with clear pink flowers, quite attractive and apparently hardy in the south.

R. Shepherdii.

E.

s. and s.s. Irroratum.

A small tree with deep scarlet flowers.

R. shweliense.

(from the Schweli River)

s. Glaucum.

A small shrub 2-21 feet in height with aromatic foliage and greenish vellow (?) flowers.

R. sidereum. (excellent)

s. Grande.

A large shrub or tree up to 30 feet in height with creamy white to clear yellow flowers with a crimson blotch.

R. siderophyllum. (rusty coated leaves) C.

s. Triflorum. s.s. Yunnanense.

A shrub 4-9 feet high with whitish to violet flowers.

R. sigillatum.

s. Lacteum.

(adorned with little figures) A shrub of 6-12 feet in height with white flowers and crimson markings outside.

R. simiarum. (of the monkeys) C.

s. Arboreum. s.s. Argyrophyllum.

A shrub 6-8 feet in height with pink flowers, pale within with a few rose pink dots. This is in cultivation under the name of R. Fordii.

R. Simsii.

s. Azalea. s.s. Obtusum.

An evergreen azalea up to 5 rarely 8 feet in height with rose red to bright or dark red spotted flowers, common over the valleys of the Chinese Alps and Himalayas and formerly known as *indicum*. A parent of the greenhouse hybrid azaleas.

R. sino-Falconeri (Chinese Falconeri) D. s. Falconeri.

A tree of 20 feet with large leaves and pale yellow flowers.

R. sinogrande. (Chinese grande)
C.

\*\*\*

s. Grande.

A tree of 20-30 feet in height with flowers dull creamy white with crimson blotch. The northern variety var. boreale has flowers of a soft yellow throughout or pale yellow with crimson blotch. As a foliage plant this is magnificent. The earlier importations were on the tender side but a form introduced by Forrest under No. 20,387 stood the 1927-1928 winter in White's Nursery at Sunningdale without suffering any harm.

R. sinonuttallii. (Chinese Nuttallii)
F.
\*\*\*

s. Maddenii. s.s. Megacalyx.

This is so near *Nuttallii* as to be almost indistinguishable except for some slight botanical differences.

R. Smilesii.

s. Maddenii. s.s. Ciliicalyx.

A small tree up to 20 feet in height with white flowers.

R. Smirnowi.

s. Ponticum. s.s. Caucasicum.

A bush 4-6 feet in height with purplish rose flowers.

R. Smithii.

B.

s. and s.s. Barbatum.

This rhododendron is very like barbatum but has darker green foliage and is very much more hairy, even the stems of the leaves having bristles on them. In its scarlet-crimson colour and early flowering habit it resembles barbatum. It is, however, a smaller tree being originally 10-15 feet tall.

R. Souliei.

R

\*\*\*

s. Thomsonii. s.s. Souliei.

A shrub of 6-12 feet in height with flowers white to a soft or deeper rose. This shrub with its little open saucer-shaped flowers is most attractive and is one of the few rhododendrons that does better in the eastern counties than in Cornwall.

R. spanotrichum.

(few hairs)

s. and s.s. Irroratum.

A tree of 20 feet with crimson flowers and a darker blotch.

R. speciosum. (good looking)
A.

s. Azalea. s.s. Luteum.

A shrub 1-6 feet tall with scarlet or bright red flowers with large orange blotch.

R. sperabile.
(to be hoped for)
C.

s. and s.s. Neriiflorum.

A bush 3-6 feet in height with scarlet flowers. While an attractive little plant its flowers are not so good as that of haematodes. Lately seeds have been sent home by Forrest of many forms and some of these may prove better than the earlier introductions, as the dried specimens show it to be a fine species. Var. wiehsiense has long and relatively narrow leaves and a less dense, paler indumentum.

(like sperabile)

R. sperabiloides. s. and s.s. Neriiflorum.

A shrub of 2-4 feet with deep to light crimson flowers. It differs from sperabile in having smaller leaves and flowers.

R. sphaeranthum. s. Cephalanthum. C.

(round flowers) A small shrub of 2-4 feet with small narrow leaves and white or rose flowers. Except that this is looser growing than ledoides it is indistinguishable from the garden point of view in the appearance and odour of its flowers. It does not, however, seem to be quite so suited to our climate.

R. sphaeroblastum. (with rounded buds) В.

s. and s.s. Taliense.

A shrub of 3-6 feet in height with white flowers (flushed rose in bud) with crimson spots.

R. spiciferum. (bearing spikes)

s. Scabrifolium.

A small shrub up to 6 feet in height with many pink flowers.

R. spilotum. s. s. Barbatum. s.s. Glischrum.

(stained) A small tree with pink flowers and a crimson blotch.

R. spinuliferum. s. Scabrifolium.

(bearing spines) A thin shrub 6-8 feet or more in D. height with narrow tubular upright flowers, crimson to brick red in \* colour, with anther and stamens protruding from the corolla. R. stamineum.

(with many stamens)
E.

s. Stamineum.

A shrub of 6 feet with fragrant white flowers having a yellow blotch.

R. stenaulum.

(narrow grooved) F. s. Stamineum.

A shrub up to 16 feet high with fragrant soft purplish rose flowers with a greenish yellow blotch.

R. stereophyllum. (with hard leaves)

C.

s. Triflorum. s.s. Yunnanense.

A shrub up to 6 feet in height with pale mauvy rose flowers.

R. Stewartianum.

C.

\*\*

s. and s.s. Thomsonii.

A small bush 3-7 feet in height with small grey green leaves, better known as aiolosalpinx. It is a pity that the plant "with a gleaming trumpet" has to give way to its first name, as Farrer describes a whole hillside covered with bushes of this rhododendron with flowers ranging from pure white to shades of soft primrose yellow and others flushed with rose and even deep crimson—no two bushes of the same colour.

R. stictophyllum. (with spotted leaves)
A.

s. Lapponicum.

A small shrublet with mauve to rose flowers.

R. strigillosum. (beset with bristles)
C.

\*\*

R. suberosum. (slightly gnawed)
D.

R. subsessile. (dwarf)

R. sulfureum. (sulphur coloured) E. \*\*

R. supranubium. (above the clouds)
E.

R. Surasianum.

s. Barbatum. s.s. Maculiferum.

A shrub of 12-20 feet in height. This shrub has been called the Chinese barbatum, its leaves being hairy like Smithii but lighter green in colour. Its flower trusses are of a most brilliant crimson-scarlet, looser than barbatum with larger individual bells. A very fine rhododendron but it flowers in February or early March and so is only suitable for the milder parts of the country. Various connecting links between this and pachytrichum have been sent home with flowers ranging from a nondescript pink to almost white, and these should be avoided.

s. Triflorum. s.s. Yunnanense.

A shrub of 5-7 feet high with flowers faintly flushed rose with deep rose markings.

s. Azalea. s.s. Obtusum.

A shrub with lilac to violet-purple flowers. Not yet introduced.

s. Boothii.

A small shrub 2-4 feet in height with bright yellow flowers. A pretty rhododendron.

s. Maddenii. s.s. Ciliicalyx.

A shrub 4 feet in height with dull white flowers with rose exterior, fragrant. This rhododendron grows at higher altitudes in the Chinese Alps than any other of its series, some 10,000-12,000 feet.

s. Maddenii. s.s. Ciliicalyx.

A shrub up to 12 feet in height with pale pink flowers.

R. sutchuenense. (from Szechuen)

\*\*\*

R. sycnanthum. (fig-like flowers)
B.

R. syncollum. (glued together)
B.

R. Taggianum. E.

R. taliense. (from Tali Range) B. s. Fortunei. s.s. Davidii.

A large shrub of 10-20 feet in height or more with handsome foliage and pale rosy lilac flowers, sometimes lilac white. This handsome rhododendron should be grown in every collection in the milder parts of the country. It is perfectly hardy but its flowering season at the end of February or early March precludes it from cold districts. There is a form with magenta flowers which should be avoided, but apparently few of these have been raised from seed. Another form, var. Geraldii, has rather deeper rose colour flowers with a magnificent chocolate blotch at the base of the corolla and is well worth growing. praevernum (which see) with white flowers and a chocolate blotch is considered by some to be merely a form of sutchuenense.

s. Triflorum. s.s. Oreotrephes.

A shrub 3-9 feet in height with deep lavender rose flowers with olive brown markings.

s. and s.s. Taliense.

A shrub 5-10 feet in height, flowers washed rose, deepest on margins, with small crimson spots.

s. Maddenii. s.s. Megacalyx.

A shrub with deliciously fragrant pure white flowers and a yellow blotch.

s. and s.s. Taliense.

A shrub 4-8 feet in height with flowers creamy yellow or cream flushed rose with deep crimson markings. R. tanastylum. (with long style)

E.

s. and s.s. Irroratum.

A bush or thin tree 8-20 feet in height with deep crimson flowers with a few or many deeper tinted

spots.

R. tapetiforme.

(carpet like)
\* A.

s. Lapponicum.

A small shrublet with pink flowers

R. taronense.

(from the Taron Gorge) F.

s. Maddenii. s.s. Ciliicalyx.

An epiphytic shrub 10-15 feet high with fragrant white flowers and a yellow blotch.

R. Tashiroi.

s. Avalea. s.s. Tashiroi.

A shrub 5-15 feet in height with pale rose purple flowers spotted maroon-purple. Not yet in cultivation.

R. tatsienense. (from Tatsien)

s. Triflorum. s.s. Yunnanense.

R. telmateium.

(from the marshes)

\*\*

s. Lapponicum.

A small shrub eventually reaching 2-3 feet in height with very small leaves and deep rosy purple flowers with white throat. Quite attractive for the rock garden.

R. telopeoides. (like telopeum)

= R. telopeum.

R. telopeum. (conspicious)

В.

s. Thomsonii. s.s. Campylocarpum.

A shrub 3 feet in height with bright yellow flowers with a faint crimson blotch. A form known as telopeoides has less rounded leaves.

R. temenium. (from a sacred place)

U.

s. Neriiflorum. s.s. Sanguineum.

A subspecies of *eudoxum* with deep crimson flowers.

R. tephropeplum. (ashy-grey colour)

s. Boothii.

A charming small bush of 2-7 feet in height with vivid magenta rose coloured flowers with crimson purple tube. A form with white flowers has been introduced.

R. Thayerianum.

B.

s. Arboreum. s.s. Argyrophyllum.

A shrub of 9-13 feet in height with long narrow dark green leaves and small trusses of white flowers tinged pink or deeply flushed on the outside in late June or early July. This rhododendron makes a pretty little bush and is worth growing for its late flowering habit.

R. theiochroum. (colour of brimstone) s. Boothii.

A shrub of 2-4 feet with bright sulphur yellow flowers.

R. Thomsonii.

\*\*\*\*

s. and s.s. Thomsonii.

A bush or small tree 6-14 feet high with glabrous round blue green leaves. This well-known rhododendron is easily one of the finest of the species that can be grown in this country. Hardy in sheltered situations, it does not flower until it has reached a certain size but then covers itself with blooms, which require careful picking off before the seed sets as otherwise the plant receives too great a check. Its deep blood-red bells are seen to best advantage against an evening sky. The hybridist has made a great deal of use of this species and many of our garden rhododendrons owe much of their beauty to it. Its var. candelabrum has paler coloured flowers.

R. thymifolium. (leaves like thyme)

s. Lapponicum.

A small erect shrub with tiny little leaves and mauve flowers, probably the smallest leaved rhododendron. Attractive in the rock

garden.

R. thyodocum.

(odorous)

C.

s. Lepidotum.

A small shrub up to 5 feet in height with reddish purple flowers.

R. timeteum. (to be honoured)

s. Triflorum. s.s. Oreotrephes.

A shrub up to 4 feet in height with purplish rose flowers with a few dark markings. Very near oreotrephes.

R. torquatum. (wearing a necklace)

s. Neriiflorum. s.s. Sanguineum.

A spreading bush up to 4 feet in height with flowers shades of salmon and scarlet.

R. tosaense. (from Tosa)

s. Azalea. s.s. Obtusum.

A shrub up to 7 feet in height with lilac purple flowers.

R. Traillianum.

s. Lacteum.

A tree 20-30 feet high with flowers white or white flushed rose with deep crimson spots.

R. trichocladum.

(hairy twigs)

s. Trichocladum.

A deciduous shrub about 3 feet high with greenish yellow flowers spotted with dark green.

R. trichomiscum. (with bristly twigs)

s. Neriiflorum. s.s. Sanguineum.

A subspecies of eudoxum with pale rose pink flowers.

R. trichophlebium. (hairy veined)

s. Neriiflorum. s.s. Sanguineum. A small bush with crimson flowers.

R. trichophorum. (bearing hairs)

s. Yunnanense. s.s. Augustinii. A shrub probably growing 10 feet in height or more with pinkish mauve

flowers. Possibly a hybrid between

Augustinii and villosum.

R. trichostomum.

(hairy mouthed)

s. Cephalanthum.

A small shrub with rose or white flowers.

R. triflorum. (three flowered)

D.

s. and s.s. Triflorum.

A shrub 8 feet or more in height with a smooth dark red bark, peeling, and very attractive when seen against the sunlight. Its flowers are light yellow spotted with green.

R. triplonaevium. (with triple moles) C.

s. Taliense. s.s. Roxieanum.

A shrub of 5-9 feet with white or white flushed rose flowers with triradiate crimson blotch.

R. tritifolium. (familiar leaved) C.

s. Taliense. s.s. Roxieanum.

A shrub of 6-9 feet in height with white flowers suffused rose with a crimson blotch and a few spots.

R. truncatulum. (stunted)

s. Thomsonii. s.s. Selense.

A subspecies of erythrocalyx but with smaller flowers, creamy white flushed rose or pale rose with a few crimson markings.

R. tsangpoense. B.

s. Glaucum.

(from the Tsangpo River) A small shrub 1-2 feet high with flowers of a dull pink or deep crimson.

R. tsarongense. (from Tsarong)
B.

s. Anthopogon.

A shrub up to 2 feet in height with white flowers with a yellow tube.

R. Tschonoskii.

s. Azalea. s.s. Obtusum.

A small shrub, 1-8 feet in height, with very small insignificant white flowers. Its autumn colouring, however, is in the first class and the plant is worth growing for this.

R. Tutcherae.

s. Stamineum.

A tree up to 40 feet in height with violet flowers.

R. Ungernii.

s. Ponticum. s.s. Caucasicum.

A shrub up to 20 feet in height, but rather slow growing. Flowers, in small pinky white trusses, in July. Very hardy, this rhododendron is worth growing for its late flowering qualities but is never very showy and the new growth often hides the flowers.

R. uniflorum. (one flowered)
B.

s. Lepidotum.

A dwarf shrublet with purple flowers.

R. uvarifolium. (grape-like leaves) D. s. Fulvum.

A robust shrub up to 20 feet in height with pink flowers, crimson spots and a deep blotch at the base.

R. vaccinioides. (like Vaccinium)
C.

s. Vaccinioides.

A small epiphyte with lilac pink or white tinged with pink flowers.

R. Valentinianum.

D.

\*\*\*

s. Maddenii. s.s. Ciliicalyx.

A small shrub 2-3 feet in height with bright butter yellow flowers. This rhoodendron is allied to *ciliatum* and is an attractive species.

R. Vaseyi.

B.

\*\*\*

s. Azalea. s.s. Canadense.

An American azalea from North Carolina growing eventually 12-15 feet high with pretty very pale pink to pink flowers. This hardy azalea should be in every garden, as it is most attractive when in flower in early May. It is a little fastidious as to position.

R. Veitchianum.

F

s. Maddenii. s.s. Cillicalyx.

A shrub of 3 feet or more in height with large white flowers slightly tinged with green.

R. vellereum.

(fleecy)

s. and s.s. Taliense.

A bush or small tree 6-15 feet high with white flowers or flushed rose with purple or carmine spots.

R. vernicosum. (shiny)

C.

s. and s.s. Fortunei.

Very near decorum, this rhododendron has clear pink flowers of an attractive shade. It is, however, doubtful if the species is growing in this country; its geographical forms araliaeforme, euanthum, rhantum and Sheltonae are, however, in cultivation with flowers white to bright rose with or without crimson markings. A small tree of 25 feet in height.

R. verruculosum. (warty)

A.

s. Lapponicum.

A small shrub up to 3 feet in height with purple flowers.

R. vesiculiferum.

(vesicle bearing) D.

s. Barbatum. s.s. Glischrum.

A shrub or medium sized tree with purplish rose flowers with a crimson

or purple blotch.

R. vestitum.

(clothed)

s. Thomsonii. s.s. Selense.

A shrub of 4-5 feet high with white flowers flushed rose, deep rose in bud with a few crimson markings

and crimson blotch.

R. Vialii.

s. Ovatum.

E. A shrub of 6-10 feet or more in

height with crimson flowers.

R. Vidalii.

s. Vaccinioides.

A small shrub with white (?)

flowers.

R. villosum.

(shaggy)

s. Triflorum. s.s. Augustinii.

A shrub, 10-20 feet in height with flowers of a bright magenta purple.

A fine rhododendron when kept by itself but its colour is inclined to clash with other flowers. As free flowering as any of its series.

R. Vilmorinianum.

s. Triflorum. s.s. Yunnanense.

A shrub with white flowers and ochre coloured spots inside the back.

R. violaceum.

(violet coloured)

s. Lapponicum.

A small shrub up to 4 feet in height with violet purple flowers.

R. virgatum. s. Virgatum.

(willowy twigs) An erect shrub 3 feet in height

with pale purple flowers.

R. viscosum.

(sticky)

s. Azalea. s.s. Luteum.

A shrub 8-12 feet in height with very sweet scented tubular white or suffused with pink, rarely deep pink, flowers at the end of July. This is the latest flowering of all azaleas and is well worth growing for this and its fragrance. Known in its native habitat as the Swamp Honeysuckle. Var. glaucum has glaucous leaves.

R. Wallichii.

C.

s. Campanulatum.

Very similar to R. campanulatum and often regarded as a variety of that species from which it differs in the sparseness or absence of the tomentum beneath the leaf. Flowers lilac spotted with rose.

R. Wardii.

C.

s. Thomsonii. s.s. Souliei.

A shrub or small tree 15-20 feet high with bright yellow flowers.

R. Wasonii. B.

s. Taliense. s.s. Wasonii.

A bush about 4 feet high with pinkish rose or creamy white flowers spotted within. There are two forms in cultivation, one with creamy vellow flowers and one with pinkish flowers, which has been named R. rhododactvlum.

R. Watsonii.

s. Grande.

A shrub of 7-8 feet in height with white flowers with a crimson blotch.

R. Websterianum.

s. Lapponicum.

A small shrub up to 3 feet in height with rosy purple flowers.

R. Weldianum.

C.

s. Taliense. s.s. Wasonii.

A shrub of 6-14 feet in height.

R. Westlandii.

F.

s. Stamineum.

A small tree up to 20 feet high with sweetly scented lilac flowers.

R. Weyrichii.

D. \*\*

s. Azalea. s.s. Schlippenbachii.

A shrub of 15 feet in height with large bright brick red flowers.

R. Wightii.

C.

sår sår

s. Lacteum.

A shrub or small tree of 10-15 feet in height or more with pale yellow flowers and a crimson blotch, spotted crimson outside, somewhat resembling those of Falconeri but smaller. A large plant when in full flower is a very fine sight but it requires a sheltered position and its habit of flowering at the end of April renders it only suitable for the warmer districts.

R. Williamsianum.

C.

s. Thomsonii. s.s. Souliei.

A small spreading shrub 3-5 feet in height with small heart-shaped leaves; young shoots and leaves bronze. The flowers are of a beautiful clear shell pink. rhododendron is one of the most attractive species, eminently suitable for a rock garden or the front of shrubbery borders in the warmer parts of our country.

R. Wilsonae.

F.

s. Stamineum.

A shrub up to 6 feet in height with flesh pink flowers.

R. Wiltonii.

B.

s. Taliense. s.s. Wasonii.

A bush of 3-15 feet in height with dark green bullate leaves and small trusses of whitish or flesh pink flowers with red spots or a small blotch.

R. Windsori.

. Windsori. s. and s.s. Arboreum.
D. A subspecies of arboreum with crimson scarlet flowers.

R. Wongii. В.

s. and s.s. Triflorum.

B. A shrub of 4-6 feet in height with cream coloured flowers.

R. wuense. (from Mt. Wu) s. Taliense. s.s. Adenogynum.

A shrub up to 18 feet in height. Very near Faberi.

R. yakusimanum. (from Yakusima)

s. Ponticum. s.s. Caucasicum. A shrub with pale rose flowers.

R. yedoense. (from Yeddo)

\*\*

s. Azalea. s.s. Obtusum.

A Japanese azalea with pale rosy purple double flowers. This is the cultivated form of R. yedoense var. poukhanense, a shrub 2-6 feet in height with fragrant rose to pale lilac purple flowers.

R. yungningense. (from Yungning)

s. Lapponicum.

A shrublet 1-13 feet high with deep purple flowers.

R. yunnanense. (from Yunnan)

\*\*\*

s. Triflorum. s.s. Yunnanense.

A very free flowering shrub with pinkish or nearly white spotted with red flowers, and as it is at the height of its beauty later than R. Augustinii is worth a place in every garden. In some forms the colour tends to a soft mauve.

R. zaleucum. (very white)

R. zeylanicum. (from Ceylon) s. Triflorum. s.s. Yunnanense.

A shrub or tree up to 35 feet in height with small green leaves, milky white underneath, and pale white or rose flowers slightly fragrant.

s. and s.s. Arboreum.

A subspecies of arboreum. A small tree with blood red flowers, lighter in colour than R. Kingianum, in April or May.

## LIST OF SYNONYMS.

acuminatum A variety of mucronulatum. A form of pogonostylum.

adoxum = vernicosum.
aemulorum = mallotum.
aiolosalpinx = Stewartianum.
albicaule = Cavaleriei?

album = A form of arboreum.

algarvense = baeticum? amaurophyllum = saluenense.

amoenum = A form of obtusum.

Amundsenianum = An imperfectly known species of a Lapponicum series.

angustifolium = hirsutum.

mucronatum? Argyi barbatum. aristatum aromaticum anthopogon. atentsiense ciliicalyx. atroviride concinnum. Griffithianum. Aucklandii calendulaceum. aurantiaca leptothrium. australe baeticum ponticum. = batangense stictophyllum.

Batemanii = campanulatum. bellatulum = a variety of eclecteum.

Benthamianum = concinnum. bicolor = canescens.

Blandfordiaeflorum = a variety of cinnabarinum.

blandulum = a form of jucundum.

Blinii = lutescens. Blumei = niveum.

brachyandrum = a variety of eclecteum.

brachystylum = trichocladum. Brettii = longesquamatum. Brevnii = indicum.

Buergeri = obtusum forma.

Burmanni = mucronatum.

burriflorum = diphrocalyx.

caeruleo-glaucum = campylogynum.

caeruleo-glaucum = campylogynum.
caeruleum = eriandrum?
calcicola = cuneatum.
californica = occidentale.

Calleryi = Simsii.

calycinum = a variety of pulchrum.
candelabrum = a variety of Thomsonii.
candida = a variety of capescens

candidum = a variety of canescens.

cardioeides = artosquameum.
caryophyllum = rubropilosum.
catapastum = desquamatum.
Catesbaeum = ponticum hybrid?
caucaseum = caucasicum.
Chaffanjonii = stamineum.

chamaecistus = Rhodothamnus chamaecistus.

cheilanthum = ravum.

cheiranthifolium = a form of ponticum.
chionophyllum = hypoglaucum.
chlanidotum = citriniflorum,
cinereum = ravum.
coccinopeplum = cucullatum.
colobodes = chameunum.

confertissimum = parvifolium.
coombense = concinnum.
Cooperi = camelliaeflorum.

cordatum = Souliei.

coreanum = yedoense var. Poukhanense.

coronarium = luteum.
costulatum = lutescens.
cremnastes = elaeagnoides.
crenatum = racemosum.

crispiflora = a form of indicum.

Cuthbertii = minus.
dahuricum = dauricum.
damascenum = campylogynum.
Danielsianum = indicum.
davuricum = dauricum.

decandrum = reticulatum. depile = oreotrephes. decumbens = indicum.

dianthiflora = a double form of linearifolium var.

macrosepalum.

dichropeplum = phaeochrysum.
dilatatum = reticulatum.
Duclouxii = spinuliferum.
Dunnii = Henryi.

eriocarpum = a variety of Simsii. Edgarii = campanulatum. fissotectum = schizopeplum.

Fittianum = dauricum. flammea = calendulaceum. flammeum speciosum. flavum chrysanthum. = luteum. flavum coriaceum. foveolatum = Adamsii. fragrans Franchetianum = decorum. = decorum.
= spinuliferum.
= speciosum. fuchsiaeflorum fulva = formosum. Gibsonii Giraudiasii decorum. = japonicum. glabrius glauco-aureum

= lochmium. glaucophyllum gloeoblastum = Wardii. gnaphalocarpum = Mariesii. hypoglaucum.indicum. hagnoense

hallaisanense

indicum.
yedoense var. poukhanense.
indicum.
polylepis. hannoense Harrovianum hedyosmum = ledoides. = levistratum. = decorum. helvolum hexamerum

= a variety of viscosum. hispidum

= a form of linearifolium var. macrosehortense palum.

humicola = saluenense. humifusum = cosmetum. hvacinthiflorum = ponticum.

= degronianum and Metternichii, each Hymenanthes

in part. = oreotrephes. hypotrichotum intortum sigillatum. concinnum.
crinigerum.
siderophyllum. ioanthum ixeuticum Jahandiezii

= apodectum. jangtzowense Jenkinsii = Maddenii. Kaempferi = a form of obtusum.

kamtschaticum = camtschaticum.

= imperfectly known species s. kansuense Taliense?

kialense Przewalskii. = discolor. Kirkii

kiusianum = a form of obtusum.
Klossii = moulmainense.
Komiyamae = tosaense.

Romiyamae = tosaense.
laetevirens = concinnum.
lagopus = reticulatum.
lamprophyllum = ovatum.

lancifolium = barbatum (Moench = ponticum).

lateritium = indicum. latifolium = hirsutum.

ledifolium = mucronatum, but ledifolium var.

purpurens = form of pulchrum.

Lemeei = lutescens.
leptanthum = leiopodum.
leptosanthum = leiopodum.
leucandrum = siderophyllum?
leucanthum = mucronatum.
leucolasium = Hunnewellianum.

Levinei = Maddenii. liratum = apodectum. liukiuense = scabrum. longifolium. = grande.

lusidusculum = obtusum forma.

lutea = (Schneid = calendulaceum) nudi-

florum.

macrantha = indicum. macrephyllum = californicum

Mackenzianum

macrosepalum = linearifolium var. macrosepalum.

macrostemon = obtusum forma.

Mairei = lacteum.
malindangense = quadrasianum.
mandarinorum = discolor.
Matsumurai = yedoense.
Maximowiczianum = non-existent.

Maxwellii = a variety of pulchrum.

megaphyllum = basilicum.

mesembrinum = a variety of Simsii.

microterum = colletum. modestum = ciliatum? Monbeigii = uvarifolium.

Morsheadianum = imperfectly known? Arboreum Series.

motsouense = racemosum.

mutabile = campanulatum.

myrtifolia = Hongkongense.

myrtifolium = Kotschyi (of Lodd. ponticum).

nagasakianum = reticulatum.

Nakaii = Degronianum var.

nanum = polycladum.

narcissiflorum = double white flowered form of

mucronatum.

nebrites = himertum.

nematocalyx = stamineum series. nikoense = pentaphyllum. niko-montanum = chrysanthum var.

nitidum = viscosum.

nobile = possibly a distinct species akin to

campanulatum.

nudiflora = calendulaceum or speciosum.

nudipes=reticulatum.nwaiense=nmaiense.oblongum=Griffithianum.officinale=chrysanthum.Oomurasaki=pulchrum forma.

oreinum = alpicola.

oreonastes = a variety of recurvum.

oreotrephoides oreotrephes. oresbium = Edgarianum. oresterum Wardii. \_ osakazuki pulchrum var. = russatum. osmerum = Morii. pachysanthum pamprotum cosmetum. pentamerum Degronianum.

periclymena periclymenoides | = nudiflorum.

phaeochlorum = oreotrephes.

pulchrum. phoeniceum = pilovittatum = Delavayi. pittosporaefolium stamineum. \_ campanulatum. planifolium poliopeplum = himertum. luteum. pontica =

porrphyroblastum = globigerum. porrosquameum = brevistylum.

poukanense = yedoense var. poukhanense.

prasinocalyx = croceum.
prinophyllum = roseum.
Pritzelianium = micranthum.
procerum = maximum.
propinquum = achroanthum.

psilostylum = flavidum var. psilostylum.

pubigerum = artosquameum.

punctatum (Ker) = carolinianum (Andrews) = minus.

puniceum pulchrum. purpureum maximum. Purshii maximum. pycnocladum diacritum. randaiense rubropilosum. rarosquameum eriandrum. rasile diaprepes. Rawsonii pulchrum forma.

regale = basilicum.

rhododactylum = a colour variation of R. Wasonii.

Rhodora = canadense.
Rhombicum = reticulatum.
ripense = mucronatum var.
Rollissonii = zeylanicum.

rosaeflora = indica var. balsaminaeflora.

Rosthornii micranthum. rotundifolium orbiculare. Roylei cinnabarinum. rubropunctatum hyperythrum. salignum lepidotum. sclerocladum ravum. Bodinieri. Seguini impeditum. semanteum

sericocalyx = chameunum. shikokianum = Weyrichii. shojoense = Mariesii.

siamense = moulmainense.
Sieboldii = obtusum yar. Kaempferi?

sinense = (Maxim) japonicum (Sweet) molle.

sinolepidotum elaeagnoides. vaccinioides. sinovaccinioides = oleifolium. sinovirgatum occidentale var. sonomense sparsiflorum camelliaeflorum. = spodopeplum tethropeplum. Spooneri decorum. = Farrerae. squamata squarrosum desquamatum. stenophyllum Makinoi. stenoplastum desquamatum.

sublanceolatum = scabrum.

Tanakai = Stamineum series.

tapeinum = megeratum. tapelouense = tatsienense. Taquetii mucronulatum. tebotan pulchrum forma. tectum = obtusum forma. theiophyllum Traillianum. \_ Thunbergii obtusum. obtusum forma. transiens = trichopodum artosquameum. Tschonoskii. trinerve Vaniotii = esquirolii. venosum Falconeri. = venustum nudiflorum. verticillata. \_ arborescens. vicarium telmateium. = vicinum levistratum. =

reticulatum. Wallaceanum \_ imperfectly known Taliense series.

Simsii forma.

Con White Heart I married A.

Warrenii = albiflorum var. xanthinum trichocladum. = xanthoneuron denudatum. = \_ detonsum forma. xenosporum yanthinum concinnum. ramosissimum. yaragongense yodogawa yedoense.

=

vittatum

wadanum

## LIST OF HYBRID RHODODENDRONS.

The following list of hybrid Rhododendrons has been compiled from the lists of the principal nursery gardeners. An attempt has been made to give the relative degrees of hardiness by means of letters, but in view of the fact that a great many of the hybrids have not yet been properly tested in this country some errors may have crept in and any criticisms from members of the Rhododendron Association will be very welcome for future guidance. Any new Rhododendrons and those of the older ones which are still worth growing are marked with a star, and those Rhododendrons which are known to have particular merit have two and even three or four stars against them; some which at present have only one star may well prove to be worth a higher grading. A trial of the new Rhododendrons has been arranged in order to judge of their particular merits and as a result some alterations have been made in the 1931 Year Book.

As a general principle it will be found that the flowers of the following Rhododendrons are seen to much greater advantage when produced in partially shaded situations. Protection from strong wind is also desirable.

- (A) Hardy anywhere in the British Isles and may be planted in full exposure if desired.
- (B) Hardy anywhere in the British Isles, but requires some shade to obtain the best results.
- (C) Hardy along the seaboard and in warm gardens inland.
- (D) Hardy in south and west but requires shelter even in warm gardens inland.
- (E) Requires shelter in most favoured gardens.
- (F) Usually a greenhouse shrub.
- (P) Early flowering.

A. B. Mitford (A) ... crimson

Abraham Dixon (A) ... mauve, yellow eye

Abraham Lincoln (A) ... red

*A. C. Kendrick ( <i>C</i> )	lilac rose with red-purple blotch
Admiral Piet Hein (C)	lilac
*Aileen Henderson (C)	yellow to creamy white with
	brown-yellow blotch
*Ajax (A)	rose, paling at centre
Alarm (B)	white, edged red
Albescens (F)	white
**Albrecht Durer (C)	bright red, fimbriated
*Album elegans (A)	very pale mauve fading white
Album grandiflorum (A)	very pale mauve fading white
Alexander Adie (A)	deep rose
Alexander Dancer (A)	bright rose lighter centre
**Alice (C)	deep pink fading to pale rose
Altaclarense (C)	red
Amphion (A)	red
**Amy (B)	bright rose
Anica Bricogne (A)	pale mauve
Ann Willis Fleming (B)	deep pink with dark eye
*Arboreum blood red ×	(Ernest Gill)
Mrs. Butler (C)	bright rose carmine
*Arboreum blood red ×	older and the more beat.
Shilsoni (C)	bright crimson
Arboreum gloxinaeflorum (C)	white, spotted brown
***Armistice Day (B)	blood red
**Ascot Brilliant (B)	deep crimson
Atrosanguineum (A)	red
Aucklandii hybrid red (C)	light crimson
*Auguste van Geert (B)	bright magenta, large truss
Bacchus (A)	crimson
**Bagshot Ruby (B)	blood crimson
*Barbara Wallace (C)	pink with white centre
Barclayanum (B)	reddish rose
***Barclayi (E)	intense crimson
***Barclayi var. Helen Fox (E)	deep crimson scarlet
***Barclayi var. Robert Fox (E)	deep blood red
	The state of the s

P

P

P

P

\*\*

Baron Edm. de Rothschild(A)	light pink
Baroness Henry Schröder (A)	white, finely spotted
Baroness Lionel Rothschild	pale crimson centre with deeper
(B)	margin
Baron Schröder (A)	plum colour, yellowish centre
**B. de Bruin (B)	red .
Beauty of Bagshot (A)	mauve turning to white, dark
	blotch
***Beauty of Littleworth (C)	white
*Beauty of Tremough (D)	rose pink fading to pale rose
*Beethoven (C)	lilac red with purple blotch
Bellona (B)	rosy pink paling at centre
*Bernard Crisp (B)	pale rose pink
*Bernard Gill (E)	carmine pink
Bertram Woodhouse Currie	
(B)	crimson, light centre
**Betty Wormald (C)	light pink, pale purple blotch
Bicolor (A)	reddish purple
**Black Beauty (B)	dark velvet crimson
P Blanche Superbe (C)	white
Blandyanum (B)	rosy crimson
**Blue Peter (A)	pale lavender blue with deeper
	blotch
*Blushing Beauty (D)	blush pink
P **Bodartianum (B)	white with dark eye
*Borde Hill (C)	dark red
Boule de Neige (A)	white
*Brabantia (C)	satiny pink
Brayanum (B)	rosy scarlet
Brilliant (B)	bright red
***Britannia (B)	bright crimson red
**Broughtonii (B)	rosy crimson
**Broughtonii aureum (B)	yellow (Azaleodendron)
**Bulstrode Park (C)	dark red
***Butterfly (B)	pale lemon with chocolate blotch

B. W Elliott (A)	clear rose, dark spots
Bylsianum (A)	white, margined cerise
*Campanulatum Distinction	
(A)	pale lavender
Candidissimum (A)	white
*Cannizaro (C)	pale lilac rose
Canon Furse (B)	rose, with dark spots
Caractacus (A)	purplish crimson
*Carminata Crispiflora (D)	carmine pink
Catawbiense album (A)	white
Catawbiense Boursault (A)	reddish purple
Catawbiense grandiflorum (A)	purple
Catawbiense Thomsonii (A)	plum crimson
Catherine Van Tol (B)	rosy crimson
Caucasicum Splendidum (B)	light blush
**C. B. Van Nes (C)	dark scarlet
Celia (C)	delicate rose madder
Charles Dickens (A)	red
Charles Thorold (A)	purple, greenish yellow centre
Charlie Waterer (B)	scarlet, light centre
Chas. Bagley (A)	cherry red
Chas. Noble (A)	deep red, yellow eye
*Cherry Ripe (B)	cerise
Chevalier Felix de Sauvage	
(B)	red, with dark spots
Chionoides (A)	creamy white
*Christmas Cheer (B)	blush
**Ciliatum × moupinense (C)	pinky white
Cleopatra (B)	blush
*Coalition (C)	bright salmon red, paler in some
	forms
*Compactum multiflorum (B)	
*Compton's Brow (C)	
Comte de Gomer (B)	white and crimson edge

\*Concessum (B) ... bright rose, light centre

P

PPP

Congestum roseum (B)	light rose, spotted
**Conical Kate (A)	clear rosy crimson, yellow blotch
*Constance Carson (C)	pale pink, yellow mark
*Constance Terry (C)	deep pink, fimbriated
*Coombe Royal (C)	delicate pink
**Cornish Cross (D)	dull rose pink
D***Cornubia (E)	blood red
***Corona (B)	coral pink
**Corry Koster (C)	light pink, spotted crimson, fim- briated
Cotterill (C)	deep coral, fimbriated and blotched
Countess (C)	delicate shell pink
Countess Fitzwilliam (B)	carmine rose, dark spots
*Countess of Athlone (B)	mauve
Countess of Derby (B)	
(Pink Pearl × Cynthia)	rose pink
Countess of Donoughmore(A	) light centre, margined bright pink
Countess of Haddington (F)	white flushed rose
Countess of Normanton (B)	pale mauve, fading to white,
	darker margin
Countess of Sefton (F)	white
Countess of Tankerville (A)	delicate rose
C. S. Sargent (A)	red
Cunningham's Blush (B)	blush
Cunningham's Sulphur (B)	(probably merely a variety of
	Caucasicum)
Cunningham's White (B)	white
**Cynthia (B)	rosy crimson
**Dairy Maid (B)	lemon yellow, flushed pink
Dalhousiae Victorianum (F)	yellow
*Daphne Daffarn (C)	salmon rose
Daphne Millais (C)	deep pink, spotted
***Daubuzzi (C)	yellowish rose, fading to pale
(syn. Dickson's Aucklandii)	pink
**Dawn's Delight (C)	brick red changing to soft pink

Delicatissimum (A)	white, tinted pink
P Diana (B)	white
*Diphole Pink (B)	deep rose pink
*Donald Waterer (B)	pink
*Doncaster (B)	scarlet crimson
*Doncaster × Aucklandii var.	
roseum (syn. Don. $\times$ )(D)	red
Doncaster Improved (B)	red
Dorothy Fortescue (A)	dark cherry red
*Douglas McEwan (C)	rosy red
Dr. H. C. Dresselhuys (A)	aniline red
Dr H. J. Lovink (A)	aniline red
Dr. Hogg (A)	red
Dr. S. Endtz (B)	rosy crimson
P **Dr. Stocker (C)	ivory white
Dr. V. H. Rutgers (A)	aniline red
**Dr. W. F. Wery (C)	bright red
Duc de Brabant (A)	creamy, semi-double
Duchess of Bedford (A)	deep rose with light marking
Duchess of Connaught (B)	white with lemon coloured mark-
	ing
**Duchess of Cornwall (C)	pink
Duchess of Edinburgh (A)	pink
**Duchess of Portland (B)	white
Duchess of Teck (B)	pink
Duchess of York (B)	salmon pink with green spots
Duke of Connaught (B)	rosy crimson
***Duke of Cornwall (C)	crimson
*Duke of Portland (B)	bright scarlet lighter edge
*Duke of York (B)	rosy pink with brown spots
*Dulcie Daffarn (C)	pink
****Earl of Athlone (C)	bright blood red
Earl of Shannon (A)	deep crimson
P Early Gem $(C)$	rosy lilac
Edinense (F)	white-yellowish base

	Edith Mackworth Praed (	(D)	crimson
	Edward S. Rand (A)		red
	**Eileen (A)		rose centre with pink edge
	Elfrida (B)		pale rose pink
	Elizabethae (D)		rose pink
	**Elsa Crisp (B)		soft pink with deeper pink margin
*	**Elsae (E)		cream, red blotch at base
*	**Elsie Waterer (B)		white, dark red blotch.
	*Elspeth (C) (Gill)		white
	**Elspeth (B) (Slocock)		scarlet bud, fading to apricot
	*Emeline Buckley (C)		pink with dark spot
	*Emily Mangles (C)		pink with crimson blotch
	Enchantress (C)		lilac
	Endsleigh Pink (B)		rosy pink
P	*Ernest Gill (C) (Arboret	um	
	blood red × Mrs. Butl	er)	bright rose carmine
	E. S. Rand (A)		red, yellow eye
	*Essex Scarlet (B)		deep crimson scarlet
	*Ethel Stocker (D)		buds crimson, flowers deep pink
P	Euterpe (B)		rose
	Everestianum (A)		rosy lilac
	*Exminster (C)		pink over cream
	Exoniense $(F)$		creamy white
	Fair Helen (B)		white with yellow spot
	*Fastuosum flore pleno (2	A)	double mauve
	F. Bettex (A)		scarlet, spotted
	F. D. Godman (A)		dark red
P	**Fire Ball ( <i>D</i> )		carmine scarlet
	F. L. Ames (A)		rosy pink light centre
	Florence (B)		pink
	*Florence Gill (D)		white with pink margin
	Florence Smith (A)		pink
	Fosteriana (F)		white
	Fosteriana $\times$ Veitchii (F)	)	white
	Fragrantissima (F)		white tinged pink

bright red
white, chocolate blotch
crimson
crimson, rayed
soft pink
yellowish rose
salmon red
deep salmon rose
deep scarlet crimson
white
purplish blue
rose, deep pink edge
bright magenta rose (Azaleo-
dendron)
dark rosy pink
soft rose
bright crimson
white
white with black spots
blush fading white
C)
pink
white
rose
blood crimson
pink
pink
strawberry red fading to pink
deep crimson
blush white
pure white
light strawberry red fading
yellow, dark blotch (Azaleoden-
dron)

***Glory of Penjerrick (E)		deep strawberry red fading to pinl
*Goethe (C)		pale mauve, fimbriated
**Goldsworth Crimson (B)	)	crimson
*Goldsworth Pink (B)		pink
*Goldsworth White (B)		white
***Goldsworth Yellow (B)		apricot
**Gomer Waterer (A)		white, slightly blushed, late
Govenianum (A)		lavender purple
*Graf Zeppelin (B)		soft pink
Grand Arab (B)		crimson
Guide (B)		crimson
Gulnare (B)		bright rose, tipped darker pink
Guttatum (B)		creamy white, spotted
*Gylla MacGregor (C)		red
Hammondii (A)		rosy pink
*Handsworth Scarlet (B)		bright red
*Handsworth White (B)		white
Harbinger (C)		pink
Harrisii (C)		scarlet
**Harrisii Superbum (D)		deep crimson
Helen Fox $(E)$		see Barclayi
*Helen Paul (B)		soft pink margined rose
Helen Rogers (B)		pink madder
**Helen Schiffner (A)		white
Helen Waterer (B)		red edge, white centre
Hellena (B)		white suffused and edged pale
		rosy lilac
Hendersonii (B)		purple, lighter centre
Henrietta Sargent (A)		pink
Henry Shilson (B)		white
Hermia (C)		rose madder
H. H. Hunnewell (A)		darkish crimson
**His Majesty (D)		rose pink
*H. M. Arderne (B)		pink, with dark blotch
*Holbein (C)		lilac rose
	**Goethe (C)  **Goldsworth Crimson (B)  *Goldsworth Pink (B)  *Goldsworth White (B)  ***Goldsworth Yellow (B)  ***Goldsworth Yellow (B)  ***Gomer Waterer (A)  Govenianum (A)  *Graf Zeppelin (B)  Grand Arab (B)  Guide (B)  Gultatum (B)  *Gylla MacGregor (C)  Hammondii (A)  *Handsworth Scarlet (B)  *Handsworth White (B)  Harbinger (C)  Harrisii (C)  **Harrisii Superbum (D)  Helen Fox (E)  *Helen Paul (B)  Helen Rogers (B)  **Helen Schiffner (A)  Helen Waterer (B)  Hellena (B)  Hendersonii (B)  Henrietta Sargent (A)  Henry Shilson (B)  Hermia (C)  H. H. Hunnewell (A)  **His Majesty (D)  *H. M. Arderne (B)	**Goethe (C) **Goldsworth Crimson (B) **Goldsworth Pink (B) **Goldsworth White (B) ***Goldsworth Yellow (B) ***Gomer Waterer (A)

*Hollandia (C)	lilac with yellow throat
Hon. John Boscawen (B)	pink, yellow centre
*Horsham (C)	deep red
*H. T. Gill (C) syn.	Ministra Transmission (Marie
Luscombei	rose
*Hugh Koster (C)	bright crimson
*Hugh Wormald (C)	cerise with white stripe
*Hugo de Vries (B)	pink
H. W. Sargent (A)	crimson
*Ida Waterer (B)	rosy crimson, fimbriated
Ignatius Sargent (A)	soft rose
Ignescens (B)	bright red
Ingramii (B)	blush white
***Ivery's Scarlet (C)	blood red
***Ivorianum (C)	blood red
*Jackie (B)	deep rose, spotted (Azaleoden-
	dron)
Jack Izod (C)	pale pink, margined pink
Jacksonii (B)	rosy red
James Bateman (A)	rosy scarlet
James Mason (B)	light centre, bright red edging
James Nasmyth (A)	rosy lilac, blotched maroon
**J. G. Millais (C)	deep blood red
*J. H. Van Nes (C)	soft red
*J. J. de Vink (D)	scarlet
J. Marshall Brooks (A)	scarlet with bronze spot
*John Bennett Poe (B)	crimson with olive blotch
*John Henry Agnew (B)	pink, chocolate spots
John Spencer (A)	rose
John Walter (A)	crimson
John Waterer (A)	carmine
*Joseph Whitworth (A)	dark purple lake, dark spots
*Jupiter (A)	soft lilac rose
Kate Waterer (B)	rosy crimson with yellow centre
Katherine Van Thol (C)	rosy crimson

*Kathleen Fielding (D)	red with purple blotch
*Kathleen Wallace (C)	pale pink
Katie (B)	deep rose, blotched
**Keay Slocock (B)	creamy white, slight blotch
Kettledrum (A)	purplish crimson
***Kewense ( <i>G</i> )	blush white or pink. (Loderi is
(in its varieties)	the best form.)
**Kew Pearl (D)	blush pink, edged rose
**King George (D)	scarlet
King of the Purples (A)	dark purple, spotted
König Albert (D)	cream
König Carola (C)	cream
Lady Alice Fitzwilliam (F)	white
Lady Annette de $Trafford(B)$	blush, chocolate blotch
Lady Armstrong (A)	pale rose, dark centre
Lady Clementina Walsh (B)	blush, edged pink
*Lady Clementine Mitford	
(A)	peach pink, deeper margin
Lady Clermont (A)	rosy scarlet, blotched
*Lady Decies (B)	blush lilac
**Lady de Rothschild (B)	blush, spotted
*Lady Eleanor Cathcart (B)	clear pink, with chocolate spots
*Lady Ethel Edgar (C)	
*Lady Ethel Hall (C)	rose pink margins, pale interior
Lady Falmouth (B)	Charles of the State of the Sta
Lady Francis Crossley (B)	rosy pink
Lady Grey Egerton (A)	pale lilac
*Lady Gwendoline Broderick	
(C)	pink
Lady Hillingdon (A)	pale mauve with yellow marking
*Lady Longman (B)	deep rose with chocolate eye
Lady Mary Parker (C)	rose, edged vivid pink
Lady Primrose (B)	lemon yellow
*Lady Stuart of Wortley (C)	pink
Lady Winifred Herbert (B)	rosy carmine, fimbriated

P

P

*La Fontaine (C)	pink with brown blotch, fim- briated
*Langley Park (B)	deep red
Lee's Dark Purple (A)	purple
*Lessing (C)	rosy crimson
*Lilian (C)	red
Liliani (see Cornubia)	Cold and the person of the Police
Limbatum (B)	white, margined crimson
Lisa Stillman (C)	rosy pink
L. L. Liebig (B)	carmine
***Loderi (C)	white or shell pink. Many
(a form of Kewense)	varieties exist of which probably
	var. King George is the best,
	but all are good.
***Loder's White (C)	pale pink fading to white
Lord Eversley (B)	dark crimson, black spots
Lord Roberts (A)	dark red, black spots
*Lord Swaythling (C)	dark bright pink
Louis Pasteur (C)	pink
Luciferum (A)	white
*Luscombeanum	- Charles may provide the
*Luscombei (C)	rose pink
Luscombei splendens	pink
*Luscombe's	and the state of t
Sanguineum (C)	scarlet crimson
*Luscombe's Scarlet	
Lyndsleyanum (C)	crimson lake
*Mable (C)	yellowy rose
Maculatum purpureum (A)	purple spotted
Madame Carvalho (A)	white, greenish spots
**Madame de Bruin (C)	cerise red
Madame Gaston Chandon (B)	rose
Madame Jeanne Bois (A)	dark pink
Madame Masson (B)	white, yellow blotch
Madame Moser (B)	double red

Madame Pellerin (A)	pink, lighter centre
Madame Pierrette Forestier	
(B)	mauve
Madame Wagner (B)	white, margined rose
Maggie Heywood (A)	white, edged pink, yellow eye
Manglesii (C)	white, spotted pink
Marchioness of Lansdowne	
(B)	rose, spotted
Marchioness of Tweeddale	
(B)	rose pink, yellow eye
Margaret (C)	pink
*Margaret Bean (B)	yellow, fringed pink
Marie Forte (A)	deep crimson
Marie Stuart (A)	blush, maroon spot
Marie Van Houtte (A)	white, slightly spotted
Marquis of Waterford (B)	bright pink, lighter in centre
**Mars (B)	deep true red
Martin Hope Sutton (B)	red, blotched
*Mary Waterer (B)	pink
**Mauve Queen (C)	lilac, dark blotch
Maximum triumphans (B)	bright red
Maxwell T. Masters (A)	rosy crimson
**May Templar (C)	bright crimson
Meg Merrilies (B)	creamy white shading to yellow
Melpomene (B)	dark rose
Memoir (A)	white
*Mermaid (C)	coral pink
*Message of Peace (B)	white tinged mauve
Meteor (B)	crimson
Michael Waterer (B)	bright crimson
*Midsummer (A)	rose pink, late
Minnie (A)	bluish white, orange spot blotch
Miss H. de Trafford (A)	pink, yellow blotch
Miss Mary Ames (A)	crimson
*Miss Noreen Beamish (C)	pink

P

*Miss Watson (C)	blush, spotted pink
Mistress Mary (B)	white
P Mnemosyne (B)	rose
*Moliere (C)	red
Monsieur Thiers (B)	red
*Monstrous (B)	rose, paling at centre
***Mother of Pearl (B)	blush, turning snow white
**Mount Everest (B)	white, small red blotch
**Mrs. A. C. Kendrick (B)	rose
Mrs. Anthony Waterer (A)	white
*Mrs. A. R. Bide (D)	terra cotta red
Mrs. Arthur Hunnewell (A)	pink, primrose centre
*Mrs. Ashley Slocock (B)	pale apricot to cream, tinged
	salmon
**Mrs. A. M. Williams (C)	red
***Mrs. A. T. de la Mare (C)	white with green spot
Mrs. A. Walter (A)	rose edge
Mrs. A. Waterer (A)	white with yellow eye
Mrs. Butler (B)	pale pink (probably only a form
	of Fortunei)
*Mrs. Byrne (C)	cerise
Mrs. Cameron (B)	pink, slightly spotted
*Mrs. C. B. Van Nes (C)	dark pink
Mrs. Charles Butler	see Mrs. Butler
**Mrs. Charles Pearson (B)	blush mauve spotted burnt sienna
Mrs. Chas. S. Sargent (A)	
Mrs. Charles Thorold (A)	pink, yellow centre
Mrs. Davies Evans (A)	mauve
*Mrs. Dr. Blamey (D)	blood red
*Mrs. E. C. Stirling (B)	blush pink
*Mrs. Ellice (C)	pink
*Mrs. E. Hillier (C)	dark pink
Mrs. F. Hankey (B)	salmon
Mrs. F. J. Kirchner (A)	cream, slightly spotted
*Mrs. Frank Mangles (C)	red

**Mrs. George Paul (B)	blush
**Mrs. G. W. Leak (C)	pink with brown-purple blotch
Mrs. Hamilton (D)	heliotrope
*Mrs. Helen Koster (A)	light mauve with yellow-brown
	blotch
**Mrs. Henry Agnew (C)	white, fringed pink
Mrs. Henry Shilson (C)	pink
*Mrs. H. Stocker (C)	red
*Mrs. J. C. Williams (A)	blush, spotted
Mrs. J. H. Van Nes (C)	pink, spotted
*Mrs. J. J. Crosfield (C)	pale rose, crimson blotch
Mrs. John Clutton (A)	white
*Mrs. John Kelk (B)	clear rose, late
*Mrs. John Millais (A)	white, yellow eye
Mrs. J. P. Lade (A)	French grey
Mrs. John Penn (A)	salmon pink, crimson edging
Mrs. John Waterer (A)	rosy crimson
*Mrs. Kenneth Wilson (C)	deep rose
*Mrs. Kingsmill (C) syn.	
Penjerrick	yellow, fading to cream
**Mrs. L. A. Dunnett (C)	rosy pink, white centre
***Mrs. Lindsay Smith (C)	white
*Mrs. Lionel de Rothschild	
(B)	white, red spot
*Mrs. L. M. Hayes Palmer (C)	red, blotched
*Mrs. Mary Ashley (B)	salmon pink shaded cream
Mrs. Mendel (A)	pink rayed white, yellow centre
Mrs. Milner (A)	crimson
Mrs. P. den Ouden (A)	crimson
**Mrs. P. D. Williams (A)	ivory white, brown spot
**Mrs. Philip Martineau (B)	deep rose pink
***Mrs. Randall Davidson (C)	
(syn. Mrs. Kingsmill and	
Penjerrick)	white, creamy yellow or pink
Mrs. Reuthe (D)	bright red, fading

*Mrs. R. Gill (C)	rose pink
Mrs. R. G. Shaw (A)	rosy pink, chocolate eye
*Mrs. Robert W. Wallace (C)	pink fading to white, crimson
	blotch
*Mrs. R. S. Holford (B)	rosy salmon
Mrs. Russell Sturgess (A)	white, spotted chocolate
*Mrs. Samuel Wallrock (C)	white, heavily spotted red
Mrs. S. Simpson (B)	white finely spotted
Mrs. Thistleton Dyer (B)	soft pink
Mrs. T. H. Lowinsky (B)	blush red spots (Anthony Waterer)
Mrs. T. H. Lowinsky (B)	mauve, dark spots (Wallace)
Mrs. Tom Agnew (A)	white, with lemon blotch
Mrs. Tritton (A)	crimson, light centre
Mrs. T. Wezelenburg (B)	pure scarlet
Mrs. W. Bovill (B)	rosy scarlet
*** Mrs. W. C. Slocock (B)	apricot pink shaded to yellow
*Mrs. W. H. Gaze (C)	wine red
Mrs. Wm. Agnew (B)	pale rose, yellow centre
**Mrs. W. R. Dykes (C)	pink
Multimaculatum (A)	white, with yellow spots
Mum (A)	white, with lemon eye
Nanette (C)	blush pink, with dark blotch
*Nellie (B)	white, yellow eye (Azaleodendron)
*Nelly de Bruin (C)	blush, spotted chocolate
Nero (B)	purple lake
*Niobe (A)	soft rose
N. N. Sherwood (B)	pink, with gold centre
Nobleanum (B)	scarlet crimson
*Nobleanum album (B)	white
*Nobleanum coccineum (B)	bright scarlet
*Nobleanum venustum (B)	pink
*Norah (C)	blush, margined pale cerise
**Norman Gill (D)	pale heliotrope
Notabile (A)	bright rose
**Nuneham Park (C)	dark red

P P P

*Ochroleucum (A)	sulphur yellow
**Odoratum (B)	pale lilac (Azaleodendron)
Old Port (A)	plum colour
Otto Foster (B)	white
Parson's gloriosum (A)	rose
Parson's grandiflorum (A)	purplish rose
Peggy (B)	cerise-pink
Pelopidas (B)	rosy crimson
*Penelope (D)	rose carmine
***Penjerrick (C)	white, creamy yellow or pink
Pentilly Scarlet (C)	red
Perfection (B)	blush white
Perspicuum (A)	white
**Peter Koster (C)	crimson with pink edges
Philippe de Vilmorin (B)	red
**Philip Waterer (B)	soft rose
Pictum (A)	white with dark spots
Picturatum (A)	blush white with chocolate blotch
Pierre Moser (A)	pink
Pink Beauty (C)	pink
**Pink Delight (D)	white, margined pink
**Pink Pearl (B)	rose pink, fading to flushed
*Pink Perfection (D)	pink
Pink Perfection (Ouden) (A)	pink
Pirette Forrestier syn.	
Madame Pierrette Forestier	Market and the Indianaly
*Polar Star (B)	red
*Polly Peachum (B)	salmon to rosy pink with dark red
	blotches
P***Praecox (C)	rosy lilac
Pretty Polly (B)	*
*Pride of Kernick (D)	
Prince Arthur (B)	
Prince C. de Rohan (B)	* *
*Prince of Wales (B)	rose pink with lighter centre

Princess Alice (F)	white
Princess Christian (A)	white with large orange blotch
The second secon	and black spots
*Princess Elizabeth (B)	crimson scarlet
Princess Ena (B)	mauve
Princess Hortense (A)	lilac-rose
Princess Juliana (C)	pink, fading to white
Princess Mary of Cambridge	
(B)	blush
*Princess of Orange (B)	yellowish pink
*Professor Hugo de Vries (B)	deep pink, see Hugo de Vries
Prometheus (A)	scarlet crimson
Purity (A)	white with yellow eye
***Purple Splendour (B)	deep purple, black spot
Purpureum elegans (A)	purple
Purpureum grandiflorum (A)	purple
***Pygmalion (B)	crimson scarlet spotted black
Queen (A)	blush white see The Queen
Queen Alexandra (D)	
(niveum × argenteum)	
**Queen Wilhelmina (D)	
**Ragged Robin (B)	
	shade
*Raoul Millais (D)	salmon pink
P Regale (B)	
Retreat (C)	yellow, tinged pink
Rev. R. W. Carew Hunt (B)	
*Richard Gill (C)	1
*Riviera Beauty (D)	The state of the s
Robert Croux (A)	The state of the s
Robert Fox (E)	see Barclayi
*Robert W. Wallace (C)	
Rosabel (A)	
Rosamene (B)	
P***Rosa Mundi (A)	pale pink

	*Rosamund Millais (C)	cerise, blotched burnt umber
	*Rose Beauty (C)	rosy pink
	*Rose Mangles (C)	rose pink
	*Rose Perfection (C)	rose pink
	Roseum elegans (A)	rose
	Roseum superbum (A)	soft rose
	*Royal Purple (A)	purple, yellowish blotch
	R. S. Field (B)	red
P	Russellianum (C)	red
	St. Simon (A)	purplish crimson
	Samuel Morley (B)	rosy-carmine
	*Sappho (A)	white, heavily spotted
	*Saturne (B)	cerise shading to pink, white
		interior
	Schiller (C)	lilac pink with red purple blotch
	*Sea Shell (B)	creamy yellow, with chocolate
	State between the party	blotch
	Sefton (A)	dark maroon
	Sesterianum (F)	creamy white
3	**Shilsonii (C)	blood red
	Sidney Herbert (A)	carmine, dark spots
	Sigismund Rucker (A)	crimson with black centre
	Sir A. Guiness (A)	rose
	Sir Harry Veitch (A)	crimson
	Sir Henry Havelock (B)	scarlet
	Sir Henry Mildmay (A)	rosy crimson
	A STATE OF THE PARTY OF THE PAR	red
	Sir Robert Peel (A)	crimson
	Sir Thomas Sebright (B)	purple, bronze blotch
	Smithii album syn.	A PERSON NAMED IN COLUMN 1
	Bodartianum	
	Smithii aureum (C)	yellow (Azaleodendron)
	Snowflake (A)	white
	*Sophia Gray (C)	pink, spotted burnt umber, fim-
		briated

## CALEBORIA URSERV.

151

P	Southamptonia (C)	
	syn. Cornish Early Red	red
	Souvenir de Dr. S. Endtz (B)	deep rosy crimson
	*Souvenir de Mde. J. H. Van	
	Nes (D)	scarlet
*	**Souvenir of W. C. Slocock	
	(B)	primrose yellow
	Standard of Flanders (B)	crimson
	Standishii (C)	white with red spots
	Stanley Davies (A)	red
	*Starfish (B)	bright pink
	Stella (A)	pale rose, spotted
	Stephen Davies (A)	deep crimson
P	Stoneham Scarlet (C)	THE SECOND STREET
	syn. Cornish early red	
	Strategist (B)	fine clear pink
P	Sun of Austerlitz (B)	brilliant crimson
	Sunshine (A)	bright crimson
3	**Sweet Simplicity (A)	white, edged clear pink
	Sylph (A)	pink
	*Ted Waterer (B)	blush lilac
,	**The Bride (A)	fine white
	*The Hon. Joyce Montagu	scarlet, after few days shows white
	(C)	stripes
	The King (D)	crimson
	The Queen $(A)$	blush, changing to white
	Torlonianum (C)	purple and yellow (Azaleoden-
		dron)
	Trebah Gem (E)	soft pink
	*Trilby (B)	scarlet crimson
	*Tubantia (C)	lilac pink with white and yellow
		centre
	Tyermannii (F)	cream
	*Unique (B)	white, tinged ochre
3	**Unknown Warrior (C)	bright red

VALEDOUVA L'UNGERA

Urania (A)	dark mauve
Van der Brocke (A)	carmine
Van der Hoop (A)	Tyrian rose
**Vanity (B)	White
*Van Nes's Glory (C)	red
*Van Nes Sensation (C)	pale lilac, white centre
Van Weerden Poelman (A)	crimson
Vauban (A)	mauve, yellow blotch
Veitchianum (F)	
Vervaneana (B)	mauve
Vesuvius (B)	crimson
*Victorianum (E)	creamy yellow turning white
*Viscountess Elveden (C)	pink
*Viscount Powerscourt (B)	red, deeply spotted
Warrior (A)	rosy crimson
P Waterer's Caucasicum (B)	blush pink
*Waterer's hybridum (A)	rose pink (ferrugineum ×)
W. Cowper (B)	bright red
**Werei (C)	rose pink
*White Pearl (B)	slightly blush changing to pure
	white
W. H. Punchard (A)	plum colour, yellow centre
William Austin (A)	dark crimson
William Ewart Gladstone (A)	deep rose
William Godfrey (A)	blush white, yellow spot
*William Watson (C)	shell pink
Williams' Seedling "A" (C)	white Broughtonii
Williams' Seedling "B" (C)	white, red spots / X Aucklandii
Winifred White (B)	buds crimson, changing to pale
	pink with crimson edge
*Zeelandia (C)	flesh coloured pink
Zeleuka (B)	shell pink, tipped darker shade

## Forrest, Rock and Kingdon Ward Rhododendrons in Cultivation in Great Britain and Ireland.

The Rhododendron Association has to thank Edinburgh and Mr. George Forrest for allowing me to add the heights and colour descriptions as contained in his field notes to the list of numbers that follows. These have also been given in the lists of Rock and Ward numbers. Where possible identification names have been given which it is hoped are more or less accurate, but cannot be taken as certain until plants have flowered in this country. In some cases where plants have flowered and have differed from the dried specimens the name of the species in cultivation is given in addition.

It must be remembered that very often only scanty material has come home with the particular seed number, and identification is difficult before the plants have reached flowering size in this country, many species being so similar in leaf that no identification can be attained by this means alone. It is also quite possible that the native collectors may have picked seeds from plants other than those from which the dried specimen attached to the number has come home.

The Forrest numbers have the provisional names attached given by the Royal Botanic Garden, Edinburgh, and it is entirely through their kindness and the assistance given by Professor Smith that this list can be published; they are particularly anxious that it should be emphasized that many of these may require verification or correction.

The Rock numbers have also been supplied largely by Edinburgh, but slight alterations have been made, while the Kingdon Ward list has been verified by Captain Kingdon Ward himself, who spent a week at the Royal Botanic Garden, Edinburgh, clearing up any doubtful ones, and at the same time he is responsible for again going through the Rock list with Mr. Tagg.

Lastly, the whole publication has been made possible by Mr. Stevenson, who spent a great amount of time and trouble in getting together a list of Forrest and Kingdon Ward seed numbers which had germinated in this country. The list contains all the numbers that are known to be growing at the Royal Botanic Garden, Edinburgh, and in addition at Caerhays, Tower Court, Bodnant and Exbury.

It is quite probable that there may be some plants growing under numbers which are not in this list. If this is so and any Member of the Rhododendron Association who has a number that is not included will send it to me, I will try and get the identification inserted in the next edition of the Year Book.

LIONEL DE ROTHSCHILD.

## FORREST RHODODENDRONS.

R stenaulum	
00	
R. Traillianum.	
R. oreotrephes.	
R. impeditum.	
A. Impeditum.	
R. rubiginosum. R. diacritum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi. R. oleifolium.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi. R. oleifolium. R. sycnanthum.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi. R. oleifolium. R. sycnanthum. R. taliense.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi. R. oleifolium. R. sycnanthum. R. taliense. R. haematodes.	
R. rubiginosum. R. diacritum. R. vernicosum, geog. form euanthum. R. vernicosum, geog. form euanthum. R. racemosum. R. chartophyllum. R. trichocladum. R. cephalanthum. R. fastigiatum. R. dichroanthum. R. pholidotum. R. aureum. R. microphyton. R. Delavayi. R. oleifolium. R. sycnanthum. R. taliense.	
	R. fastigiatum R. hylothreptum. R. irroratum. R. prostratum. R. impeditum. R. elaeagnoides. R. rupicola. R. cephalanthoides. R. adenogynum. R. decorum. R. Traillianum. R. adenogynum. R. traillianum. R. oreotrephes. R. chartophyllum.

6776 R. decorum. R. sulfureum.

6778 R. lacteum.

6777

6779 R. cyanocarpum.

6780 R. neriiflorum.

6781 R. dichroanthum.

7463 R. Delavayi.

7504 R. microphyton.

7505 R. microphyton.

7516 R. Scottianum.

7673 R. nematocalyx.

7832 R. Simsii.

8172 R. bullatum.

8905 R. oulotrichum. 8923 R. zaleucum.

8938 R. plebeium.

8939 R. neriiflorum, subspecies euchaites.

8987 R. apodectum.

8989 R. fulvum.

8990 R. basilicum. 9021 R. sinogrande.

9021 R. sinogrande. 9048 R. habrotrichum.

9054 R. apodectum.

9055 R. callimorphum.

9341 R. leptothrium.

9342 R. oleifolium.

9431 R. crassum.

9901 R. leptothrium.

9919 R. lasiopodum.

10014 R. scintillans. 10035 R. scintillans.

10035 R. scintillans. 10055 R. fastigiatum.

10071 R. cuneatum.

10073 R. rubiginosum.

10074 R. rubiginosum.

10075 R. vernicosum, geog. form rhantum.

10086 R. racemosum.

10113 R. adenogynum.

10114a R. vernicosum. 10114b R. vernicosum, geog. form rhantum.

10156 R. Traillianum.

10195 R. Beesianum.

10204 R. Traillianum.

10210 R. oreotrephes. 10213 R. oreotrephes.

10278 R. radinum.

10284 R. pubitubum, in cult. R.B.G. orthocladum.

10285 R. prostratum.

	10292	R.	niphargum.
--	-------	----	------------

10297 R. oreotrephes.

10311 Series Lapponicum.

10312 R. cephalanthoides.

10314 R. rupicola.

10333 R. hippophaeoides.

R. mollicomum. 10347

10367 R. rupicola. R. ravum. 10423

10428 R. croceum.

10429 R. adenophorum.

R. drumonium. 10434 10435 R. cheilanthum.

10438 Series Heliolepis.

R. colletum. 10460

10477 R. Beesianum.

10481 R. orthocladum.

10540 R. recurvum.

R. Beesianum. 10546

10547 R. phaeochrysum.

10616 R. puralbum.

R. niphargum. 10639

R. eritimum. 10651

10680 R. croceum.

R. Clementinae. 10857

10974 R. fictolacteum.

R. recurvum. 10991

R. scabrifolium. 11031

11072 R. scabrifolium.

R. Delavayi. 11073

R. irroratum. 11074

11246 R. ledoides.

R. stereophyllum. 11299 R. dasycladum. 11312

R. Beesianum. 11313

11317 R. croceum.

11321 R. phaeochrysum.

11421 R. niphargum.

11450 Series Lapponicum.

R. croceum. 11466

R. Clementinae. 11486

R. hippophaeoides. 11487

11490 R. mollicomum.

R. eritimum, subspecies heptamerum. 11503

11547 R. pachypodum.

11575 R. lacteum. 11579 R. taliense.

11583 R. taliense.

11597 R. dichroanthum.

11601 R. hedythamnum.

11626 R. fastigiatum.

11629 R. cyanocarpum.

11630 R. trichocladum.

11736 R. cheilanthum. 11875 R. sinogrande.

11896 R. apodectum.

11910 R. theiochroum.

11958 R. diaprepes.

12054 R. habrotrichum.

12078 R. basilicum.

12084 R. microphyton.

12085 R. microphyton.

12094 R. apodectum.

12095 R. habrotrichum.

12096 R. neriiflorum, subspecies euchaites.

12100 R. oleifolium.

12109 R. basilicum.

12113 R. Delavayi.

12461 R. hippophaeoides.

12505 R. sphaeranthum. 12568 R. telmateium.

12607 R. Clementinae.

12609 R. Roxieanum.

12623 R. idoneum.

12731 R. croceum.

12845 R. leptothrium.

12889 R. eritimum, subspecies gymnogynum.

12893 R. floccigerum.

12899 R. lukiangense, subspecies ceraceum aff.

12901 R. glischrum.

12934 R. saluenense.

12942 R. megeratum.

12944 R. crinigerum. 12947 R. oreonastes.

12948 R. fictolacteum.

12950 R. rhaibocarpum.

12968 R. chameunum.

12969 R. litiense.

12982 R. rhaibocarpum.

13005 R. oreonastes.

13023 R. praestans.

13032 R. Beesianum.

- 13143 R. Beesianum.
- 13244 R. crinigerum.
- 13258 R. chameunum.
- 13259 R. repens.
- 13299 R. floccigerum.
- 13301 R. Martinianum.
- 13302 R. hypolepidotum.
- 13303 R. campylogynum.
- 13304 R. sanguineum.
- 13315 R. Wardii.
- 13348 R. proteoides.
- 13380 R. lukiangense, subspecies adroserum.
- 13383 R. chameunum.
- 13387 R. eritimum, subspecies heptamerum.
- 13438 R. eritimum, subspecies heptamerum.
- 13439 R. Martinianum.
- 13440 R. floccigerum.
- 13508 R. eriogynum.
- 13512 R. pachypodum, in cultivation R. sulfureum
- 13518 R. campylogynum.
- 13526 R. platyphyllum.
- 13568 R. colletum.
- 13768 R. drumonium. 2-2½ ft. Fl. deep rosepurple, white throat.
- 13789 R. detonsum. 9-12 ft. Fl. fleshy, rosepink, few markings.
- 13791 R. hippophaeoides. 2-2½ ft. Fl. purpleblue.
- 13792 R. hippophaeoides. 2 ft. Fl. bright rose.
- 13793 R. hippophaeoides. 2½ ft. Fl. deep lavender-blue.
- 13794 R. hippophaeoides. 2½ ft. Fl. rose-lavender.
- 13798 R. racemosum. 2-21 ft. Fl. pure white.
- 13799 R. hippophaeoides. 2-3½ ft. Fl. lavender-blue.
- 13800 R. hippophaeoides. 2½ ft. Fl. bright rose.
- 13803 R. racemosum. I ft. Fl. deep rose.
- 13804 R. racemosum. 12-18 ins. Fl. pale rose.
- 13841 R. cephalanthoides. 2-3 ft. Fl. white.
- 13842 R. hippophaeoides. 2-4 ft. Fl. lavenderblue.
- 13847 R. diacritum. 12-18 ins. Fl. deep bluepurple, throat white.

13852 R. hylothreptum. 20-25 ft. Fl. deep magenta-rose.

13853 R. irroratum. 20 ft. Fl. creamy-yellow,

crimson markings.

13864 R. irroratum. 20-25 ft. Fl. creamyyellow faintly flushed rose, deep crimson markings.

13881 R. leptothrium. 6-10 ft. Fl. deep rose,

crimson markings.

13896 R. lukiangense. 8-12 ft. Fl. bright rose,

crimson markings.

13897 R. rhaibocarpum. 4-7 ft. Fl. magentarose or white flushed magenta-rose, few markings.

13899 R. scintillans. 2 ft. Fl. light lavender-

blue.

13900 R. chloranthum. 2-4 ft. Fl. light yellow, tinged green.

13904 R. chameunum. 12-16 ins. Fl. deep purple-rose with crimson markings.

13905 R. dasypetalum. 1-2½ ft. Fl. bright purplish-rose.

13915 R. russatum. 2-4 ft. Fl. deep purpleblue, throat white.

13923 R. niphargum. 9-18 ft. Fl. pale rose, crimson markings.

13931 R. artosquameum. 4-7 ft. Fl. bright rose, few markings.

13933 R. selense. 9 ft. Fl. bright rose.

13935 R. floccigerum. 3-5 ft. Fl. deep scarlet.

13936 R. truncatulum. 3-6 ft. Fl. pale rose, few crimson markings.

13938 R. erythrocalyx, subspecies eucallum. 6-8 ft. Fl. white.

13947 R. chryseum. 1-2½ ft. Fl. bright yellow.

13949 R. Martinianum. 4-6 ft. Fl. pale rose. 13951a R. erythrocalyx, subspecies docinum.

13965 R. Edgarianum. 6-10 ins. Fl. deep purple-blue.

13990 R. niphargum. 10-25 ft. Fl. rosecrimson.

13996 R. glischrum. 20-25 ft. Fl. plum-rose with crimson blotch.

14000 R. chryseum. 1-21 ft. Fl. bright yellow.

14004 R. campylogynum.

14005 R. chryseum. 1-21 ft. Fl. bright yellow.

14008 R. crinigerum. 4-8 ft. Fl. white, occasionally flushed rose with crimson markings.

14009 R. selense, subspecies pagophilum.

3-4 ft. Fl. deep rose.

14011 R. repens. 1-2 ins. Fl. bright scarletcrimson.

14012 R. sanguineum. 1-2½ ft. Fl. crimson-scarlet.

14021 R. dryophyllum. 12-16 ft. Fl. flushed rose, deep crimson markings.

14024 R. vicinum. 20-25 ft. Fl. white, washed rose exterior, crimson markings.

14038 R. vernicosum geog. form rhantum. 5-7 ft. Fl. rose-pink.

14041 R. helvolum. 6-9 ft. Fl. flushed rose, crimson markings.

14043 R. cosmetum. 12-20 ins. Fl. deep purplish-rose.

14050 R. aganniphum. 2-4 ft. Fl. flushed deep rose, crimson markings.

14052 R. hypolepidotum. 2-4 ft. Fl. dull yellow.

14054 R. saluenense. 1-2½ ft. Fl. deep purplerose, darker markings.

14055 R. chamaetortum. 6-12 ins. Fl. rose. 14057 R. selense. 3-4 ft. Fl. white, flushed

rose, few markings.

14059 R. megeratum. 1-2 ft. Fl. bright yellow.

14060 R. nakotiltum. 6-12 ft. Fl. pale rose, crimson blotch.

14061 R. aischropeplum. 4-6 ft. Fl. white or creamy-white, deep crimson markings.

14062 R. crinigerum. 4-7 ft. Fl. white, base marked crimson.

14063 R. fictolacteum. 6-9 ft. Fl. white, flushed rose, crimson base.

14066 R. setiferum. 5-9 ft. Fl. creamy-white, lined crimson at base.

14094 R. schizopeplum. 3-4 ft. Fl. deep rose, crimson markings.

14095 R. Wardii. 4-6 ft. Fl. bright yellow. 14102 R. schizopeplum. 6-9 ft. Fl. rose,

crimson markings.

14114 R. levistratum. 6-9 ft. Fl. white, flushed rose margins, deep crimson markings.

- 14115 R. dryophyllum. 12-16 ft. Fl. flushed rose exterior, crimson markings.
- 14116 R. Beesianum. 20-25 ft. Fl. pale rose.
- 14119 R. schizopeplum. 4-6 ft. Fl. deep rose, crimson markings.
- 14128 R. astrocalyx. 4-5 ft. Fl. pale yellow.
- 14134 R. aganniphum. 4-6 ft. Fl. deep rose, crimson markings.
- 14135 R. brevistylum. 9-16 ft. Fl. deep rose, few crimson markings.
- 14138 R. repens. 2-3 ins. Fl. crimson.
- 14142 R. recurvum. 3-4½ ft. Fl. white, flushed rose, crimson markings.
- 14145 R. sigillatum. 6-12 ft. Fl. white, crimson markings.
- 14160 R. mekongense. 1-4 ft. Fl. pale yellow, tinged green.
- 14166 R. sanguineum. 2 ft. Fl. black-crimson.
- 14181 R. lukiangense. 10-12 ft. Fl. rose, crimson markings.
- 14190 R. Wardii. 3-6 ft. Fl. bright yellow.
- 14195 R. Albertsenianum. 4-7 ft. Fl. bright crimson-rose.
- 14208 R. tritifolium. 10 ft. Fl. white, flushed rose, deep crimson blotch at base.
- 14209 R. praestans. 12-20 ft. Fl. deep magenta rose, crimson at base.
- 14210 R. brevistylum. 9-12 ft. Fl. flushed pale rose with crimson markings.
- 14226 R. Beesianum. 12-20 ft. Fl. flushed rose, crimson base.
- 14231 R. fictolacteum. 12-18 ft. Fl. deep crimson-rose?
- 14233 R. coryphaeum. 15-20 ft. Fl. pale vellow, crimson base.
- 14242 R. microgynum. 4 ft. Fl. dull soft rose, faint crimson markings.
- 14243 R. iodes. 6-9 ft. Fl. white, faintly flushed and margined rose, crimson markings.
- 14245 R. eudoxum. 6 ft. Fl. crimson-rose.
- 14268 R. cloiophorum, subspecies roseotinctum. 2-2½ ft. Fl. dull soft rose.
- 14269 R. cloiophorum. 4 ft. Fl. rose, yellowish towards base.
- 14270 R. cloiophorum, subspecies leucopetalum. 2-3½ ft. Fl. pure white.

14271 R. citriniflorum. 2 ft. Fl. soft rose.

14272 R. citriniflorum. 2-3 ft. Fl. bright lemon-yellow.

14274 R. citriniflorum. 3-4 ft. Fl. bright lemon-yellow.

14286 R. crinigerum. 6-10 ft. Fl. white, flushed rose.

14291 R. brevistylum. 6-9 ft. Fl. pale rose, crimson markings.

14331 R. calvescens. 4-6 ft. Fl. rose.

14334 R. tsarongense. 1-2 ft. Fl. white with yellow tube.

14344 R. tsarongense. 1½-2 ft. Fl. white? yellow?

14345 R. flavorufum. 3-5 ft. Fl. soft rose, crimson markings.

14352 R. emaculatum. 6-7 ft. Fl. deep magenta-rose.

14356 R. citriniflorum. 2-3 ft. Fl. bright lemon-yellow.

14364 R. temenium. 2-3 ft. Fl. deep crimson.

14365 R. temenium. 2-3 ft.

14368 R. flavorufum. 2-4 ft. Fl. rose.

14372 R. sp. (Heliolepis series). 10 ft.

14373 R. erastum. 2-3 ins. Fl. clear rose.

14416 R. citriniflorum. 2 ft. Fl. bright lemon-yellow.

14421 R. perulatum. 2-4 ft. Fl. pale rose.

14432 R. poecilodermum. 4-6 ft. Fl. creamywhite, flushed rose exterior, crimson markings.

14450 R. colletum. 10-15 ft. Fl. pale rose, crimson blotch.

14452 R. rubiginosum. 4-8 ft. Fl. rose?

14458 R. selense. 4-7 ft. Fl. white, flushed rose, crimson blotch.

14461 R. colletum. 10-12 ft. Fl. flushed faint rose, slight crimson marking.

14464 R. selense, subspecies duseimatum. 5 ft. Fl. pale rose, crimson blotch.

14485 R. eclecteum. 6-8 ft.

14488 R. colletum. 12-15 ft. Fl. pale rose or washed rose, crimson blotch.

14492 R. triplonaevium. 6-9 ft. Fl. white washed rose, crimson blotch.

14499 R. fulvoides. 6-9 ft. Fl. rose?

14508 R. comisteum. 2-3 ft. Fl. deep soft rose, few crimson markings.

14509 R. proteoides. 12-18 ins. Fl. pale yellow, crimson markings.

14519 R. dryophyllum. 6-9 ft.

14605 R. Beesianum. 10-16 ft.

14685 R. proteoides. 2-2½ ft. Fl. white interior, washed deep rose exterior, crimson markings.

14686 R. colletum. 6-8 ft. Fl. white, flushed rose exterior, small crimson patch at base.

14718 R. bathyphyllum. 4-5 ft. Fl. white, copious crimson markings.

14732 R. flavorufum. 4-6 ft. Fl. white, flushed rose exterior.

14774 R. eudoxum. 2-3 ft.

14790 R. colletum. 6-10 ft.

14809 R. dictyotum. 4-6 ft. 14810 R. flavorufum. 6-10 ft.

14810 R. flavorufum. 6-10 ft. 14811 R. colletum. 10-12 ft.

14911 R. crinigerum.

14987 R. chaetomallum. 4-5 ft.

14988 R. fulvoides. 10 ft.

15002 R. aechmophyllum. 6-9 ft. 15004 R. chasmanthum. 12 ft.

15018 R. rhaibocarpum.

15023 R. floccigerum. 15035 R. lepidostylum. 3-5 ft.

15038 R. aganniphum. var. 2-4 ft.

15039 R. iodes. 2-4 ft.

15043 R. tritifolium. 6-8 ft.

15070 R. adenogynum. 4-8 ft. Fl. rose.

15071 R. brevistylum. 10-16 ft. Fl. pale rose, darker markings.

15072 R. adenogynum. 3-4 ft. Fl. rose.

15076 R. impeditum. 4-6 ins. Fl. purple-blue, throat white.

15077 R. acraium. 2-4 ft. Fl. white.

15079 R. cephalanthoides. 2 ft. Fl. white, yellowish base.

15080 R. cephalanthoides. 3 ft. Fl. white, orange base.

15085 R. diacritum. 1-2½ ft. Fl. purple-blue, throat white.

15086 R. cremnophilum. 2-6 ins. Fl. white, tinged yellow. 15087 R. radinum or ledoides. 3-4 ft. Fl. rose.

15088 R. cephalanthoides or acraium. 3-4 ft. Fl. creamy-white.

15091 R. polycladum. 2-6 ins. Fl. pale blue, purple throat, white.

15092 R. clivicola. 2 ft. Fl. white, tinged vellow.

15093 R. cephalanthoides. 2 ft. Fl. white, base tinged orange.

15095 R. eritimum. 8-12 ft. Fl. rose.

15096 R. radinum. 4 ft. Fl. white.

15097 F. irroratum. 12-16 ft. Fl. pale rose, crimson markings.

15102 R. Delavayi. 10-20 ft. Fl. crimson. 15103 R. scabrifolium. 4-6 ft. Fl. rose.

15120 R. diacritum. 2-3 ft. Fl. bluish-purple, throat white.

15123 R. Traillianum. 6-12 ft.

15124 R. Beesianum. 9-10 ft. Fl. bright rose.

15126 R. cephalanthoides or acraium. I ft. Fl. white.

15127 R. cephalanthoides or acraium. 2-3. ft. Fl. white, tinged yellow.

15128 R. adenophorum. 2-4 ft. Fl. rose, crimson markings.

15129 R. stereophyllum aff. 6-9 ft.

15130 R. vernicosum, geog. form araliaeforme. 2-5 ft.

15132 R. diacritum. 1-2 ft. Fl. light bluepurple.

15137 R. radinum or ledoides. 3-4 ft.

15154 R. diacritum. 2-ft.

15155 Cephalanthum series. 15159 R. tapetiforme. 6-8

15159 R. tapetiforme. 6-8 ins. 15164 R. adenophorum. 6-7 ft. Fl. rose.

15165 R. vernicosum, geog. form euanthum. 4-6 ft.

15166 R. lepidanthum. 2 ft.

15168 R. fictolacteum. 20-25 ft.

15169 R. lepidanthum.

15171 R. adenophorum. 5-7 ft. Fl. fleshy rose.

15202 R. brevistylum. 6-12 ft. Fl. rose with crimson markings.

15203 R. mollicomum. 3-41 ft. Fl. deep rose.

15204 R. stereophyllum. 3-5 ft. Fl. rose.

15206 R. racemosum. 2-3 ft.

15210 R. drumonium. 3-9 ins. Fl. bluepurple, white throat.

15216 R. niphargum. 10-18 ft. Fl. rose, crimson markings.

15218 R. cuneatum. 4-5 ft. Fl. deep rose.

15219 R. desquamatum aff.

15222 R. oreotrephes.

15243 R. adenogynum. 2-5 ft. Fl. rose.

15245 R. acraium.

15248 R. sp.

15249 R. polycladum aff. 15251 R. hippophaeoides.

15257 R. sp. 2-3 ft. Fl. bright rose.

15259 R. ledoides. 15262 R. ledoides.

15263 R. stereophyllum. 4-ft. Fl. bright rose.

15264 R. hippophaeoides.

15265 R. hippophaeoides.

15266 R. racemosum.

15267 R. intricatum.

15268 R. drumonium. 15269 R. intricatum.

15270 R. rupicola.

15271 R. acraium. 15278 R. fulvoides.

15293 R. eclecteum.

15305 R. Traillianum. 9-18 ft. Fl. white, very faintly flushed rose, deep crimson markings.

15354 R. agglutinatum aff.

15356 R. tapetiforme, in cultivation hippophaeoides.

15367 R. rupicola.

15370 R. drumonium. 6-9 ins. Fl. deep bluepurple.

15386 R. drumonium. 12-14 ins. Fl. purpleblue, throat white.

15391 R. rupicola. 2 ft. Fl. deep plumpurple, throat white.

15392 R. complexum. 12-18 ins. Fl. very pale purple, almost white.

15399 R. clivicola.

15400 R. drumonium.

15412 R. croceum.

15414 R. dasycladum. 6-8 ft.

15415 R. agglutinatum aff. 10 ft. Fl. white.

15417 R. puralbum.

15418 R. oreotrephes aff. 4-6 ft. Fl. rose.

15427 R. cuneatum.

15444 R. niphargum. 12-20 ft.

15446 R. stereophyllum.

15448 R. ravum. 2-4 ft. Fl. rose-purple. 15449 R. radinum. 2-4 ft. Fl. white.

15450 R. hippophaeoides. 3 ft.

15452 R. radinum. 3-4 ft. Fl. white, flushed rose.

15459 R. hippophaeoides. 2-2½ ft. Fl. light purple.

15462 R. racemosum. 2 ft. Fl. rose-pink.

15464 R. cuneatum.

15465 R. oreotrephes aff. 9-12 ft. Fl. purplish-rose.

15466 R. cephalanthoides or acraium.

15467 R. drumonium.

15468 R. diacritum.

15487 R. brachyanthum.

15497 R. Balfourianum. 4-7 ft.

15500 R. sp.

15504 R. scabrifolium. 4-6 ft.

15515 R. sp.

15519 R. sp. 6-9 ft.

15520 R. cyanocarpum. 4-6 ft. 15521 R. haematodes. 2-3 ft.

15542 R. sp. 10-18 ft.

15545 R. sp.

15570 R. cyanocarpum var. eriphyllum. 4-5 ft. Fl. pale rose-pink.

15575 R. dimitrum. 6-9 ft. Fl. white, heavily flushed rose with a few crimson markings.

15578 R. chartophyllum. 6 ft. Fl. Lilac-rose, green markings.

15579 R. jucundum. 3-4 ft. Fl. deep rose with crimson markings.

15581 R. hesperium. 5 ft. Fl. very deep lilac. 15582 R. sp. 10 ft. Fl. creamy-yellow, flushed

15582 R. sp. 10 ft. Fl. creamy-yellow, flushed rose, marked crimson.

15588 R. cyanocarpum. 4-5 ft. Fl. creamyyellow, flushed rose.

15589 R. sulfureum.

15594 R. sulfureum.

15606 R. sp.

15609 R. Bureavi.

15612 R. fastigiatum aff.

15613 R. fastigiatum aff.

15614 R. fastigiatum. 15615 R. fastigiatum.

15645 R. idoneum.

15651 R. schistocalyx. 6-9 ft. Fl. deep crimsonrose.

15658 R. lophogynum.

15659 R. sinogrande. Fl. dull white with a crimson blotch.

15660 R. fulvum. 10-14 ft. Fl. bright rose.

15663 R. neriiflorum, subspecies euchaites. 4-6 ft. Fl. deep crimson.

15665 R. diphrocalyx. 6-9 ft. Fl. light crimson with a few markings and deep blotch.

15667 R. supranubium aff.

15673 R. leptothrium. 6-8 ft. Fl. deep rose.

15688 R. zaleucum. 5-8 ft. Fl. pale rose, crimson markings.

15701 R. heliolepis vel aff.

15706 R. araiophyllum. 16-20 ft. Fl. creamy white.

15719 R. Delavayi. 6-9 ft. Fl. clear crimson.

15732 R. araiophyllum. 6-8 ft. Fl. creamywhite and crimson blotch.

15733 R. leptothrium.

15734 R. laxiflorum. 4-7 ft. Fl. faintly flushed pink and crimson markings.

15736 R. leptothrium. 6-9 ft. Fl. deep rose and crimson markings.

15745 R. pennivenium. 9-12 ft. Fl. rose-crimson.

15756 R. nematocalyx aff. 6-12 ft. Fl. white.

15761 R. desquamatum. 6-7 ft. Fl. deep rose.

15764 R. basilicum.

15766 R. cerochitum. 10-15 ft. Fl. deep rose.

15767 R. Meddianum. 4-6 ft. Fl. deep crimson.

15770 R. sulfureum.

15774 R. megacalyx. 5-7 ft.

15776 R. trichocladum vel aff. 2-3 ft. Fl. yellow.

15777 Fl. fulvum. 6 ft. Fl. rose-crimson and crimson blotch.

15778 R. habrotrichum. 10-12 ft. Fl. white

15779 R. neriiflorum, subspecies euchaites. 4-8 ft. Fl. bright crimson.

15782 R. sulfureum.

15791 R. diaprepes. 4-6 ft. Fl. white. 15808 R. cyclium. 4-6 ft. Fl. pink-rose.

15815 R. Griersonianum. 5-7 ft. Fl. bright rose-carmine.

15816 R. diaprepes.

15887 R. crassum. 4-6 ft. Fl. white, flushed rose exterior.

15898 R. arizelum. 6-10 ft. Fl. pale yellow, crimson base.

15899 R. Valentinianum. 2½-3 ft. Fl. bright yellow.

15908 R. campylogynum. 6-12 ins.

15917 R. facetum. 10-12 ft. Fl. deep rose with a few crimson markings.

15932 R. apodectum. 12-16 ins. Fl. pale orange marked rose on margins and base.

15933 R. plebeium. 5 ft. Fl. rose with crimson markings.

15954 R. Hardingii. 15967 R. coryphaeum.

15968 R. flavorufum var. 2-3 ft.

15969 R. Balfourianum. 4 ft.

15975 R. peramoenum. 6-12 ft.

15977 R. fictolacteum.

15998 R. nematocalyx aff.

16000 R. araiophyllum. 16002 R. basilicum.

16006 R. habrotrichum.

16032 R. pachypodum.

16084 R. stenaulum aff. 10-12 ft.

16128 R. hippophaeoides.

16249 R. hypophaeum. 4-5 ft. Fl. white, very faintly tinged rose.

16250 R. hemitrichotum. 2-3 ft. Fl. pale rose, margined deeper.

16252 **R. muliense.**  $1\frac{1}{2}-2\frac{1}{2}$  ft. Fl. bright yellow.

16257 R. scintillans. 2 ft.

16277 R. litangense. 1-2 ft.

16282 R. tapetiforme. 1-2 ft. Fl. dark purpleblue.

16284 R. litangense. 2 ft. Fl. dull plumpurple.

16287 R. orthocladum. 2 ft. Fl. deep lavenderblue.

16288 R. telmateium. 1½-2 ft. Fl. deep rosepurple.

16289 R. drumonium. 9-14 ins. Fl. deep bluish-purple.

16291 R. timeteum. 4-6 ft. Fl. pale lavenderrose with deep crimson markings.

16292 R. impeditum. 2 ft. Fl. deep purple-rose. 16295 R. cephalanthoides. 2 ft. Fl. white,

yellowish at base.

16296 R. telmateium. 1½ ft. Fl. dark ruddypurple.

16299 Series Lapponicum. 1½-2 ft. Fl. rosepurple.

16300 Series Lapponicum. 1-2 ins.

16301 R. eudoxum. 2-3 ft. Fl. rose.

16302 R. schizopeplum. 4-6 ft. Fl. rose, deep crimson markings.

16305 Series Lapponicum. 9-16 ins. Fl. pale rose-purple.

16306 R. acraium. 2-2½ ft. Fl. white, tinged green-yellow.

16307 Series Lapponicum. 9-12 ins. Fl. bright lavender-purple.

16308 R. acraium. 2-3 ft. Fl. white, tinged yellow.

16311 R. radinum. 1½-2 ft. Fl. white, margined rose.

16312 R. acraium. 2 ft. Fl. white, flushed rose.
16313 R. diacritum aff. 2 ft. Fl. deep bluepurple.

16314 R. globigerum. 4-5 ft.

16315 R. adenophorum. 3-4 ft. Fl. magentarose, crimson markings.

16316 R. Balfourianum var. aganniphoides. 5-8 ft. Fl. deep magenta-rose.

16318 R. selense, subspecies dolerum. 2-4 ft. Fl. rose, few deep markings at base

16319 R. agglutinatum. 4-6 ft. Fl. white, crimson markings.

16320 R. mimetes. 3-5 ft. Fl. rose with crimson markings.

16321 R. croceum. 4-8 ft. Fl. clear yellow.

16351 R. protistum. 20-30 ft. Creamy-white flushed rose.

16352 R. leptopeplum. 9-14 ft. Fl. rose or white, flushedrose, with crimson markings.

16353 R. lukiangense, subspecies adroserum. 8-12 ft. Fl. heavily flushed deep magentarose with crimson markings, lighter base.

16354 R. eritimum. 20 ft. Fl. very deep magenta-rose with darker blotch.

16355 R. leptothrium.

16356 R. gymnomiscum. 1-2 ft. Fl. white, base flushed rose.

16360 R. chasmanthoides. 4-8 ft. Fl. roselavender, olive-green markings.

16361 R. coriaceum. 12-18 ft. Fl. flushed rose, crimson blotch and spots.

16362 Series **Triflorum.** 3-7 ft. Fl. flushed lavender-rose with crimson markings.

16363 R. chamaetortum. 1½-2 ft. Fl. heavily flushed rose.

16364 R. coriaceum. 20 ft. Fl. white or very faintly flushed rose with crimson markings and blotch.

16367 R. lukiangense, subspecies gymnanthum.
6-9 ft. Fl. deep rose, crimson margins, lighter base with crimson markings and blotch.

16375 R. Beesianum. 9-12 ft. Fl. pink-rose.

16377 R. sphaeroblastum. 3-5 ft.

16378 R. lukiangense, subspecies admirabile.
12 ft. Fl. deep rose.

16379 R. cucullatum. 3-5 ft. Fl. white, light crimson markings.

16380 R. Traillianum aff. 6-12 ft. Fl. white, faintly flushed rose, crimson markings.

16428 R. globigerum. 4-5 ft.

16436 R. acraium. 1-21 ft. Fl. creamy white.

16439 R. agglutinatum. 2-4 ft. Fl. white, faintly flushed rose, crimson markings.

16449 R. chameunum. 9-18 ins. Fl. deep purplish rose with crimson markings.

16450 R. Edgarianum. 12-20 ins. Fl. deep purplish blue.

16451 R. aganniphum var. 2-3 ft. Fl. flushed rose, crimson markings.

16455 R. adenophorum. 4 ft. Fl. magentarose, crimson markings.

**16459 R. agglutinatum.** 4-6 ft. Creamy-white with few markings.

16464 R. agglutinatum aff. 3-4 ft. Fl. creamy white with few markings.

16464a R. agglutinatum. 6 ft. Fl. dull white, occasionally faintly flushed rose with markings.

**16467 R. aiolopeplum.** 6-8 ft. Fl. white, very faintly flushed rose.

16469 R. globigerum. 4-5 ft.

16472 R. glaucopeplum. 6-8 ft. Fl. flushed rose, crimson markings.

16473 R. adenophorum. 4-5 ft. Fl. rose, crimson markings.

16474 R. Beesianum. 12-16 ft.

16477 R. poecilodermum. 3-4 ft. Fl. flushed rose, heavily marked deep crimson.

16488 R. fissotectum. 2-3 ft. Fl. rose, crimson markings.

16489 R. agglutinatum. 3-5 ft. Fl. rose, crimson markings.

16493 R. Wardii. 12-16 ft. Fl. bright yellow.

16508 R. recurvum. 3-5 ft. Fl. creamy-white crimson markings.

16509 R. lampropeplum. 2-3 ft. Fl. white, faintly flushed rose, crimson markings.

16511 R. croceum. 9-14 ft. Fl. clear yellow.
16531 R. niphargum. 12-18 ft. Fl. pale rose, crimson markings and blotch.

16533 R. floccigerum. Fl. rose-crimson.

16543 R. hypotrichotum. Fl. lavender-rose with a few deeper markings.

16555 R. glischrum.

16576 R. brevistylum. 10-15 ft. Fl. white, flushed rose, or pink-rose, heavily marked crimson.

16577 Series Lapponicum. 4-6 ins. Fl. purpleblue, throat white.

16579 R. muliense. 2-2½ ft. Fl. bright yellow. 16580 Series Lapponicum. 2 ft. Fl. purplish-rose.

Series Lapponicum. 2 ft. Fl. purplish-rose.
 R. esetulosum. 4-6 ft. Fl. creamy-white, flushed rose, crimson markings.

16583 R. achroanthum. 2-2½ ft. Fl. deep purple-crimson.

16584 R. oreotrephes aff. 4-5 ft.

16591 R. eritimum aff. 7-8 ft.

16595 R. cephalanthoides. 2-3 ins. Fl. white, tinged yellow.

16597 R. desquamatum. 6-8 ft.

16598 R. tapetiforme aff. 11-2 ft.

16604 R. proteoides.

16606 R. recurvum. 4-6 ft. Fl. white, occasionally flushed rose, occasional markings.

16609 R. proteoides. 2-4 ft. Fl. creamy-white

with crimson markings.

16616 R. cucullatum. 2-3 ft. Fl. creamy-white with few markings.

16617 R. rupicola. 16631 R. irroratun

16631 R. irroratum.

16632 R. Delavayi. 12-16 ft.

16637 R. recurvum. 2-3 ft. Fl. white flushed rose, crimson markings.

16643 R. adenophorum. 4-5 ft.

16652 R. Clementinae. 4-5 ft. Fl. creamywhite, flushed rose and marginal deeper.

16655 R. fictolacteum. 20-30 ft.

16656 R. dryophyllum.

16667 R. globigerum. 3-4 ft.

16668 R. bathyphyllum. 4-5 ft. Fl. creamywhite flushed rose with crimson markings.

16673 R. sigillatum. 4-6 ft.

16677 R. aganniphum. 1-2 ft. Fl. heavily flushed rose with crimson markings.

16679 R. selense, subspecies metrium. 4-6 ft. Fl. white.

16680 R. flavorufum. 4-6 ft. Fl. white, crimson markings.

16681 R. chryseum. 1-2½ ft. Fl. bright yellow.

16683 R. microterum. 12-14 ft. Fl. heavily flushed rose, small crimson blotch.

16684 R. selense, subspecies axium. 3-5 ft. Fl. heavily flushed rose, crimson blotch.

16687 R. gymnocarpum. 2-3 ft. Fl. deep claret, crimson deeper markings.

16688 R. eritimum. 10-12 ft.

16691 R. chaetomallum. 3-4 ft. Fl. deep crimson.

16692 R. chasmanthoides. 4-6 ft.

16693 R. colletum. 12-20 ft. Fl. white, heavily flushed and marginal rose.

16695 R. porphyrophyllum. 2-6 ins. Fl. deep rose.

16699 R. colletum.

16702 R. pothinum. 2-31 ft. Fl. deep crimson.

16711 R. eudoxum. 3 ft. Fl. deep magenta rose.

16713 R. eritimum, subspecies heptamerum. 6-8 ft.

16721 R. fulvoides.

- 16724 R. colletum. 9 ft. Fl. flushed rose-pink.
- 16726 R. fissotectum. 3-4 ft. Fl. heavily flushed rose, crimson markings.
- 16727 R. citriniflorum. Fl. yellow.

16728 R. himertum. Fl. yellow.

16729 R. iodes. 4-6 ft.

16734 R. dictyotum. 9-10 ft. Fl. faintly flushed rose on margins, crimson markings.

16735 R. colletum. 8-12 ft. Fl. faintly flushed rose with a small smudge of crimson at base.

16736 R. haemaleum. 2-4 ft. Fl. black crimson.

16739 R. saluenense. 3 ft. Fl. very deep rose, black crimson markings.

16742 R. dumosulum aff. 2½-4 ft. Fl. white or very faintly flushed rose, crimson markings.

16743 R. colletum. 16-20 ft. Fl. white marginal, or flushed more or less deeply rose, large crimson blotch.

16745 R. iodes. 6-8 ft. Fl. white, crimson markings.

16746 R. colletum. 8-10 ft. Fl. faintly flushed rose, crimson blotch.

16749 R. Wardii. 9-12 ft. Fl. clear yellow.

16750 Series Selense. 4-6 ft. Fl. pure white, or very faintly flushed rose.

16751 R. mesopolium. 2 ft. Fl. pale rose.

16752 R. iodes. 7-8 ft.

16753 R. flavorufum. 4-5 ft. Fl. heavily flushed rose, crimson markings.

16754 R. agglutinatum aff. 4-5 ft.

16755 R. dictyotum. 6 ft. White, faintly flushed rose with a small smudge of crimson at base.

16760 R. fissotectum. 2-4 ft. Fl. heavily flushed magenta rose with darker markings.

16764 R. flavorufum. 4-6 ft. Fl. heavily flushed magenta rose, crimson markings.

16765 R. proteoides. 3-6 ins.

16770 R. aganniphum. 6-8 ft. Fl. white, very faintly flushed rose, crimson markings.

16771 R. flavorufum. 4-5 ft. Fl. heavily flushed rose, deep crimson markings.

16778 R. flavorufum. 4-5 ft. Fl. white, very faintly marginal rose with crimson markings.

16779 R. iodes. 6 ft. White, crimson markings.

16780 R. iodes. 12-14 ft. Fl. white, flushed rose on margins with a few crimson markings.

16790 R. aechmophyllum. 3-4 ft.

16806 R. Balfourianum aff. 3-4 ft.

16811 R. Balfourianum. 2-4 ft. 16816 R. hormophorum. 2-3 ft.

16816 R. hormophorum. 2-3 ft. 16836 R. theiophyllum. 9-12 ft.

17100 R. agglutinatum aff. 3-5 ft.

17110 R. sphaeroblastum.

17165 R. ledoides, in cultivation R.B.G. sphaeranthum.

17205 R. fictolacteum.

17220 Series Maddenii.

17227 Series Maddenii.

17330 R. chaetomallum. 2-4 ft. 17333 R. phaeochrysum. 6-9 ft.

17357 R. sphaeroblastum.

17406 R. sinogrande.

17407 R. colletum.

17447 R. iodes.

17456 R. chasmanthoides.

17461 R. lukiangense.

17463 R. lukiangense.

17464 R. desquamatum.

17466 R. flavorufum.

17473 R. levistratum.

17476 R. chasmanthoides.

17483 R. desquamatum. 20-25 ft. Fl. deep rose, crimson markings.

17495 R. eritimum, subspecies gymnogynum, 30-40 ft. Fl. crimson with few markings.

17501 R. lophogynum. Fl. yellow.

17539 R. ciliicalyx. 3-5 ft. Fl. white, faintly flushed rose.

17551 R. diaprepes. 6-7 ft. Fl. white.

17559 R. roseatum. 6-9 ft. Fl. white.

17560 R. apodectum.

17572 R. crassum forma. 7-10 ft. Fl. white, flushed purple exterior.

17586 R. diaprepes. 10-20 ft. Fl. white, flushed rose exterior.

17588 R. oleifolium. 2-4 ft. Fl. white.

17596 R. Valentinianum.

17610 R. facetum. 10-12 ft. Fl. bright crimson.

17616 R. facetum. 20-25 ft. Fl. crimson rose.

17622 R. plebeium. 10-20 ft. Fl. rose, with a few markings.

17626 R. neriiflorum, subspecies euchaites. 12-20 ft. Fl. deep crimson.

17636 R. fulvum. 10-15 ft. Fl. white with deep crimson blotch.

17637 R. schistocalyx. 15 ft. Fl. bright rosecrimson.

17650 F. basilicum. 10-20 ft. Fl. yellow, faintly flushed rose at base

17651 R. cyclium. 4-6 ft. Fl. rose.

17665 R. supranubium. 5-6 ft. Fl. white.

17678 R. basilicum. 30 ft. Fl. yellow, tinged crimson at base.

17681 R. fulvum. 25-30 ft. Fl. white with crimson blotch.

17696 R. Griersonianum.

17703 R. Meddianum.

17708 R. peramoenum. 20-30 ft. Fl. deep crimson rose.

17735 Series Heliolepis. 17738 R. supranubium.

17750 R. Valentinianum.

17819 R. stenaulum. 8-16 ft. Fl. soft purplishrose, greenish-yellow blotch.

17824 R. Genestierianum. 4-6 ft. Fl. plumpurple.

17827 R. eritimum, subspecies heptamerum.
12 ft. Fl. deep crimson with few markings.

17828 R. leptothrium 5-7 ft. Fl. rich purplishrose with a few darker markings.

17829 R. tanastylum. 8-12 ft. Fl. very deep crimson with a few deeper markings.

17832 R. stenaulum. 7-10 ft. Fl. rose, tube very deep purple, faintly blotched yellowish-green.

17835 R. tanastylum. 9-15 ft. Fl. blackcrimson.

R. araiophyllum. 9-12 ft. Fl. white, 17836 deep crimson markings and blotch.

17851 R. neriiflorum, subspecies agetum. 4-7 ft. Fl. deep crimson-scarlet.

17852 R. facetum. 6-12 ft.

17853 R. mallotum. 6-8 ft. Fl. very deep crimson.

17854 R. fulvum. 6-10 ft. Fl. bright rosepink, deep crimson blotch.

17900 R. supranubium. 3-4 ft. Fl. white, faintly flushed rose.

17918 R. microphyton. 8 ft. Fl. white, faintly tinged rose with a few crimson markings.

17920 R. desquamatum. 10 ft. Fl. rose with a few crimson markings.

17927 R. basilicum. 15-20 ft. 17928

R. Kyawi. 15-20 ft.

17930 R. peramoenum. 6-9 ft. Fl. bright cherry-red with a few darker markings.

R. zaleucum. 6-8 ft. Fl. white, flushed 17937 rose with a few bright crimson markings.

17943 R. eritimum, subspecies gymnogynum. 20-25 ft. Fl. deep plum-crimson.

17950 R. neriiflorum, subspecies euchaites. 5-6 ft. Fl. bright scarlet.

17963 R. Valentinianum.

17996 R. neriiflorum, subspecies euchaites. 6-10 ft. Fl. light crimson.

18000 R. suberosum. 5-7 ft. Fl. faintly flushed rose-pink with deep rose markings.

18022 R. xanthinum. 2-3 ft. Fl. greenishvellow.

18028 R. arizelum. 20 ft. Fl. vellowishwhite, faintly marked crimson at base.

18030 R. campylogynum. 7-9 ins. Fl. blackpurple.

18036 R. Meddianum.

R. platyphyllum. 6-12 ins. Fl. pale 18041 rose, or white, flushed rose.

18042 R. zaleucum. 10-12 ft. Fl. pale magentarose.

R. cyclium. 4-5 ft. Fl. deep rose. 18044

R. arizelum. 15-20 ft. Fl. pale yellow, 18045 crimson blotch.

18049 R. Griersonianum. 6-10 ft. Fl. rich soft carmine, almost vermilion.

18052 R. basilicum. 15-20 ft. Fl. creamyyellow with crimson blotch.

18054 K. sidereum. 6-10 ft. Fl. clear yellow with crimson blotch.

18069 R. habrotrichum. 5-7 ft. Fl. white, very occasionally slightly flushed rose and touch of crimson at base.

18108 R. basilicum. 10-20 ft. Fl. creamyyellow, with slight crimson blotch.

18153 R. liratum.  $1\frac{1}{2}$ -2 ft. Fl. rose-carmine.

18167 R. apodectum.  $2\frac{1}{2}-3\frac{1}{2}$  ft. Fl. deep rose, flushed orange merging to purplish-rose at base.

18168 R. eritimum, subspecies heptamerum. 6-12 ft.

18171 R. facetum. 20-25 ft. Fl. crimsonscarlet.

18173 R. crassum. 6-7 ft.

18210 R. crassum aff. 6 ft. Fl. creamy-white, flushed purplish-rose.

18273 R. facetum. 6-9 ft. Fl. bright crimsonscarlet.

18310 R. fulvum. 6-10 ft. 18329 R. Genestierianum.

18349 Series Trichocladum. 2-21 ft.

18355 R. pachypodum. 4-5 ft. 18393 R. protistum. 35-40 ft.

18394 R. protistum.

18395 R. Kyawi. Fl. rich crimson.

18458 R. giganteum. 80 ft.

18475 R. stenaulum. 18548 R. protistum.

18900 R. oleifolium. 2 ft.

18901 R. eclecteum.

18902 R. diaprepes. 6-9 ft.

18903 R. chasmanthoides. 2-6 ft. Fl. soft lavender.

18904 R. aechmophyllum. 4-5 ft.

18905 R. saluenense. 2-2½ ft. Fl. deep purplishcrimson.

18906 R. chasmanthum. 3-5 ft. Fl. pale lavender-rose, olive markings.

18907 R. brevistylum. 12-16 ft. Fl. rose with few crimson markings.

18908 Series Stamineum. 18-20 ft.

18909 R. semilunatum. 2-3 ft. Fl. very deep yellow.

18912 R. iodes. 6-12 ft.

18914 R. coryphaeum. 12-20 ft. Fl. creamywhite marginal and flushed pale rose exterior and a crimson blotch.

18917 R. chaetomallum. 2-3 ft.

18918 R. keleticum. 3-6 ins. Fl. deep purplishcrimson with darker markings.

18920 R. flavorufum. 2-4 ft. Fl. white, flushed and margined pale rose with a few dark markings.

18933 R. desquamatum. 10-12 ft. Fl. lavenderrose, crimson markings.

18934 R. haemaleum.

18937 R. eudoxum, subspecies asteium. 1½-2 ft. Fl. rose margined and lined a deeper shade.

18938 R. citriniflorum. 1-2 ft. Fl. flushed rose and margined deeper.

18943 R. eclecteum var. brachyandrum. 2-3 ft. Fl. flushed deep crimson.

19006 R. proteoides.

19007 R. vernicosum, geog. form araliaeforme. 4-6 ft.

19008 R. cloiophorum, subspecies leucopetalum. 2-3 ft.

19009 R. cloiophorum, subspecies asmenistum. 2-4 ft.

19010 R. colletum. 6-9 ft.

19011 R. colletum. 20 ft.

19014 R. pholidotum. 10-15 ft. 19015 Series Heliolepis. 10-15 ft.

19019 R. selense, subspecies nanothamnum.
3 ft. Fl. creamy-white, faintly flushed pink exterior and small blotch.

19154 R. proteoides. I ft.

19165 R. proteoides. 1-1½ ft. Fl. creamyyellow with crimson markings.

19169 R.cloiophorum, subspecies asmenistum.
3-4 ft. Fl. white, tinged and margined rose.

19193 R. vernicosum, geog. form of araliaeforme. 12-16 ft.

19404 R. racemosum. 6-14 ins. Fl. deep cerise-pink.

19437 R. chameunum. 1-2 ft. Fl. ruddy black-purple and crimson markings.

19440 R. russatum. 2 ft. Fl. deep wineypurple, white throat.

19450 R. scintillans. 12-18 ins. Fl. purplishblue.

19458 R. russatum. 2-3 ft. Fl. ruddy-purple.

19460 R. leptothrium. 12-16 ft.

19467 R. litiense. 4-9 ft. Fl. clear pale yellow.

19468 R. eritimum. 12-16 ft. Fl. pale crimsonrose.

19479 R. saluenense. 1½-2 ft. Fl. deep plumpurple.

19492 R. chamaetortum. 6-18 ins. Fl. rose, or white flushed rose.

19512 R. Wardii, in cultivation croceum. 4-5 ft. Fl. soft yellow, small basal crimson markings.

19515 R. repens. 1-2 ins. Fl. deep crimson.

19540 R. Martinianum.

19541 R. hypolepidotum. 2-3 ft. Fl. pale yellow, tinged green.

19544 R. oreotrephes. 4-6 ft. Fl. deep rose.
19552 R. colletum. 20-25 ft. Fl. white, faintly flushed rose and crimson blotch.

19554 R. lukiangense, subspecies ceraceum. 15-20 ft.

19562 R. poecilodermum. 4-5 ft. Fl. white, with few crimson markings.

19567 R. iodes. 6-7 ft. Fl. white margined and lined deep rose and few crimson markings.

19569 R. cloiophorum, subspecies roseotinctum. 2-2½ ft. Fl. white margined and striped deep rose.

19570 R. megeratum. 2 ft. Fl. bright yellow.

19574 R. triplonaevium. 8-10 ft. Fl. white, or faintly flushed rose, crimson markings.

19597 R. stictophyllum. 9-14 ins. Fl. deep blue-purple, throat white.

19607 R. chryseum. 1-2 ft. Fl. bright yellow.

19674 R. tapetiforme. 1-2 ft. Fl. pale purpleblue.

19695 R. desquamatum. 9-12 ft.

19701 R. chartophyllum. 4-6 ft. Fl. roselavender, with crimson markings.

19704 R. tritifolium. 6-9 ft. Fl. white, flushed rose in bud.

19713 R. aganniphum. 3-6 ft. Fl. white with crimson markings.

19714 R. agglutinatum. 6-9 ft.

19716 R. aganniphum. 3-4 ft. Fl. white, heavily marked crimson.

19733 R. agglutinatum. 4-7 ft.

19743 R. Wardii. 5-7 ft. Clear yellow.

19744 R. aganniphum. 3-7 ft. Fl. deeply flushed crimson-rose and copious crimson markings.

19758 R. aganniphum. 4-5 ft. Fl. white, faintly flushed rose and copious crimson

markings.

19769 R. floccigerum. 3-5 ft. 19772 R. lukiangense. 15-20 ft.

19773 R. aganniphum. 2-4 ft. Fl. white, flushed rose with crimson markings.

19781 R. lukiangense. 10-12 ft. 19783 R. agglutinatum. 6-10 ft.

19793 R. levistratum. 10-12 ft. 19798 R. levistratum. 6-9 ft.

19798 R. levistratum. 6-9 ft.
19814 R. chasmanthum or chasmanthoides.
6-12 ft.

19819 R. lukiangense, subspecies ceraceum. 16-20 ft.

19822 R. agglutinatum. 6-9 ft.

19825 R. chasmanthum or chasmanthoides. 6-9 ft.

19827 R. taliense. 3-6 ft. Fl. white with crimson markings.

19828 R. aganniphum forma. 4-6 ft. Fl. white, or tinged rose with crimson markings.

19844 R. monanthum. 3-4 ft.

19866 R. melanostictum, in cultivation R.B.G. chryseum.

19869 R. stenaulum. 10-18 ft.

19872 R. charitopes. 3-4½ ft.
19911 R. chaetomallum. 2-3 ft.

19912 R. rubrolineatum,  $3\frac{1}{2}$ - $4\frac{1}{2}$  ft.

19913 R. saluenense forma. 3-4 ft.

19915 R. keleticum. 1-2 ins. Fl. deep purplishrose with few crimson markings.

19917 R. Genestierianum. 9-12 ft.

19919 R. radicans. 6-8 ins. Fl. dark rosypurple.

19926 Series Selense. 5 ft. 19930 R. trichocladum. 2 ft. 19952 R. eclecteum. 4-6 ft. 19954 R. metrium. 5 ft. 19955 R. chaetomallum. 4-5 ft. 19956 R. monanthum. 2-3 ft. 19958 R. haemaleum. 2 ft. Fl. black-crimson. 19959 R. chaetomallum. 5 ft. Fl. deep crimson. 19960 R. eudoxum, subspecies glaphyrum. 3 ft. Fl. soft to deep rose. 19977 R. pocophorum. 4-6 ft. 19978 R. chaetomallum. 3-5 ft. Fl. deep crimson. 19982 R. sanguineum var. didymoides. 2-3 ft. Fl. rose. R. pocophorum. 3-5 ft. 19983 19993 R. melanostictum, in cultivation R. chryseum. 6-9 ins. 19994 R. aff saluenense. 6-9 ins. 20003 R. sperabiloides. 3-4 ft. 20005 R. heliolepis. 6-10 ft. Fl. rose with deep crimson markings. 20008 R. lukiangense, subspecies ceraceum. 10-15 ft. 20015 R. chaetomallum. 2 ft. 20019 R. pocophorum. 4-6 ft. 20020 R. fulvoides. 10-15 ft. 20021 R. aureum. 3-4½ ft. 20023 R. telopeum. 3-4 ft. Fl. clear yellow. 20025 R. chaetomallum. 4-5 ft. 20026 R. chaetomallum. 3-4 ft. 20027 R. Forrestii. 20028 R. hemidartum. 3-4 ft. 20062 R. chamaetortum. 1-1 ft. 20063 R. chasmanthum or chasmanthoides. 6-8 ft. 20064 R. chasmanthum. 4-7 ft 20067 R. oleifolium. 3-4 ft. 20071 R. eudoxum, subspecies temenium. 2 ft. 20073 R. vaccinioides. 2-21 ft. Fl. white. 20075 R. fulvoides. 6-12 ft. 20078 R. catacosmum. 4-5 ft. 20085 R. eritimum. 6-12 ft.

20090 R. citriniflorum. 2-21 ft. Fl. yellow.

20094 R. megacalyx.

20005	n 1					
20095	1					
20106	12-16 ft.					
20106	R. protistum. 25-35 ft.					
20118	R. crassum. 7-10 ft.					
20120	R. arizelum. 25 ft.					
20176	R. aechmophyllum. 3-4 ft.					
20185	R. aechmophyllum. 3-4 ft.					
20196	R. tsarongense. 1 ft.					
20208	R. tapetiforme. 9-16 ins.					
20213	R. syncollum. 4-5 ft.					
20215	R. chaetomallum. 2-4 ft. Fl. deep					
	crimson.					
20218	R. citriniflorum aff. 4 ft.					
20220	R. didymum. 12-18 ins. Fl. black-					
	crimson.					
20230	R. tephropeplum. 2-4 ft.					
20235	R. radicans. 1-2 ins.					
20239	R. didymum. 2 ft.					
20246	R. Martinianum. 4-6 ft.					
20253	R. sanguineum. 2-4 ft.					
20255	R. keleticum. 6-10 ins.					
20262	R. habrotrichum. 5-6 ft.					
20286	R. flavorufum. 4-5 ft.					
20291	R. vernicosum, geog. form araliaeforme.					
	3-4 ft.					
20297	R. setiferum or Bainbridgeanum. 3-					
	$4\frac{1}{2}$ ft.					
20299	R. chaetomallum. 3-5 ft.					
20302	R. eclecteum var. brachyandrum. 3-					
	5-ft.					
20305	R. floccigerum aff. 4-5 ft.					
20306	R. arizelum. 10-18 ft.					
20318	R. levistratum. 4-6 ft.					
20321	R. Martinianum aff., in cultivation					
	floccigerum. 3-5 ft.					
20322	Coryanum. 9-18 ft.					
20323	Subseries Haematodes. 3-4 ft.					
20330	R. levistratum. 3-4 ft.					
20332	R. megeratum. $1\frac{1}{2}$ -2 ft.					
20333	R. chaetomallum. 2-3 ft,					
20338	R. manopeplum. 6-9 ft.					
20347	R. syncollum. 5 ft.					
20365	R. arizelum. 9-14 ft.					
20381	R. arizelum. 15 ft.					
20387	R. sinogrande. 20-30 ft.					
20388	R. sinonuttallii. 7-10 ft.					

20415 R. adenophorum. 3-5 ft. Fl. white, faintly flushed rose with crimson markings.

20416 R. sphaeroblastum. 4-6 ft. Fl. white and many crimson markings.

20418 R. sigillatum. 6-7 ft.

20419 R. mimetes. 5-7 ft. Fl. white, faintly marked crimson.

20425 R. Roxieanum. 3-5 ft. Fl. white with few crimson markings.

20426 R. cucullatum. 2-4 ft. Fl. white, flushed rose with crimson markings.

20428 R. mimetes var. simulans. 4-6 ft. Fl. white with crimson markings.

20429 R. acraium. 11-2 ft. Fl. white.

20430 R. chartophyllum. 2-4 ft. Fl. lavenderrose.

20432 R. muliense. 2-3 ft. Fl. yellow.

20434 R. chartophyllum. 5-7 ft.

20440 R. sphaeroblastum. 3-4 ft. Fl. creamywhite with crimson markings.

20442 R. sigillatum. 5-8 ft. White, flushed rose on margin with crimson markings.

20444 R. adenophorum var. schizopeploides. 3-5 ft.

20445 R. sphaeroblastum. 4-6 ft. Fl. white, marked crimson.

20446 R. sphaeroblastum. 4-6 ft. Fl. white, flushed rose, marked crimson.

20447 R. sphaeroblastum. 3-5 ft. Fl. white, flushed rose, marked crimson.

20450 R. intricatum. 2-2½ ft. Fl. dark purplishblue.

20451 R. Beesianum. 4-8 ft. Fl. rose.

20452 R. acraium or cephalanthoides. 2 ft. Fl. white, creamy-yellow base.

20454 R. impeditum. 2 ft. Fl. deep purple, throat white, on limestone.

20455 R. Balfourianum var. aganniphoides. 3-5 ft. Fl. heavily flushed rose, marked crimson.

20456 R. Balfourianum var. aganniphoides. 4-5 ft. Fl. white with crimson markings.

20457 R. telmateium. 4-12 ins. Fl. deep rosepurple, white throat.

20460 R. yungningense. 1-1½ ft. Fl. deep purple, white throat.

STATE FOR THE THREE BOY

20461 R. telmateium. 6-12 ins. Fl. deep purple, white throat, on limestone.

20462 R. stictophyllum. 6-12 ins. Fl. deep rose-purple.

20463 R. yungningense. 2 ft. Fl. ruddy-purple. 20464 R. rupicola. 2 ft. Fl. deep wine-purple.

20465 R. acraium. 3-31 ft. Fl. creamy-white.

20470 R. Wardii. 12-16 ft. Fl. yellow.

20476 R. ledoides or radinum. 1-2 ft. Fl. creamy-white, tinged salmon, tube deep pink.

20477 R. telmateium. 1-2½ ft. Fl. purplishblue.

20480 R. ledoides or radinum. 2-3 ft. Fl. white.

20481 R. artosquameum. 2-4 ft. Fl. deep soft rose, marked crimson.

20482 R. Davidsonianum. 2-4 ft.

20484 R. racemosum. 2 ft. Fl. rose pink.

20485 R. hormophorum. 12-20 ins. Fl. roselavender with olive markings.

20486 R. stereophyllum aff. 1½-2 ft. Fl. rosepink.

20488 R. orthocladum. 12-18 ins. Fl. pale purplish-blue, tube greyish, on limestone.

20489 R. creotrephes. 3-4 ft. Fl. soft rose.

20491 R. hemitrichotum. 3-42 ft.

20492 R. impeditum. 2-2½ ft. Fl. deep rosepurple.

20493 R. orthocladum. I-I<sup>1</sup>/<sub>2</sub> ft. Fl. pale purple-blue.

20498 R. fictolacteum. 20-30 ft.

20525 R. mollicomum. 3-4 ft.

20625 R. rubiginosum aff. 8-12 ft.

20629 R. artosquameum. 3-4 ft. 20648 R. siderophyllum. 3-5 ft.

20678 R. irroratum. 6-8 ft.

20693 R. elaeagnoides. 2 ft. Fl. light rosecrimson.

20708 R. chryseum. 2 ft.

20783 R. aff. oreotrephes. 2 ft. 20793 R. chasmanthum. 6-10 ft.

20793 R. chasmanthum. 6-10 ft. 20795 R. aechmophyllum. 3-6 ft.

20801 R. puralbum. 4-6 ft.

20814 R. hylothreptum. 10-20 ft. Fl. yellowish-green, heavily flushed rose with copious dark crimson markings. 20816 R. fulvoides. 10-18 ft. 20817 R. arizelum. 12-16 ft. 20819 R. sinogrande. 20-30 ft. 20821 R. arizelum. 12-20 ft. R. rubrolineatum. 2-3 ft. 20824 R. sperabiloides. 3-4 ft. 20825 R. Martinianum. 2-3 ft. 20826 R. Coryanum. 9-20 ft. 20832 R. astrocalyx. 2-3 ft. 20834 20835 R. charitopes. 2-4 ft. R. timeteum. 3-5 ft. 20840 R. Genestierianum. 9-12 ft. 20845 20861 R. radicans. 1-3 ins. 20863 R. protistum. 25-35 ft. R. keleticum. 6 ins. 20864 20865 R. eritimum, subspecies chawchiense. 8-10 ft. R. floccigerum. 2-4 ft. 20877 20879 R. monanthum. 2 ft. Fl. dull deep vellow. 20880 R. aureum. 2-3 ft. R. setiferum or Bainbridgeanum. 20881 20884 R. tephropeplum. 2-4 ft. on limestone. R. floccigerum. 3-6 ft. 20885 20886 R. chaetomallum. 7-9 ft. R. fulvastrum. 3-5 ft. 20887 20888 R. didymum. 2-3 ft. 20889 R. eudoxum, subspecies glaphyrum. 2 ft. R. haemaleum. 3-4 ft. 20891 R. sanguineum. 2 ft. 20893 20895 R. catacosmum. 4-6 ft. R. saluenense. 1-12 ft. 20896 R. megacalyx. 6-12 ft. 20897 R. sinonuttallii. 7-12 ft. 20899 R. didymum. 2-3 ft. 20905 20906 R. megeratum. 1-2 ft. R. himertum. 2 ft. 20910 R. himertum. 2½ ft. 20911 R. saluenense. I ft. 20912 R. crassum. 7-10 ft. 20917 R. aechmophyllum. 3 ft. 20923 R. aechmophyllum. 3-4 ft. 20926 R. lukiangense. 6-12 ft. 20934 20950 R. russatum. 2 ft.

20956 R. chryseum. 1-2 ft.

20961 R. hylaeum. 10-15 ft.

20973 R. chasmanthum. 4-5 ft.

20978 R. lukiangense, subspecies ceraceum aff. 12-16 ft.

20987 R. rubrolineatum.

21000 R. selense, subspecies aff. pagophilum. 3-4 ft.

21006 R. leilungense. 3-5 ft.

- 21009 R. sphaeroblastum. 4-5 ft. 21010 R. sphaeroblastum. 4-5 ft.
- 21011 R. aff. levistratum. 3-5 ft.
- 21012 R. levistratum. 6 ft.
- 21013 R. eclecteum. 3-5 ft.
- 21017 R. litiense. 4-6 ft.
- 21018 R. sigillatum. 10-16 ft.
- 21019 R. levistratum. 6-8 ft.
- 21020 R. agglutinatum. 4-6 ft.
- 21021 R. phaeochrysum or agglutinatum. 6-9 ft.
- 21022 R. Roxieanum. 3-5 ft.
- 21027 R. rubiginosum. 12-14 ft.
- 21030 R. cuneatum. 2 ft. Fl. deep rose.
- 21031 R. blepharocalyx. 2 ft. Fl. deep bluish-purple.
- 21036 R. leptothrium. 6-12 ft.
- 21039 R. sphaeroblastum. 3-5 ft.
- 21040 R. sphaeroblastum. 4-6 ft.
- 21045 R. agglutinatum. 4 ft. 21047 R. levistratum. 6-9 ft.
- 21048 R. phaeochrysum. 12-15 ft.
- 21049 R. aischropeplum. 2-5 ft.
- 21051 R. globigerum. 3-5 ft.
- 21052 R. sigillatum. 4-7 ft.
- 21055 R. Balfourianum var. aganniphoides.
- 21056 R. Balfourianum var. aganniphoides. 4-6 ft.

## 1922 EXPEDITION.

21239 R. telmateium. 1-2 ft. Fl. deep rosepurple, white throat.

21241 R. orthocladum.

21248 R. hippophaeoides. 2 ft. Fl. purplishblue. 21250 R. telmateium. 6-12 ins. Fl. purplishrose.

21252 R. racemosum. 3-5 ft.

21253 R. radinum. 1-2 ft. Fl. rose-pink.

21265 R. prostratum. 1-3 ins. Fl. deep rosepurple, throat white.

21270 Series Triflorum. 2-3 ft.

21274 **R.** orthocladum.  $1\frac{1}{2}$ -2 ft. Fl. deep blue-purple.

21282 R. aff. tapetiforme. 1½-2 ft. Deep bluish-purple, throat white.

21287 R. sigillatum. 6-9 ft.

21288 R. orthocladum. 12-18 ins. Fl. purpleblue, white throat.

21289 R. aff. diacritum. In cult. orthocladum. 6-19 ins. Fl. purple-blue, white throat.

21292 R. elegantulum. 3-5 ft.

21297 R. tapetiforme. 3 ft. Fl. deep bluepurple.

21299 R. radinum. 2-21/2 ft. Fl. pure white.

21301 R. stictophyllum. 9-12 ins. Fl. dark rosy-purple.

21304 R. dasypetalum. 2 ft. Fl. dark purpleblue.

21306 R. racemosum. 11-2 ft.

21321 R. racemosum. 18-24 ins.

21323 R. irroratum. 3-4 ft.

21339 R. hemitrichotum. 2-2½ ft.

21344 R. intricatum. 2-2½ ft. Fl. purple-blue.

21348 R. fumidum. 4-6 ft.

21358 R. chartophyllum. 3-5 ft.

21375 R. cuneatum. 2 ft. Fl. dark purplishrose.

21377 R. telmateium. 2-2½ ft. Fl. rosy-purple.

21390 R. Beesianum. 6-8 ft.

21400 R. sigillatum. 4-6ft. Fl. white margined, or flushed rose with crimson markings.

21405 R. sphaeroblastum. 4-6 ft. Fl. white with crimson markings.

21408 R. cucullatum. 2-3 ft. Fl. white with crimson markings.

21409 R. adenophorum. 4-5 ft. Fl. rose with a few crimson markings.

21410 R. adenophorum. 3-5 ft. Fl. rose with crimson markings.

21462 R. hippophaeoides. 2-3 ft.

21463 R. aureum. 2-4 ft.

21470 R. chasmanthum. 4-6 ft.

21475 R. irroratum. 6-12 ft.

21476 R. hippophaeoides. 1-2 ft.

21478 R. lukiangense. 12-18 ft.

21483 R. scintillans. 11-3 ft.

21487 R. scintillans. 1-2 ft.

21488 R. racemosum. 2-4 ft.

21490 R. cantabile. 1-2 ft. Fl. deep ruddypurple, white throat, on limestone.

21492 R. impeditum. 8-14 ins.

21506 R. cantabile.

21507 R. cantabile. 1-1½ ft. Fl. deep violetpurple.

21528 Series Lapponicum.  $1\frac{1}{2}$ - $2\frac{1}{2}$  ft.

21529 R. cantabile. 1-2 ft.

21531 R. floceigerum var. appropinquans. 5-8 ft.

21532 R. fastigiatum. 1-11 ft.

21533 R. hesperium. 4-7 ft. 21539 R. fictolacteum. 6-10 ft.

21546 R. oreonastes. 12-20 ins.

21547 R. stictophyllum. 1-2 ft. Fl. pale purple.

21549 R. racemosum. 9-18 ins.

21551 R. litiense. 4-5 ft. Fl. pale yellow.

21559 R. scintillans. 1-2 ft.

21560 R. racemosum. 2 ft. 21563 R. dasycladum. 3-5 ft.

21564 R. bullatum. 2 ft.

21577 R. aff. idoneum. 6-8 ins. 21581 R. fastigiatum. 10-16 ins.

21582 R. crassum. 2-5 ft.

21586 R. Beesianum. 4-7 ft.

21588 R. adenophorum. 2-3 ft.

21680 R. sinonuttallii. 8-12 ft. Fl. fleshywhite.

21681 R. floccigerum. 3-5 ft. Fl. lemonyellow, margined or flushed rose-crimson.

21682 R. lukiangense. 10-18 ft. Fl. deep rosemagenta, with crimson markings.

21683 R. lukiangense, subspecies adroserum. 7-10 ft. Fl. rose-magenta, with crimson blotch and markings.

21685 R. lukiangense. 10-12 ft. Fl. deep rosemagenta with deeper margins and blotch. 21686 R. eritimum. 6-9 ft. Fl. deep rose-

magenta with crimson blotch.

21687 R. eclecteum var. brachyandrum. 3-4 ft. Fl. very deep magenta-crimson and deeper markings.

R. setiferum aff. or Bainbridgeanum. 21688 3-5 ft. Fl. creamy-white, margins slightly flushed rose and many deep crimson markings.

21689 R. selense, subspecies pagophilum. 3-5 ft. Fl. more or less deeply flushed

rose, palest at base.

21690 R. ciliicalyx. 4-5 ft.

21691 R. stenaulum aff. 10-15 ft. Fl. deep rose-magenta.

21692 R. Genestierianum. 9-12 ft. Fl. deep plum-purple.

21693 R. Coryanum. 9-18 ft. Fl. creamywhite with brownish-crimson markings.

21694 R. eurysiphon. 3-5 ft. Fl. creamy-white or very pale rose, more or less flushed deep magenta rose and copious crimson markings.

21695 R. Martinianum. 4-5 ft. Fl. creamywhite, faintly flushed and margined pale rose with few crimson markings.

21696 R. megacalyx. 8-12 ft.

21697 R. Bainbridgeanum. 4-6 ft. Fl. creamywhite, flushed and margined pale rose and a crimson blotch.

21698 R. leptothrium. 7-12 ft. Fl. rose.

21699 R. trichocladum. 2-4 ft. Fl. oliveorange shading to green at base.

R. eritimum. 10-15 ft. Fl. rose-magenta 21700 with a few crimson markings and a blotch.

21701 R. megeratum. 13-2 ft. Fl. deep golden yellow.

R. floccigerum. 2-3 ft. Fl. dark lemon-21702 yellow, narrowly margined rose with crimson at base.

21703 R. floccigerum. 3-5 ft. Fl. rosecrimson on a yellow ground.

21704 R. floccigerum. Fl. deep crimson, blackcrimson in bud.

21705 R. sinogrande var. boreale. 20-25 ft. Fl. soft yellow.

21706 R. tephropeplum. 2-3 ft. Fl. dark or light rose on limestone.

21707 R. aureum. 6-7 ft. Fl. soft orange-

lemon-yellow.

21708 R. eurysiphon forma. 3-4 ft. Fl. creamy-white, more or less flushed rose with faint crimson markings.

21709 R. hemidartum. 4-5 ft. Fl. deep rich

crimson.

21710 R. chaetomallum. 3-5 ft. Fl. rich dark blood-crimson.

21711 R. pocophorum. 4-6ft. Fl. deep purplecrimson, base lightest.

21712 R. pocophorum. 4-6 ft. Fl. deep purplish-crimson.

21713 R. pocophorum. 3-4 ft. Fl. deep to light crimson.

21714 R. bullatum. 2-3 ft.

21716 R. oleifolium. 1-1½ ft. Fl. white, faintly marginal rose.

21718 R. repens. Fl. deep crimson.

21720 R. pocophorum. 3-5 ft. Fl. light to dark crimson.

21721 R. pocophorum. 3-4 ft. Fl. very deep crimson, almost black.

21723 R. repens var. chamae-Thomsonii. 1-2 ft. Fl. very dark crimson.

21724 R. Forrestii. 1-1½ ft. Fl. light rosecrimson.

21725 R. chaetomallum var. xanthanthum. 2-4 ft. Fl. creamy-yellow, flushed more or less rose-pink, especially on margins and base.

21727 R. catacosmum. 6-9 ft. Fl. crimsonrose.

21728 R. chaetomallum var. hemigynum. 6 ft. Fl. rich bright red-crimson.

21729 R. chaetomallum var. xanthanthum. 3-4 ft. Fl. striped and margined bright rose-pink on a yellowish base.

21730 R. chaetomallum var. xanthanthum. 2 ft. Fl. deep rose-crimson on a yellow

base.

21731 R. chaetomallum var. xanthanthum. 4-5 ft. Fl. creamy-yellow, heavily marked crimson-rose. 21732 R. haemaleum. 3-5 ft. Fl. black-crimson.

21733 R. eudoxum, subspecies glaphyrum. I-I ft. Fl. pale yellow, margined pink.

21734 R. eudoxum, subspecies pothinum.

1 ft. Fl. deep crimson.

21735 R. horaeum. 9-12 ins. Fl. almost black, a deep ruddy-brownish crimson.

21736 R. chaetomallum. I ft. Fl. bright rose-crimson.

21737 R. eudoxum, subspecies asteium. 1½ ft. Fl. self shade of bright pink, like a "Dielytra."

21738 R. eudoxum. 2 ft. Fl. rose crimson.

21739 R. eudoxum, subspecies asteium. 2-2½
ft. Fl. light rose-crimson.

21740 R. haemaleum. 2-3 ft. Fl. black-crimson.

21741 R. jucundum. 4-5 ft. Fl. pale rose, or white marked rose with crimson blotch.

21743 R. selense, subspecies pagophilum aff. 3-4 ft. Fl. dark crimson.

21744 R. eudoxum. 4-5 ft. Fl. creamy-white, faintly flushed rose.

21745 R. chaetomallum var. xanthanthum. 3-4 ft. Fl. pale yellow, striped and margined rose-crimson.

21746 R. horaeum. 1-2 ft. Fl. greenishyellow, flushed and margined deep rose.

21747 R. citriniflorum. 2-3 ft. Fl. lemonyellow, tipped and occasionally flushed rose.

21748 R. citriniflorum. 1½-2 ft. Fl. dull lemon-yellow, flushed and lined rose, with a few crimson markings.

21750 R. didymum. 1-2 ft.

21751 R. citriniflorum. 2-2½ ft. Fl. yellow, faintly flushed rose at base.

21752 R. horaeum aff. I ft. Fl. yellowgreen, margined yellow.

21753 R. chaetomallum aff. 4 ft. Fl. light rose-crimson.

21754 R. horaeum var. I-I<sup>1</sup>/<sub>2</sub> ft. Fl. rosecrimson.

21755 R. telopeum. 4 ft. Fl. clear yellow.

21756 R. keleticum. 6-15 ins. Fl. deep rosepurple. 21757 R. keleticum. 3-5 ins. Fl. bluishpurple, crimson markings.

21758 R. chaetomallum var. 3 ft. Fl. crimson on an orange base.

21759 R. chaetomallum. 3 ft. Fl. light crimson.

21760 R. saluenense. 1-1½ ft. Fl. very dark ruddy-purple with dark crimson markings.

21761 R. Bainbridgeanum. 4 ft. Fl. creamyyellow with a few faint crimson markings and a faint blotch.

21762 R. Bainbridgeanum. 3-4 ft. Fl. white, faintly flushed rose.

21763 R. Stewartianum. 2-4 ft. Fl. pure white.

21764 R. eudoxum, subspecies asteium. 1½ ft. Fl. bright rise to crimson.

21765 R. horaeum aff. 1½ ft. Fl. yellow, flushed and margined crimson.

21766 R. Bainbridgeanum. 5-6 ft. Fl. creamywhite with a faint crimson blotch.

21767 R. eudoxum aff. 3-4 ft. Fl. clear to dark rose.

21768 R. repens var. chamaedoron. I ft. Fl. deep crimson.

21769 R. eclecteum aff. 4-5 ft. Fl. deep rosecrimson.

21770 R. bellatulum. 5-6 ft. Fl. white, margined rose.

21771 R. fictolacteum. 10-14 ft. Fl. white with a crimson blotch.

21772 R. saluenense. I ft. Fl. deep ruddypurple with a few dark crimson markings.

21773 R. eritimum, subspecies gymnogynum.

10-12 ft. Fl. light magenta-rose with a crimson blotch.

21774 R. lukiangense. 10-15 ft. Fl. deep magenta-rose with crimson markings and a blotch.

21775 R. Martinianum var. 3-5 ft. Fl. light rose with crimson markings.

21776 R. chloranthum. 3-4 ft. Fl. dark oliveyellow, greenish at base.

21777 R. floccigerum var. 2-2½ ft. Fl. yellow-lined and margined pink-rose.

21778 R. aureum. 3-4 ft. Fl. deep lemonyellow.

21779 R. floccigerum. 2-4 ft. Fl. bright rosescarlet.

21780 R. floccigerum. 2-5 ft. Fl. lemonyellow, lined and margined rose.

21781 R. eurysiphon forma. 3 ft.

21782 R. himertum var., or citriniflorum.

21783 R. citriniflorum. 2 ft. Fl. dull yellow, washed rose at base.

21784 Subseries Sanguineum. 4-5 ft. Fl. creamy-yellow.

21785 R. chaetomallum var. xanthanthum. 2-2½ ft. Fl. yellow, striped and margined pale rose.

21786 R. Forrestii. Fl. deep crimson.

21787 R. eurysiphon forma. 3 ft. Fl. deep rose with a few crimson markings.

21809 R. eudoxum, subspecies pothinum. 2 ft. Fl. light to dark purplish-crimson.

21810 R. fulvoides. 10-20 ft.

21811 R. micromeres sp. nov. 3 ft.

21812 R. glischrum. 10-20 ft. Fl. white with a deep crimson blotch.

21813 R. glischrum. 10-15 ft. Fl. heavily stained deep plum-purple with crimson markings and blotch.

21814 R. fulvoides. 10-15 ft. Fl. rose-pink with a crimson blotch.

21815 **R. fulvoides.** 10-12 ft. Fl. white with a faint blotch.

21816 R. niphargum. 10-15 ft. Fl. pale-rose. 21817 R. niphargum. 20 ft. Fl. pale rose-pink

or flushed and margined that shade, heavily marked deep crimson.

21818 R. coriaceum. 20-25 ft. Fl. white with small crimson blotch.

21819 R. haemaleum. 2-3 ft. Fl. black-crimson.

21821 R. Bainbridgeanum. 4-5 ft. Fl. yellow in bud, tipped rose.

21822 R. timeteum aff. 4-5 ft. Fl. washed pale purplish-rose.

21823 R. haemaleum. 3-4 ft. Fl. blackcrimson almost black. 21824 R. sperabiloides. 2-3 ft. Fl. deep to light crimson.

21825 R. monanthum. 2-3 ft.

21826 R. chaetomallum var. 2-3 ft. Fl. very deep crimson.

21828 R. pocophorum. 3-4 ft. Fl. light

crimson.

21829 R. Bainbridgeanum. 3-4 ft. Fl. white, flushed rose with copious deep crimson markings.

21830 R. coelicum. 4-5 ft. Fl. deep magenta-

crimson.

21831 R. chaetomallum. 3-4 ft.

21832 R. Bainbridgeanum. 4-5 ft. Fl. white, flushed crimson with crimson markings.

21833 R. setiferum or Bainbridgeanum. 4-5

ft. Fl. creamy-white.

21834 R. Bainbridgeanum. 3-4 ft. Fl. white with a few markings merging in a crimson blotch.

21835 R. artosquameum. 6-7 ft. Fl. soft rose-lavender.

21836 R. telopeum. 4-5 ft. Fl. soft clear yellow.

21837 R. chaetomallum var. hemigymnum. 4-5 ft. Fl. deep crimson.

21837a R. chaetomallum aff.

21838 R. eclecteum. 3-6 ft. Fl. white, heavily marked deep crimson.

21839 R. bellatulum. 4-5 ft. Fl. pale yellow with a few faint crimson markings.

21840 R. eclecteum var. 2-4 ft. Fl. deep rose-magenta with crimson markings.

21841 R. Stewartianum. 4 ft. Fl. soft clear yellow.

21842 R. eclecteum var. brachyandrum. 4-6 ft. Fl. deep magenta-crimson with deeper markings.

21843 R. coriaceum. 20 ft. Fl. heavily flushed rose-pink with crimson markings and blotch.

21844 R. eudoxum, subspecies glaphryum aff.
 2 ft. Fl. creamy-yellow faintly flushed rose on margins.

21845 R. eudoxum, subspecies asteium. 2 ft. Fl. pale rose with deep rose margins.

21846 R. chaetomallum var. 2½ ft. Fl. deep rose to crimson.

21848 R. chaetomallum var. xanthanthum.
2 ft. Fl. yellow, flushed heavy rose on margins.

21849 R. chaetomallum var. xanthanthum. 2 ft. Fl. deep crimson on margins, shaded to crimson-orange.

21850 R. chaetomallum. 2ft. Fl. deep crimson.

21851 R. horaeum. I ft. Fl. rose-crimson.

21852 R. horaeum. 6-12 ins. Fl. yellow, heavily margined crimson.

21853 R. chaetomallum var. 2 ft. Fl. crimson, shaded in orange-yellow at base.

21854 R. horaeum var. 1 ft. Fl. crimson on an orange base.

21855 R. horaeum. 6-9 ins. Fl. bright crimson.

21856 R. citriniflorum. 9-15 ins. Fl. yellow, flushed and margined magenta-rose.

21857 R. chaetomallum. 1-1½ ft. Fl. rose, margined crimson-rose.

21858 R. chaetomallum. 2 ft. Fl. rose.

21860 R. horaeum var. I ft. Fl. pale rose, margined deeper.

21861 R. arizelum. 10-15 ft. Fl. pale soft yellow.

21862 R. arizelum. 20 ft. Fl. soft clear yellow with a faint blotch.

21863 R. arizelum. 15 ft. Fl. deep soft rose with a crimson blotch.

21864 R. arizelum. 20 ft. Fl. pale yellow.

21865 R. arizelum. 25 ft. Fl. yellow, deeply flushed rose with a crimson blotch.

21866 R. arizelum. 20 ft. Fl. pale yellow with a crimson blotch.

21867 R. arizelum. 15 ft. Fl. pale rose or flushed rose.

21868 R. arizelum. 20 ft. Fl. deep yellow with very deep crimson blotches.

21869 R. arizelum. 25 ft. Fl. pale rose-pink. 21870 R. semnoides. 15-20 ft. Fl. white

21870 R. semnoides. 15-20 ft. Fl. white, flushed rose with a crimson blotch.

21871 R. arizelum. 20 ft. Fl. white with a crimson blotch.

21872 R. chaetomallum. 3-4 ft. Fl. deep crimson to black-crimson.

21873 R. chaetomallum. 3-4 ft. Fl. dark almost black-crimson.

21874 R. selense, subspecies probum aff. 4-5 ft. Fl. white, blotched crimson.

21875 R. telopeum. 5-6 ft. Fl. clear yellow.

21876 R. selense, subspecies pagophilum aff. 3-4 ft. Fl. white with crimson blotch.

21877 R. vestitum. 4-5 ft. Fl. white, flushed rose with crimson markings and a blotch.

21878 R. selense, subspecies probum. 5-6 ft. Fl. white, faintly flushed rose with deep crimson blotch.

21879 R. selense, subspecies probum aff. 3-4 ft. Fl. white, faintly flushed rose with or without blotch.

21880 R. crinigerum. 7-10 ft. Fl. white, flushed and lined rose.

21881 R. eclecteum var. brachyandrum. 5-7 ft. Fl. deep rose-crimson.

21882 R. bellatulum. 4-5 ft. Fl. white, more or less deeply flushed rose with many crimson markings.

21884 R. eclecteum var. brachyandrum. 3-6 ft. Fl. magenta-rose.

21885 R. Stewartianum. 6-8 ft. Fl. white, very faintly flushed rose with a crimson blotch.

21886 R. eclecteum. 4-6 ft. Fl. pure white.

21887 R. eclecteum. 3-6 ft. Fl. very pale rose with crimson markings.

21888 R. Stewartianum. 4-5 ft. Fl. pale yellow, lined and margined rose.

21889 R. Stewartianum. 4-6 ft. Fl. yellow.

21891 R. Stewartianum. 6 ft. Fl. pale yellow, with a few crimson markings.

21892 R. erythrocalyx, subspecies eucallum. 4-6 ft. Fl. white with a few faint crimson markings.

21893 R. Bainbridgeanum forma. 2-3½ ft. Fl. white, faintly flushed rose with crimson markings and a blotch.

21894 R. Bainbridgeanum. 4 ft. Fl. white, faintly flushed rose with crimson markings merging in a blotch.

21895 R. Bainbridgeanum. 4-5 ft. Fl. white with crimson markings and a blotch.

- 21896 R. fulvoides. 7-10 ft. Fl. white with a crimson blotch.
- 21897 R. fulvoides. 15-20 ft. Fl. bright rosepink, almost aniline pink with a crimson blotch.
- 21898 R. fulvoides. 20 ft. Fl. white, faintly flushed rose with a crimson blotch.
- 21899 R. coriaceum. 20 ft. Fl. white, faintly flushed rose with a few crimson markings and a blotch.
- 21900 R. repens var. chamae-Thomsonii. 6 ins. Fl. deep crimson.
- 21901 R. eudoxum, subspecies glaphyrum. 2 ft. Fl. pale rose.
- 21902 R. eudoxum, subspecies glaphyrum.

  I ft. Fl. clear rose pink.
- 21903 R. eudoxum, subspecies glaphyrum.

  1 ft. Fl. white, flushed rose.
- 21904 R. eudoxum, subspecies glaphyrum.
  2 ft. Fl. pale yellow, very faintly flushed rose.
- 21905 R. sanguineum var. 4-6 ft. Fl. pale vellow.
- 21906 R. chaetomallum var. 4-5 ft. Fl. deep rose.
- 21907 R. haemaleum. 2-3 ft. Fl. black-crimson.
- 21908 R. chaetomallum var. 4 ft. Fl. crimson.
- 21909 R. sanguineum var. 3 ft. Fl. white, more or less flushed rose.
- 21910 Subseries Haematodes. 4 ft. Fl. deep rose.
- 21911 R. chaetomallum var. 4-5 ft. Fl. rosecrimson.
- 21912 R. chaetomallum var. 4 ft. Fl. deep crimson.
- 21914 R. eudoxum, subspecies glaphyrum aff. 4 ft. Fl. pale yellow.
- 21915 R. haemaleum. 2-3 ft. Fl. black-crimson.
- 21916 R. repens var. chamaedoron. 3-9 ins. Fl. dark crimson.
- 21917 R. erythrocalyx, subspecies docimum. 5-6 ft. Fl. white with or without a crimson blotch.
- 21918 R. Stewartianum. 4 ft. Fl. white.

21919 R. Stewartianum var. 4-4½ ft. Fl. white, flushed rose with a faint crimson blotch.

21923 R. cephalanthum. 6-9 ins., on limestone.

21932 R. cantabile. 3-7 ins., on limestone.

21934 R. Traillianum. 4-5 ft.

21936 R. crassum. 4-6 ft.

21944 R. bathyphyllum. 1-2 ft. Fl. creamywhite.

21948 R. cuneatum. 2-3 ft.

21954 R. litiense. 6-9 ft.

21959 R. racemosum. 1-2 ft.

21965 R. racemosum. 2 ft.

21969 R. Delavayi. 6-9 ft.

21972 R. diacritum. 6-16 ins.

21974 R. diacritum. I ft.

21975 R. cantabile. 2-21 ft.

21977 R. lukiangense. 10-14 ft.

21981 R. eritimum. 10-12 ft.

21987 R. cantabile. 2-2½ ft.

21988 R. orthocladum. 2-3 ft.

21990 R. cantabile. 1-2 ft.

21995 R. russatum. 3-5 ft.

22014 R. cucullatum. 2-3 ft. 22019 R. dasycladum. 4-6 ft.

22020 R. fictolacteum. 20-25 ft.

22092 R. hemitrichotum. 3 ft.

22108 R. scintillans. 2-3 ft.

22187 R. cucullatum. I-I1 ft.

22197 R. ravum. 2-2½ ft.

22202 R. Clementinae. 4-6 ft.

22203 R. cuneatum. 3-4 ft.

22295 R. cantabile. 1½-3 ft. Fl. deep ruddypurple.

22299 R. scintillans. 2-21 ft.

22300 R. campylogynum. 6-8 ins.

22320 R. ledoides, in cultivation acraium.

22610 R. eurysiphon forma.

22613 R. Stewartianum.

22615 R. Stewartianum.

22618 R. Stewartianum.

22620 R. Stewartianum var.

22630 R. eclecteum aff. 26647 R. bellatulum aff.

22648 R. eclecteum, or bellatulum aff.

22656 R. chaetomallum var. xanthanthum.

22710 R. eclecteum.

22711 R. eclecteum var. brachyandrum.

22723 R. hypolepidotum. 2-4 ft.

22737 R. coriaceum.

22738 R. semnoides.

22739 R. selense, subspecies pagophilum aff.

22761 R. sinogrande. 22787 R. arizelum.

22847 R. chaetomallum var. xanthanthum.

22853 R. eclecteum.

22922 R. repens.

22941 R. hemidartum.

24009 R. Delavayi. 6-12 ft. Fl. cherry-crimson with deeper markings.

24022 R. leptothrium. 10-15 ft. Fl. deep rose.

24060 R. tanastylum. 6-8 ft. Fl. deep almost black-crimson.

24070 R. tanastylum. 4-6 ft. Fl. blackcrimson.

24071 R. leptothrium. 10 ft. Fl. pale-rose with crimson markings.

24088 Series Azalea. 3-5 ft. Fl. lilac-rose with crimson markings.

24091 R. neriiflorum, subspecies euchaites. 3-4 ft. Fl. deep crimson.

24099 R. leptothrium. 10-12 ft. Fl. deep rose.

24101 R. erileucum. 6-9 ft. Fl. white margined and more or less flushed rose with crimson markings.

24104 R. Meddianum. 3-6 ft. Fl. deep crimson, almost black crimson.

24107 R. diphrocalyx. 3-5 ft. Fl. velvety wine-crimson.

24110 R. fulvum. 8-12 ft. Fl. deep or light rose lined and margined a deeper shade.

24113 R. apodectum. 3-4 ft.

24116 R. Griersonianum. 5-8 ft. Fl. soft geranium with vermilion shades.

24117 R. laxiflorum. 5-7 ft. Fl. white, or very faintly flushed rose.

24131 R. commodum. 1-2 ft. Fl. bright sulphur yellow, red anthers.

24138 R. Valentinianum. 2-3 ft. Fl. bright vellow.

24139 R. basilicum. 10-12 ft. Fl. clear pale vellow crimson blotch.

- 24140 R. sinogrande. 20-25 ft. Fl. pale yellow.
- 24144 R. vaccinioides. 11-2 ft.
- 24149 R. pennivenium. 10-12 ft.
- 24154 R. shweliense. 11-2 ft.
- 24160 R. trichocladum. 2-3 ft. Fl. clear pale yellow.
- 24193 R. arizelum. 12-18 ft. Fl. creamyyellow with crimson blotch.
- 24201 R. facetum. 4-7 ft. Fl. deep winecrimson.
- 24219 R. Meddianum. 3-4 ft. Fl. deep purple-crimson, almost black or blueblack.
- 24220 R. neriiflorum, subspecies euchaites. 2-3½ ft. Fl. intense scarlet-crimson.
- 24225 R. basilicum. 20 ft. Fl. pale creamyyellow with deep crimson blotch.
- 24228 R. oleifolium. 1-2 ft. Fl. white, flushed pale rose and lined deeper.
- 24229 R. cerinum. 2 ft. Fl. deep yellow, red anthers.
- 24235 R. theiochroum. 2-3 ft. Fl. deep sulphur yellow.
- 24283 R. dendricola aff. 2-4 ft. Fl. white.
- 24284 R. leptothrium. 10-15 ft. Fl. deep rose.
- 24305 R. apodectum. 2 ft. Fl. orange, deeply flushed crimson-rose.
- 24308 R. supranubium. 1½-2 ft. Fl. white flushed purplish-rose.
- 24312 R. tanastylum. 8-9 ft. Fl. deep wine-crimson.
- 24314 R. fulvum. 8-10 ft. Fl. white flushed rose, blotched crimson.
- 24315 R. habrotrichum. 10 ft. Fl. white flushed rose with a crimson blotch.
- 24321 R. campylogynum. 8-19 ins. Fl. deep plum-purple.
- 24331 R. apodectum. 2-3 ft. Fl. deep magenta-rose, flushing to orange at base.
- 24347 R. Valentinianum. 1-2 ft. Fl. bright yellow.
- 24350 R. cyclium. 4-5 ft. Fl. deep rose.
- 24496 R. crassum. 4-5 ft.
- 24528 R. Stewartianum. 2-4 ft. Fl. creamywhite, flushed deep rose.

24529 R. brachystylum. 2-3½ ft. Fl. deep crimson, purple exterior shading to greenish-yellow interior.

24530 R. Stewartianum. 3-5 ft. Fl. creamyyellow, flushed deep rose.

24532 R. scyphocalyx. 2-3 ft. Fl. scarletcrimson, tinged orange.

24535 Series Heliolepis. 5-8 ft.

24542 R. Kyawi. 18-25 ft.

24544 R. scyphocalyx forma. 2-4 ft. Fl. black-crimson.

24546 R. herpesticum. 2 ft. Fl. dull orange, flushed faintly and more deeply margined rose.

24562 R. zaleucum. 6-10 ft. 24563 R. sidereum. 20-25 ft.

24570 R. myrtilloides. 6-12 ins. Fl. purplish-red.

24571 R. nwaiense. 6-12 ins. Fl. rosecrimson, shaded to white.

24572 R. calostrotum. 4-12 ins. Fl. rich purple-crimson.

24574 Series Lapponicum. 4-8 ins. Fl. deep plum-purple.

24575 Series Trichocladum. 3-4 ft. Fl. deep greenish-orange.

24577 Series Heliolepis. 8-14 ft. Fl. rose. 24587 R. myrtilloides. 6-8 ins. Fl. deep plum-purple.

24592 R. facetum. 20 ft. Fl. clear cherrycrimson.

24598 R. Stewartianum. 3-5 ft.

24600 R. eritimum, subspecies heptamerum. 9-18 ft.

24603 R. scyphocalyx. 2-2½ ft. Fl. dark crimson, heavily tinged deep orange.

24616 R. scyphocalyx. 3-4 ft. Fl. deep orange, faintly tinctured rose.

24618 R. suberosum. 3-5 ft.

24620 R. scyphocalyx var. interveniens. 6-18 ins. Fl. deep muddy-crimson.

24633 R. lepidostylum. I-I<sup>1</sup>/<sub>2</sub> ft. Fl. clear yellow with ruddy-orange markings.

24660 R. hylaeum. 20-25 ft.

24680 R. agapetum. 10-20 ft. Fl. bright light cherry-crimson

24683 R. scyphocalyx. 2-3 ft. Fl. deep orange-yellow.

24688 R. megacalyx.

24712 R. apodectum. 2-3 ft. Fl. deep dull orange, margined faint rose.

24728 R. apodectum. 2-3 ft. Fl. red-orange.

24729 R. megacalyx. 6-10 ft.

24730 R. crassum. 6-10 ft. Fl. white.

24739 R. facetum. 15-20 ft. Fl. rich scarletcrimson.

24740 R. arizelum. 15-20 ft. 24742 R. sidereum. 10-15 ft.

24747 R. crassum aff. 5 ft.

24748 R. facetum aff. 5 ft. Fl. dark cherrycrimson.

24774 Series Maddenii. 3-4 ft.

24775 R. protistum. 30-40 ft. 24831 R. Genestierianum. 4-6 ft.

25011 R. calostrotum. 6-10 ins., on limestone.

25020 R. fulvum. 10-15 ft.

25064 R. preptum.

25065 R. scyphocalyx. 2-2½ ft,

25067 R. mallotum.

25076 R. fulvum.

25090 R. sidereum.

25340 R. commodum. 2-4 ft.

25446 Series Maddenii. 4 ft. Fl. white, faintly flushed rose.

25447 R. sperabile var. weihsiense. 4 ft. Fl. rich vivid crimson with black markings at base.

25448 R. leptothrium.

25449 Series Heliolepis. 10 ft. Fl. pale lavender-rose with copious crimson markings.

25458 R. leptothrium. 6-8 ft. Fl. soft purplish-rose.

25474 R. floccigerum. 4 ft. Fl. light crimson with a deeper blotch.

25477 Series Azalea.

25481 R. sperabile var. weihsiense. 3 ft. Fl. deep crimson.

25494 R. croceum. 7-9 ft. Fl. yellow.

25496 R. cantabile.

25498 Series Lapponicum.

25500 R. cantabile. 2 ft. Fl. deep bluepurple. 25505 R. cucullatum. 6-7 ft. Fl. soft velvety crimson.

25506 Series Saluenense. 2 ft. Fl. dark rose-crimson with blotch purple spots.

25507 R. sanguineum var.

25508 R. cosmetum.

25509 R. chloranthum. 3-4 ft. Fl. greenishorange, red anthers.

25512 R. fictolacteum. 25513 R. colletum.

25514 R. Roxieanum.

25515 R. recurvum. 4-5 ft. Fl. pure white, or white very prettily flushed rose.

25516 R. colletum. 9-12 ft.

25518 R. sanguineum var. 12-16 ins. Fl. Deep crimson-rose.

25520 R. glaucopeplum var. 3-4 ft. Fl. white flushed and margined rose and spotted deep crimson.

25521 R. sanguineum aff.

25524 R. repens.

25526 R. hippophaeoides.

25529 Series Lapponicum. I ft. Fl. yellow, stained rose and deeply margined, purple-rose.

25532 Series Lapponicum. 5-8 ins. Fl. deep intense purple.

25534 R. croceum. 5-6 ft. Fl. clear pale yellow.

25535 R. rhaibocarpum.

25542 R. riparium. 2 ft. Fl. deep rosepurple, spotted crimson.

25543 R. sanguineum var. 3 ft. Fl. dark crimson.

25553 Series Lapponicum. 25555 R. scintillans aff.

25560 R. charidotes. 6-8 ins. Fl. purplecrimson.

25563 R. aperantum. 1½ ft. Fl. white.

25564 R. horaeum.

25565 R. chaetomallum var. xanthanthum.

25569 R. sperabile var. weihsiense.

25570 R. charitopes. 2 ft. Fl. soft rose.

25572 R. tephropeplum. 3 ft. Fl. pale rose. 25574 R. crassum. 6 ft. Fl. white, tinged

purplish.

25575 R. hypolepidotum. 3 ft. Fl. dull greenish-yellow.

25576 R. zaleucum aff. 5-6 ft.

25577 R. scyphocalyx var. septentrionale. 3 ft. Fl. yellow, flushed rose at base.

25579 R. scyphocalyx var. septentrionale. 7 ft. Fl. lemon-yellow, ruddy at base.

25580 R. dumicola. 3-4 ft. Fl. white, flushed rose with a faint blotch.

25581 R. charitopes. 2 ft. Fl. deep rich rose-crimson.

25583 R. lacteum. 5 ft. Fl. pure white.

25584 R. facetum. 10-12 ft. Fl. deep cherrycrimson.

25585 R. crinigerum var. euadenium. 3-4 ft. Fl. white, flushed crimson with a few crimson markings.

25586 R. crassum. 6 ft. Fl. white.

25588 R. micromeres sp. nov. 3 ft. Fl. yellow.

25589 R. lacteum var. 6-9 ft.

25593 R. sp. subseries Selense. 6-8 ft. Fl. creamy-white with a faint blotch.

25597 R. chaetomallum var. 5 ft. Fl. deep crimson with a purplish tinge.

25601 R. chaetomallum. 4-5 ft. Fl. very dark almost black-crimson.

25602 R. chaetomallum. 6 ft. Fl. deep rich dark crimson.

25603 R. eclecteum var. 5-6 ft. Fl. pure white, or slightly stained crimson.

25604 R. eclecteum var. 6 ft. Fl. deep rose. 25606 Series Triflorum. 3 ft. Fl. white,

flushed rose.

25607 R. chaetomallum var. glaucescens.

5 ft. Fl. deep rich crimson.

25608 R. arizelum. 10-15 ft. Fl. yellow.

25609 Series Triflorum. 3 ft. Fl. shaded from pale rose to rose-crimson at base.

25610 R. glischrum. 10-12 ft. Fl. white, faintly flushed rose and crimson blotch.

25611 Series **Triflorum.** 4 ft. Fl. white base, flushed purplish-rose.

25612 R. micromeres sp. nov. 3 ft. Fl. vellow.

25614 R. Martinianum. 3 ft. Fl. pure clear white.

25615 R. Stewartianum. 5-6 ft. Fl. white, flushed rose.

25616 R. glischrum. 10-15 ft. Fl. clear rose with crimson markings and a blotch.

25617 R. monanthum. 2 ft.

25618 R. Stewartianum. 6-7 ft. Fl. dull rose-crimson.

25619 F. crinigerum var. euadenium. 5-6 ft. Fl. white, flushed rose and crimson blotch.

25620 R. Stewartianum. 7 ft. Fl. clear soft yellow.

25622 R. coriaceum. 10-15 ft. Fl. pure white with crimson blotch.

25624 R. sinonuttallii. 10 ft.

25625 R. coelicum. 3-4 ft. Fl. deep, almost black-crimson.

25627 R. arizelum. 10-20 ft. Fl. pale creamy-white, or creamy-yellow.

25629 R. crassum. 3 ft.

25630 R. coriaceum. 10-15 ft. Fl. white with crimson blotch.

25631 R. commodum. 4-5 ft.

25633 R. crinigerum var. euadenium. 6-7 ft. Fl. white with crimson blotch.

25634 R. crinigerum var. euadenium. 8-9 ft. Fl. white, heavily flushed rose with crimson blotch.

25636 Subseries Selense. 4 ft. Fl. pure white.

25638 Series Azalea. 3 ft. Fl. white, flushed rose.

25639 Series Falconeri. 10-20 ft. Fl. clear yellow with a very slight crimson blotch.

25640 R. floccigerum. 3 ft.

25641 R. crinigerum. 4-6 ft. Fl. white with a few crimson markings and a blotch.

25642 R. Stewartianum. 5 ft. Fl. pale yellow, flushed rose.

25643 Series Maddenii. 2-3 ft.

25644 & 25766 R. tephropeplum. 2-3 ft. Fl. rose, or carmine-rose.

25645 R. rude. 8-9 ft. Fl. purplish-crimson lobes lined and marked crimson.

25646 R. Stewartianum. 5 ft. Fl. pure vellow.

25647 R. coelicum. 6 ft. Fl. deep winecrimson.

25679 R. sinogrande. 20 ft.

25683 Series Saluenense. 2-3 ft. Fl. deep wine-purple.

25684 R. giganteum. 20-25 ft.

25688 R. vaccinioides. 2 ft.

25697 R. flavorufum var.

25701 R. proteoides.

25705 R. Clementinae.

25707 Series Lapponicum. 6-12 ins. Fl. pale purple.

25714 & 25820 R. tephropeplum. 2-3 ft. Fl. soft rose.

25716 R. coryphaeum. 10-20 ft. Fl. pale creamy-yellow with a crimson blotch.

25717 R. coryphaeum. 10-20 ft. Fl. pale yellow, blotched crimson.

25718 R. recurvum. 3-5 ft. Fl. white.

25719 R. fictolacteum. 10-15 ft. Fl. white with crimson blotch.

25725 R. glischrum. 10-18 ft. Fl. deep rosepurple.

25737 R. rhaibocarpum. 7-8 ft. Fl. white, heavily flushed rose with faint blotch.

25738 R. globigerum. 6 ft. Fl. white with crimson markings, slightly tinged rose.
25739 R. bathyphyllum. 4 ft. Fl. pure

white, copiously marked crimson.

25740 R. Traillianum. 6 ft. Fl. white.

25740 R. Traillianum. 6 ft. Fl. white, heavily flushed rose.

25742 R. Clementinae. 4-5 ft.

25744 R. fulvoides. 10-12 ft. Fl. heavily flushed rose with small blotch.

25749 R. recurvum. 3 ft.

25766 & 25644 R. tephropeplum.

25818 R. crinigerum var. euadenium.

25820 & 25714 R. tephropeplum.

25831 R. sperabile. 3-4 ft.

25840 R. chaetomallum var. xanthanthum.

25845 R. chaetomallum var. hemigymnum.

25849 R. nematocalyx aff.

25852 R. commodum. 25853 R. sinonuttallii.

25854 R. crassum.

25855 R. scyphocalyx var. septentrionale.

2	5	8	50	6	R.	chaetomallum	var.

25857 R. crassum.

25858 R. monanthum.

25859 R. Stewartianum.

25861 R. chaetomallum var.

25862 R. chaetomallum var. 25864 R. Stewartianum.

25865 R. Taggianum. 6-7 ft.

25872 R. coriaceum.

25873 R. Stewartianum var.

25875 R. sinogrande.

25877 R. chaetomallum var.

25878 R. aperantum.

25880 R. rhaibocarpum aff.

R. Roxieanum. 25883 25891 R. cucullatum.

25895 Series Saluenense.

R. fictolacteum. 25896

25897 R. colletum.

R. rhaibocarpum. 25899

R. sanguineum var. 25901 Series Triflorum. 5-6 ft. 25914

25915 R. triplonaevium.

25916 R. Clementinae.

25917 R. Clementinae. 25918

R. Traillianum. 25919 R. sperabile var weihsiense.

25920 R. floccigerum.

25921 Series Saluenense.

25922 Series Saluenense.

25923 Series Saluenense.

25925 Series Azalea.

25926 R. recurvum. R. glischrum. 25927

R. globigerum aff. 25928

R. recurvum. 25929

Series Lapponicum. 25930 25931 Series Lapponicum.

25935 R. sperabile var. weihsiense.

25936 R. fulvoides. R. proteoides. 25940

25941 Series Lapponicum.

25942 R. horaeum.

25943 R. sanguineum var.

25944 R. fulvoides.

R. bathyphyllum. 25945

25958 R. fulvoides. 9-10 ft.

25959 R. arizelum.

25981 Series Lapponicum.

25984 R. eritimum, subspecies heptamerum.

25987 R. Roxieanum.

26022 Series Stamineum.

26023 R. tanastylum.

26024 Series Azalea. Series Azalea. 26025

Series Azalea. 26027

R. tanastylum. 26040

26043 R. basilicum.

Series Trichocladum. 26044

26045 R. eriogynum.

R. neriiflorum, subspecies euchaites. 26046

26047 R. stenaulum.

R. Griersonianum. 26048

R. oleifolium. 26065

R. peramoenum. 26066

26068 Series Maddenii.

R. eriogynum. 26071

26078 R. pennivenium.

26081 R. basilicum. 26091 R. megacalyx.

26092 R. sinogrande.

R. dendricola aff. 26093

Series Maddenii. 26109

26110 Series Maddenii. 26111

R. vaccinioides.

26112 R. Valentinianum.

26113 R. commodum. 26115

R. lepidostylum.

26120 Series Maddenii. Series Maddenii. 26122

26145 Series Maddenii.

R. Delavayi. 10 ft. Fl. very bright 26157 cherry.

26240 Series Ovatum.

## 1925 EXPEDITION.

26418 R. stenaulum.

26419 R. Genestierianum. 10-15 ft.

Fl. deep plum-purple.

R. araiophyllum. 10 ft. Fl. 26421 & 27620 pure white with a crimson blotch.

		210
26422	& 27622	R. commodum. 3 ft. Fl. clear yellow, exterior greenish.
26423		R. bullatum. Fl. pure white or slightly flushed rose.
26424	& 27627	R. tanastylum. 20 ft. Fl. ruddy-wine to purplish-crimson, with copious deeper markings.
26425	& 27600	R. glischroides var. arachnoideum. 4 ft.
26426	& 27470	R. glischroides. 15 ft. Fl. white, flushed rose.
26427	& 27619	<b>R.</b> tanastylum. Fl. dark purple-crimson, shading lighter at base.
26428	& 27609	R. glischroides. 6 ft. Fl. white, flushed rose and crimson blotch.
26429	& 27614	R. protistum. 20 ft.
	& 27478	R. eritimum, subspecies
20130	. 21110	heptamerum. 20 ft. Fl.
		pale rose-crimson and black- crimson blotch.
26431	& 27611	R. tephropeplum. 2-3 ft. Fl. almost pure white.
26432	& 27612	R. eritimum, subspecies hep- tamerum. 20 ft. Fl. in-
		tense plum-crimson.
26433	& 27464	R. eritimum, subspecies,
		heptamerum. 15 ft. Fl.
		very dark crimson-purple, with
26434	& 27581	deep crimson base.  R. sperabile. 6 ft. Fl. deep crimson.
26435	& 27635	R. sperabile. 4 ft. Fl. bright
		cherry to almost blood crim- son.
26436	& 27653	R. eritimum, subspecies hep-
		tamerum. 20 ft. Fl. deep
		purplish-crimson with a deep blotch.
26437		R. tanastylum. 15-20 ft. Fl.
		strong bright crimson-mag-
		enta with deeper markings.

40.00	E CONTRACTOR OF THE RESIDENCE
26438	R. araiophyllum. 15-20 ft.
	Fl. white, heavily tinctured
	rose-pink and a large crimson
26120 0 27177	blotch.
26439 & 27455	R. tephropeplum. 4 ft. Fl.
26440 8 27620	pale rose.
26440 & 27638	R. Taggianum. 6-7 ft. Fl.
26441 & 27722	pure white with yellow blotch. Series <b>Maddenii.</b> 6 ft. Fl.
20441 X 21122	white.
26442 & 27601	R. sperabile. 5 ft. Fl. scarlet-
20112 & 27001	crimson.
26443 & 27607	R. eritimum, subspecies hep-
20113 0. 21001	tamerum. 20 ft. Fl. deep
	purplish-rose.
26444 & 27669	Series Maddenii. 4-5 ft.
	Fl. white, yellow on inner
was bearing to	base.
26445	R. araiophyllum. 10-15 ft.
	Fl. white with crimson blotch.
26446 & 27595	R. sperabile. 4 ft. Fl. crim-
	son.
26447 & 27458	R. commodum. 3-4 ft. Fl.
	clear deep yellow with a green
26440	exterior.
26448	R. glischroides. 15 ft. Fl.
26449 & 27466	pale rose.  R. neriiflorum, subspecies
2011) (( 21100	euchaites. 10-12 ft. Fl.
	deep cherry-crimson.
26450	Series Azalea. 6-7 ft. Fl.
The state of the state of	dark purple-crimson.
26452 & 27671	R. eritimum, subspecies hep-
	tamerum. 10-12 ft. Fl.
	pale rose-crimson with a deep
	blotch.
26453 & 27639	R. sperabile. 5 ft. Fl. blood-
	crimson.
26454 & 27608	R. eritimum, subspecies hep-
	tamerum. 10 ft. Fl. wine-
26455 8- 27462	crimson.
26455 & 27463	R. glischroides. 10 ft. Fl.
	creamy-white, stained and flushed rose.
26456	R. sinogrande. 30 ft. Fl.
20130	pale yellow.
	pure jellow.

26457 & 27670	R. tephropeplum. 4 ft. Fl.
and a sub-control of	pale self rose.
26458 & 26634	R. sidereum. 15 ft. Fl. yellow.
26459 & 27690	R. dendricola. 6-9 ft. Fl.
	white, or flushed purple-rose.
26460	Series Azalea. 4 ft. Fl. pale rose.
26461 & 27655	Series Maddenii. 6 ft. Fl.
20102 0 25000	white, flushed rose.
26462 & 27689	Series Maddenii. 6 ft. Fl. white, occasionally flushed
	rose.
26463 & 27405	R. suberosum. 6-8 ft. Fl.
20103 ( 2110)	ivory white, green spots, red
	anthers.
26464 & 27628	Series Maddenii. 5-6 ft. Fl.
20404 & 21020	series waddenn. 5-0 ft. Ft.
26465 0 27460	white or faintly flushed rose.
26465 & 27469	R. sperabile. 4-5 ft. Fl.
20100 0 27100	deep crimson.
26466 & 27498	R. Delavayi. 3-5 ft. Fl. rich
	deep crimson.
26472 & 27661	Series Maddenii. 5 ft.
	Fl. white, heavily flushed
	purple-rose.
26473	R. tephropeplum. 3 ft.
26474	Series Triflorum. 10-15 ft.
	Fl. pale rose.
26475	R. Delavayi. 15 ft. Fl. bright
	cherry-crimson.
26476 & 27465	R. Meddianum var. atroker-
144000000000000000000000000000000000000	mesinum. 12-15 ft. Fl.
	rich deep crimson.
26477	R. pennivenium. 20 ft. Fl.
	purplish-crimson with dark
	markings.
26478 & 27605	R.sperabile var. chimiliense.
20110 ( 2100)	6 ft. Fl. crimson.
26480 & 27456	
20400 X 21430	R. eritimum, subspecies hep-
	tamerum. 20 ft. Fl. purple-
26401	crimson.
26481	R. araiophyllum. 20 ft. Fl.
26402 8 25452	white with crimson blotch.
26482 & 27473	Series Heliolepis. 10-15 ft.
	Fl. bluish-purple with crimson
	markings.

26483	R. araiophyllum. 10-15 ft.
	Fl. white, flushed magenta-
	rose and a blotch.
26484	R. tanastylum. 10-12 ft. Fl.
	deep purple-crimson, almost
04105 0 05400	plum-purple.
26485 & 27620	R. araiophyllum. 15-20 ft.
26406 8- 27402	Fl. white and a crimson blotch.
26486 & 27402	R. suberosum. 10 ft. Fl.
	ivory-white, flushed rose with green spots.
26487 & 27637	R. neriiflorum, subspecies
20401 X 21031	euchaites. 15 ft. Fl. intense
	cherry-crimson.
26488 & 27631	Series Heliolepis. 20 ft. Fl.
20100 0 21031	intense bluish-purple with dull
	crimson spots.
26489	R. tanastylum. 20 ft. Fl.
2010)	purple-crimson.
26490	R. araiophyllum. 10-15 ft.
	Fl. white with crimson blotch.
26491	R. araiophyllum. 20 ft. Fl.
	white with crimson blotch.
26492	R. araiophyllum. 20 ft. Fl.
	heavily flushed bright rose-
	pink with crimson blotch.
26494	R. araiophyllum. 6 ft. Fl.
	white tipped and margined
	bright rose with crimson
Tollow of Street	blotch.
26495 & 27606	R. Meddianum var. atroker-
	mesinum. 10 ft. Fl. deep
04400 0 07400	wine-crimson.
26499 & 27628	R. Meddianum var. atroker-
	mesinum. 6-8 ft. Fl. deep
26507	purple-crimson.  R leptothrium. 10 ft. Fl.
20307	very bright rose-pink with
	crimson spots.
26596 & 27404	R. suberosum. 7 ft. Fl.
20370 ( 21404	ivory-white, flushed rose, olive
	markings.
26597	R. leptothrium. 15-20 ft.
	Fl. pale clear rose.
26615 & 27688	Series Maddenii. 3-4 ft.
	Fl. white.

Charles and an owner of the	and the second s
26618 & 27617	R. bullatum. 6-8 ft. Fl. white.
26629 & 27399	R. habrotrichum. 10-12 ft.
	Fl. white, heavily flushed rose-
	crimson and deep crimson
	blotch.
26632 & 27400	R. habrotrichum. 10 ft. Fl.
	pale magenta, almost white,
	with slight blotch.
26622	
26633	R. sidereum. 8-10 ft. Fl.
	soft clear yellow with deep
	crimson blotch.
26634 & 26458	R. sidereum. 40 ft. Fl.
20031 00 20130	clear yellow with crimson
Carlo dept.	blotch.
26636	R. micromeres sp. nov.,
The state of the	4-6 ft.
26791 & 27761	R. sidereum. 10-15 ft.
26792 & 27702	R. araiophyllum.
26797 & 27700	R. araiophyllum. 4-6 ft.
26798 & 27739	R. racemosum. 3-4 ft.
26921	R. Stewartianum. 5 ft. Fl.
	pale rose, flushed rose.
26922	R. basilicum. 20 ft. Fl.
20722	
	creamy-white with small crim-
	son blotch.
26923 & 27593	R. crassum. 4-6 ft. Fl. white.
26924	R. scyphocalyx forma. 11 ft.
	Fl. deep orange, margined rose-
	crimson.
26025 8- 27570	1.7
26925 & 27579	R. aperantum. 2 ft. Fl.
	rose-crimson, rose at base.
26926 & 27587	R. aperantum. 1-11 ft. Fl.
	pure white with crimson
	blotch.
26927 & 27485	
20921 0 21403	R. scyphocalyx. 1½ ft. Fl.
*****	deep crimson.
26928 & 27489	Series Heliolepis. 7 ft. Fl.
	pure white with few crimson
	spots.
26929 & 27492	R. Stewartianum. 4 ft. Fl.
20727 0 21472	
2020 0 27071	pale yellow.
26930 & 27651	R. aperantum. 2 ft. Fl.
	white, more or less heavily
	margined bright red.
26931 & 27474	R. aperantum. I-I1 ft. Fl.
20/31 0 2/1/17	
	creamy-white, margins deep
	rose with crimson glands.

26932 & 27629	R. Stewartianum. 5-6 ft. Fl. white, heavily margined
26933 & 27590	rose.
20933 & 21390	R. aperantum. 1 ft. Fl.
	white or pale rose, lined and
	margined deeper.
26934 & 27584	R. aperantum. 1 ft. Fl.
	pure white with crimson
	glands.
26935 & 27616	R. arizelum. 20 ft. Fl. deep
	soft yellow with crimson
	blotch.
26936 & 27467	R. aperantum. 1-11 ft. Fl.
	creamy-yellow, margins
	heavily flushed rose.
26937 & 27480	R. aperantum. 1-11 ft. Fl.
	creamy-yellow.
26938 & 27604	R. aperantum. 1-11 ft. Fl.
20,30 0 2.001	deep crimson.
26961 & 27642	Series Heliolepis. 10 ft. Fl.
20701 & 21012	deep lavender-rose with
	crimson markings.
26962 & 27586	R. Stewartianum. 7 ft. Fl.
20902 & 21300	pure white.
26963 & 27599	R. scyphocalyx forma.
26964 & 27636	
26964a&27630	R. aperantum.
26965	R. aperantum.
26966 & 27494	R. scyphocalyx forma.
26974 & 27641	R. scyphocalyx forma.
	R. scyphocalyx.
26977 & 27502	R. scyphocalyx.
26978 & 27589	R. scyphocalyx.
26980 & 27643	R. Stewartianum.
26981 & 27592	R. Stewartianum.
26984 & 27475	R. Stewartianum.
26985 & 27574	R. caloxanthum.
26986 & 27667	R. Stewartianum.
26987	Series Lapponicum.
26988 & 27503	R. myrtilloides.
26991 & 27656	R. myrtilloides.
26992 & 27659	R. Stewartianum.
26993 & 27482	R. Stewartianum.
27002 & 27491	R. aperantum.
27003 & 27580	R. scyphocalyx var. inter-
	veniens.
27011 & 27487	R. scyphocalyx.

27012 & 27481	R. scyphocalyx.
27013	R. Stewartianum.
27019 & 27477	R. scyphocalyx.
27019 & 27573	R. scyphocalyx forma.
27020 & 27645	
	R. aperantum.
27022 & 27666	R. aperantum.
27025 & 27483	R. aperantum.
27050 & 27626	R. scyphocalyx.
27051 & 27662	R. scyphocalyx. 2 ft. Fl.
	pale yellow, very prettily
	margined rose.
27052 & 27650	R. scyphocalyx. 2 ft. Fl.
21032 0 21030	dull yellow, flushed crimson.
27054 & 27583	D coverbooker forms
	R. scyphocalyx forma.
27057 & 27461	R. scyphocalyx forma.
27059 & 27633	R. scyphocalyx.
27061 & 27644	R. scyphocalyx var. inter-
	veniens. 11 ft. Fl. black-
	crimson.
27063 & 27663	R. scyphocalyx.
27065 & 27497	Series Saluenense. 6-7 ins.
21005 0 21151	Fl. deep rich ruddy-purple.
27067	R. arizelum. 20 ft. Fl. soft
21001	
00000	yellow.
27069	R. facetum. 15 ft. Fl. rich
cores e repris	crimson-scarlet.
27071 & 27568	R. scyphocalyx forma.
27073 & 27648	R. aperantum. 1 ft. Fl.
	pale yellow, flushed rose-pink.
27075 & 27597	R. aperantum. 1½ ft. Fl.
mudae spaces	heavily flushed rose on a
	white base.
27077 & 27640	R. aperantum. 1½ ft. Fl.
21011 0 21040	
	bright clear rose-pink, margins
AMONO 0 AMICO	slightly darker.
27079 & 27493	R. aperantum. I ft. Fl.
	pale yellow, flushed rose-pink.
27081 & 27486	R. aperantum. 1-11 ft. Fl.
	pure white, flushed and mar-
	gined rose.
27083 & 27576	R. aperantum. I ft. Fl.
2.303 & 2.310	white, heavily margined rose.
27085 & 27462	R. glischrum var.
27087 & 27668	R. vaccinioides.
27089 & 27672	R. scyphocalyx.
27093 & 27646	R. scyphocalyx.

27095 & 27654	R. scyphocalyx. 11 ft. Fl.
and the same	yellow, flushed rose.
27097 & 27499	R. scyphocalyx. 1 ft. Fl.
	deep dull orange, margined
	deep crimson.
27099 & 27570	R. scyphocalyx. 2 ft. Fl.
	orange, flushed crimson.
27101 & 27621	R. megacalyx.
27103	Series Triflorum. 10-18 ft.
	Fl. white, flushed pale lilac-
	purple.
27105 & 27468	R. facetum.
27108 & 27624	R. arizelum.
27109 & 27476	Series Maddenii.
27110	R. crassum. 5 ft. Fl. white,
	flushed purplish.
27111 & 27572	R. aperantum. 1 ft. Fl. deep
	crimson.
27113 & 27496	R. scyphocalyx forma. I ft.
21115 (12115)	Fl. crimson on an orange base.
27115 & 27657	R. scyphocalyx. 2 ft. Fl.
21113 00 21031	orange, stained crimson.
27116 & 27613	R. scyphocalyx.
27117 & 27660	Series Trichocladum.
27118 & 27569	
21110 & 21309	
27110	soft purplish-rose.
27119 27121 & 27658	Series Lapponicum.
21121 & 21030	R. calostrotum. 1-1½ ft. Fl.
27122 8- 27501	deep ruddy-purple.
27122 & 27501	R. nwaiense. 1 ft. Fl. pale
27122 0 27//1	rose.
27123 & 27664	R. caloxanthum. 5 ft. Fl.
25125 6 25105	bright soft yellow.
27125 & 27495	R. caloxanthum.
27126	R. Kyawi. 10-15 ft. Fl. rich
	crimson-scarlet.
27128 & 27578	R. Kyawi. 10-15 ft. Fl. deep
	rich crimson-scarlet.
27129 & 27577	R. Stewartianum. 5 ft. Fl.
Chica a rate of	pale or creamy-yellow.
27131 & 27479	R. Stewartianum. 8 ft. Fl.
000000 0 000000	pure white.
27132 & 27665	R. scyphocalyx. 2 ft. Fl.
	deep orange.
27133 & 27652	R. Stewartianum. 4 ft. Fl.
	rose.

27134 & 27594	R. scyphocalyx forma. 2 ft. Fl. orange, flushed deep crim-
	son.
27135 & 27500	R. Stewartianum. 6 ft. Fl.
21133 & 21300	soft rose.
27136	R. Stewartianum. 6 ft. Fl.
21130	
	yellow, flushed pale rose on
27127 9- 27400	margins.
27137 & 27490	R. scyphocalyx forma. 2½
27120 0 27747	ft. Fl. deep rose-crimson.
27138 & 27647	R. Stewartianum. 5 ft. Fl.
25140 0 25555	white.
27140 & 27575	R. scyphocalyx forma. 2 ft.
AMI 10 0 AM 100	Fl. deep crimson.
27142 & 27488	R. myiagrum. 5 ft. Fl. pure
	white.
27143 & 27596	R. Stewartianum. 5 ft. Fl.
and the second	pale yellow, margined rose.
27144 & 27649	R. Stewartianum. 5 ft. Fl.
	white, very faintly flushed
	rose.
27343	R. habrotrichum.
27346	R. protistum.
27355	R. giganteum.
27357	R. myrtilloides.
27358	R. neriiflorum, subspecies
	euchaites.
27359	R. apodectum.
27389	R. callimorphum.
27399 (26629)	R. habrotrichum.
27400 (26632)	R. habrotrichum.
27402 (26486)	R. suberosum.
27404 (26596)	R. suberosum.
27405 (26463)	R. suberosum.
27413	R. basilicum.
27415	R. Hardingii.
27416	R. laxiflorum.
27455 (26439)	R. tephropeplum.
27456 (26480)	R. eritimum, subspecies hep-
(20100)	tamerum.
27458 (26447)	R. commodum.
27461 (27057)	R. scyphocalyx forma.
27462 (27085)	
	R. glischrum.
27463 (26455)	R. glischroides.

27465	(26476)	R. Meddianum var. atroker-
		mesinum.
27466	(26449)	R. neriiflorum, subspecies euch- aites.
27467	(26936)	R. aperantum.
27468	1	R. facetum.
27469	(26465)	R. sperabile.
27470	1	R. glischroides.
27473	(26482)	Series Heliolepis.
27474		R. aperantum.
27475	1000	R. Stewartianum.
27476	(27109)	Series Maddenii.
27477	(27019)	R. scyphocalyx.
27478	(26430)	R. eritimum, subspecies hep-
	(/	tamerum.
27479	(27131)	R. Stewartianum.
27480	(26937)	R. aperantum.
27481	(27012)	R. scyphocalyx.
27482	(26993)	R. Stewartianum.
27483	(27025)	R. aperantum.
27485	(26927)	R. scyphocalyx.
27486	(27081)	R. aperantum.
27487	(27011)	R. scyphocalyx.
27488	(27142)	R. myiagrum.
27489	(26928)	Series Heliolepis.
27490	(27137)	R. scyphocalyx.
27491	(27002)	R. aperantum.
27492	(26929)	R. Stewartianum.
27493	(27079)	R. aperantum.
27494	(26966)	R. scyphocalyx.
27495	(27125)	R. caloxanthum.
27496	(27113)	R. scyphocalyx.
27497	(27065)	Series Saluenense.
27498	(26466)	R. Delavayi.
27499	(27097)	R. scyphocalyx.
27500	(27135)	R. Stewartianum.
27501	(27122)	R. nwaiense.
27502	(26977)	R. scyphocalyx.
27503	(26988)	R. myrtilloides.
27568	(27071)	R. scyphocalyx forma.
27569	(27118)	R. myrtilloides.
27570	(27099)	R. scyphocalyx forma.
27572	(27111)	R. aperantum.
27573	(27019)	R. scyphocalyx forma.
27574	(26985)	R. caloxanthum.
27575	(27140)	R. scyphocalyx forma,

27576 (27083)	R. aperantum.
27577 (27129)	R. Stewartianum.
27578 (27128)	R. Kyawi.
27579 (26925)	R. aperantum.
27580 (27003)	R. scyphocalyx var. inter-
1.500 (2.005)	veniens.
27581 (26434)	R. sperabile.
27583 (27054)	R. scyphocalyx.
27584 (26934)	R. aperantum.
	The state of the s
27585 (26924)	R. scyphocalyx forma.
27586 (26962)	R. Stewartianum.
27587 (26926)	R. aperantum.
27589 (26978)	R. scyphocalyx.
27590 (26933)	R. aperantum.
27591	Series Lapponicum.
27592 (26981)	R. Stewartianum.
27593 (26923)	R. crassum.
27594 (27134)	R. scyphocalyx.
27595 (26446)	R. sperabile.
27596 (27143)	R. Stewartianum.
27597 (27075)	R. aperantum.
27599 (26963)	R. scyphocalyx.
27600 (26425)	R. glischroides var. arachnoid-
	eum.
27601 (26442)	R. sperabile.
27603	R. zaleucum.
27604 (26938)	R. aperantum.
27605 (26478)	R. sperabile var. chimiliense.
27606 (26495)	R. Meddianum var. atroker-
21000 (20175)	mesinum.
27607 (26443)	R. eritimum, subspecies hep-
21001 (2011)	tamerum.
27608 (26454)	R. eritimum, subspecies hep-
21000 (20454)	
27600 (26428)	tamerum.
27609 (26428)	R. glischroides.
27611 (26431)	R. tephropeplum.
27612 (26432)	R. eritimum, subspecies hep-
APC12 (AP116)	tamerum.
27613 (27116)	R. scyphocalyx.
27614 (26429)	R. protistum.
27616 (26935)	R. arizelum.
27617 (26618)	R. bullatum.
27618	R. agapetum.
27619 (26427)	R. tanastylum aff.
27620 (26421 8	
26485)	R. araiophyllum.

27621 (27101)	R. megacalyx.
27622 (26422)	R. commodum.
27623 (26499)	R. Meddianum var. atroker-
	mesinum.
27624 (27108)	R. arizelum.
27626 (27050)	R. scyphocalyx.
27627 (26424)	R. tanastylum.
27628 (26464)	Series Maddenii.
27629 (26932)	R. Stewartianum.
27631 (16488)	Series Heliolepis.
27633 (27059)	R. scyphocalyx.
27635 (26435)	R. sperabile.
27636 (26964)	R. aperantum.
27637 (26487)	R. neriiflorum, subspecies euch-
	aites.
27638 (26440)	R. Taggianum.
27639 (26453)	R. sperabile.
27640 (27077)	R. aperantum.
27641 (26974)	R. scyphocalyx.
27642 (26961)	Series Heliolepis.
27643 (26980)	R. Stewartianum.
27644 (27061)	R. scyphocalyx var. inter-
	veniens.
27645 (27020)	R. aperantum.
27646 (27093)	R. scyphocalyx forma.
27647 (27138)	R. Stewartianum.
27648 (27073)	R. aperantum.
27649 (27144)	R. Stewartianum.
27650 (27052)	R. scyphocalyx forma.
27651 (26930)	R. aperantum.
27652 (27133)	R. Stewartianum.
27653 (26436)	R. eritimum, subspecies hep-
abus sibility	tamerum.
27654 (27095)	R. scyphocalyx.
27655 (26461)	Series Maddenii.
27656 (26991)	R. myrtilloides.
27657 (27115)	R. scyphocalyx.
27658 (27121)	R. calostrotum.
27659 (26992)	R. Stewartianum.
27660 (27117)	Series Trichocladum.
27661 (26472)	Series Maddenii.
27662 (27051)	R. scyphocalyx forma.
27663 (27063)	R. scyphocalyx.
27664 & 27123	R. caloxanthum. Fl. yellow.
27665 (27132) 27666 (27022)	R. scyphocalyx.
	R. aperantum.

27667	(26986)	R. Stewartianum.
27668	(27087)	R. vaccinioides.
27669	(26444)	Series Maddenii.
27670	(26457)	R. tephropeplum.
27671	(26452)	R. eritimum, subspecies hep-
21011	(20452)	
07/70	(07000)	tamerum.
	(27089)	R. scyphocalyx forma.
27678		R. Kyawi.
27685		Series Maddenii.
27687		Series Maddenii.
27688	(26615)	Series Maddenii.
	(26462)	Series Maddenii.
27690	(26459)	R. dendricola.
27697	(2013))	R. Delavayi.
27698	(acmon)	R. araiophyllum.
	(26797)	R. araiophyllum.
27701		R. peramoenum.
27702	& 26792	R. araiophyllum.
27703		R. laxiflorum aff.
27705		R. laxiflorum aff.
27706		R. laxiflorum aff.
27713		R. laxiflorum aff.
27714		R. tanastylum.
27715		R. Valentinianum.
27717		R. Delavayi.
27718		R. Delavayi.
27722	(26441)	Series Maddenii.
27724		R. crassum.
27725		Series Maddenii.
27727		R. diaprepes.
27730		R. giganteum.
27731		R. aff. supranubium.
27737	(0(500)	R. taronense.
27739	(26798)	R. racemosum.
27744		R. araiophyllum.
27745		R. suberosum.
27746		R. araiophyllum.
27757		R. tanastylum.
27758		R. Genestierianum.
27759		Series Maddenii.
	(26701)	R. sidereum.
27761	(26791)	
27766		R. araiophyllum.
27768		R. Delavayi.
27769		R. bullatum.
27771		R. araiophyllum.
27775		R. araiophyllum.
27776		Series Maddenii.
21110		OVALUE ATAMESTURA

## ROCK RHODODENDRONS.

R. cephalanthum. 2 ft. Fl. white. 59029 R. haemaleum. 3 ft. Fl. blackish-59030 carmine. 59031 R. sanguineum var. 2-3 ft. Fl. rich crimson. 59032 R. colletum. 7-8 ft. Fl. deep rich pink. 59033 R. cloiophorum forma. 2-3 ft. Fl. rich crimson to carmine. 59034 R. cloiophorum var. Small shrub. Fl. purple, yellowish at base. 59035 R. sanguineum var. and/or didymum. 1-2 ft. Fl. pink. R. haemaleum. 1-2 ft. Fl. deep reddish-59036 black. R. himertum. 2-3 ft. Fl. rich yellow. 59037 59038 R. citriniflorum and/or sanguineum. 2-3 ft. Fl. vellowish-red. 59039 R. sanguineum. 1-2 ft. Fl. deep crimson. 59040 R. sanguineum. 2-3 ft. Fl. blackishcrimson. 59041 R. roseotinctum? 2-3 ft. Fl. rich vellow. R. trichomiscum. 1-2 ft. Fl. pink. 59042 R. colletum. 8-10 ft. Fl. rich pink. 59043 59044 R. temenium. 2-3 ft. Fl. deep red. 59045 R. electeum var. bellatulum. 4 ft. Fl. pink, purplish tinge. R. haemaleum. 1-11 ft. Fl. deep 59046 carmine-black. R. sp. 3-4 ft. Fl. "a beautiful pink."
R. praestans. 8-10 ft. Fl. pink. 59047 59048 59049 R. chryseum? 1-3 ft. Fl. rich golden yellow. 59050 R. rhaibocarpum. 5 ft. Fl. pale pink. R. colletum. 3-4 ft. Fl. rich pink, 59051 mottled with purple.

59054 R. Wardii. 5 ft. Fl. rich golden yellow. 59055 R. sanguineum. 1-2 ft. Fl. deep purplecarmine.

R. sp. 2 ft. Fl. yellow.

R. hypolepidotum. 2-3 ft. Fl. yellow.

59052

59053

59056 R. sanguineum var. 3 ft. Fl. rich crimson.

59057 R. floccigerum. Fl. 3-4 ft. Fl. rich crimson, purple tinge.

59058 R. crinigerum. 6 ft. Fl. cream coloured.

59059 R. probum. 4-5 ft. Fl. pure pale pink. 59060 R. sp. 3-4 ft. Fl. deep reddish-purple.

59061 R. sp. Prostrate plant. Fl. rich carmine.

59062 R. crinigerum. 5 ft. Fl. pink, spotted purple.

59063 R. crinigerum. 7-8 ft. Fl. pink.

59064 R. recurvum. 5 ft. Fl. pink. 59065 R. crinigerum. 4 ft. Fl. white.

59066 R. crinigerum. 8 ft. Fl. white, spotted purple.

59067 R. crinigerum. 6 ft. Fl. white.

59068 R. crinigerum or triplonaevium. 5 ft. Fl. white.

59069 R. chaetomallum. 3 ft. Fl. deep blackish-crimson.

59070 R. chaetomallum. 3 ft. Fl. deep crimson.

59071 Series Triflorum. 3-4 ft. Fl. rich lavender.

59072 R. colletum. 5 ft. Fl. rich reddishpurple.

59073 R. colletum. 8 ft. Fl. white, slightly tinged pinkish.

59074 R. sp. 3 ft. Fl. almost black.

59075 R. colletum. 5-8 ft. Fl. purple-pink. 59076 R. hypolepidotum. 2 ft. Fl. yellow.

59076 R. hypolepidotum. 2 ft. Fl. yellow. 59077 R. crinigerum. 5-6 ft. Fl. white.

59078 R. sp. I ft. Fl. rich crimson.

59079 R. coryphaeum. 15-20 ft. Fl. white. 59080 R. sp. Prostrate shrub. Fl. dark red.

59080 R. sp. Prostrate shrub. Fl. dark red. 59081 R. floccigerum. 4 ft. Fl. rich crimson.

59082 R. saluenense. 2 ft. Fl. deep purplishblue.

59083 R. sanguineum. 2 ft. Fl. carmine.

59084 R. repens var. chamaedoron. 1-2 ft. Fl. rich carmine.

59085 R. praestans. 12-15 ft. Fl. purplishpink.

59086 Series Triflorum. 4 ft. Fl. pale lavender.

59087 R. gymnanthum. 8-10 ft. Fl. pinkishpurple. 59088 R. fulvoides. 8-10 ft. Fl. reddish-purple.

59089 R. colletum. 8 ft. Fl. pink.

59090 R. sanguineum. 2 ft. Fl. rich carmine.

59091 R. fulvoides. 5-6 ft. Fl. rich pink.

59092 R. sanguineum. 2-3 ft. Fl. deep blackish-crimson.

59093 R. pagophilum. 4 ft. Fl. pale yellowishpink.

59094 R. eclecteum var. bellatulum. 6 ft. Fl. pinkish-purple.

59095 R. selense. 5 ft. Fl. rich pink, spotted purple.

59096 R. sanguineum. 2 ft. Fl. very dark carmine.

59097 R. eclecteum var. bellatulum. 5-6 ft. Fl. white.

59098 R. eclecteum var. bellatulum. 5 ft. Fl. yellowish-pink.

59099 R. eclecteum. 4-5 ft. Fl. pale pink. 59100 R. fulvoides. 14-15 ft. Fl. rich pink.

59101 R. eclecteum var. 7-8 ft. Fl. yellowishpink.

59102 R. eclecteum var. bellatulum. 3-4 ft. Fl. rich pink with purplish tinge.

59103 R. repens var. chamaedoron. 1-2 ft. Fl. carmine, purplish tinge.

59104 R. fictolacteum. 18 ft. Fl. white.

59105 R. niphargum. 8-10 ft. Fl. "beautiful rose pink."

59106 R. haemaleum. 2 ft. Fl. dark crimson.

59107 R. eclecteum var. bellatulum. 8-10 ft. Fl. pinkish-purple.

59108 R. eclecteum var. bellatulum. 4 ft. Fl. rich purple.

59109 R. eclecteum var. bellatulum. 7-8 ft. Fl. medium yellow.

59110 R. eclecteum var. bellatulum. 6-8 ft. Fl. rich yellow.

59111 R. eclecteum var. bellatulum. 6 ft. Fl. pale pink.

59112 R. eclecteum var. brachyandrum. 6-8 ft. Fl. dark reddish-purple.

59113 R. eclecteum var. bellatulum. 3 ft. Fl. deep purple-carmine.

59114 R. sp. 5-6 ft. Fl. purple-pink.

59115 R. sp. 5 ft. Fl. pale-pink.

59116 R. sp. 5 ft. Fl. pale cream.

59117 R. sp. 5 ft. Fl. orange-pink.

59118 R. Beeslanum. 8 ft. Fl. rose-red. 59119 R. coriaceum. 10 ft. Fl. white?

59120 Series Heliolepis. 7 ft. Fl. pink, purple tinge.

59121 R. 4 ft. Fl. dark crimson.

59122 R. Prostrate shrub, Fl. rich crimson.

59123 R. proteoides. I ft. Fl. cream, purple spots.

59124 R. 3-4 ft. Fl. purplish pink. 59125 R. 4 ft. Fl. deep purplish-red.

59126 R. eclecteum. 5-6 ft. Fl. pink-red.

59127 R. chaetomallum. 3 ft. Fl. deep rich carmine.

59128 R. 2 ft. Fl. very dark carmine.

59129 R. crinigerum and/or iodes. 5-6 ft. Fl. snow white.

59130 R. recurvum. 2½ ft.

59131 R. sp. 5-6 ft. Fl. deep red.

59132 R. schizopeplum. 8 ft. Fl. pink, spotted purple.

59133 Series Cephalanthum. 2-3 ft. Fl. white.

59134 Series Lapponicum. 1-2 ft. Fl. blue.

59135 R. dryophyllum. 5-6 ft. Fl. cream, spotted purple.

59136 Series Lapponicum. 2-3 ft. Fl. deep blue.

59137 R. colletum. 5-6 ft. Fl. white.

59138 R. chalarocladum. 4 ft. Fl. pale pinkish-purple.

59139 R. colletum. 6-8 ft. Fl. pink, spotted purple.

59140 R. tritifolium or phaeochrysum. 10 ft. Fl. white.

59141 R. dryophyllum var. 5-6 ft. Fl. white with small purple spots.

59142 R. dryophyllum var. 6-8 ft. Fl. pale pink, deep purple spots.

59143 R. dryophyllum var. 5-6 ft. Fl. white and reddish-purple.

59144 R. tritifolium or dictyotum or russotinctum. 7-8 ft. Fl. pink.

59145 Subseries Roxieanum at Exbury. 5 ft. Fl. pink, spotted purple.

59146 Series Taliense. 4-5 ft. Fl. purple.

59147 R. aganniphum and/or vicinum. 6-8 ft Fl. white, spotted purple.

59148 Series Lapponicum. 5 ins. Fl. yellow.

59149 R. beimaense. 3-4 ft. Fl. pinkishpurple.

59150 Series Triflorum. 5 ft. Fl. rich lavender.

59151 R. sp.

59152 Series Lapponicum. 1 ft. Fl. bluishpurple.

59153 R. sp. 4-5 ft. Fl. lavender-blue.

59154 R. flavorufum. 6 ft. Fl. rich purple, darker spots.

59155 R. adenogynum and/or flavorufum.
5 ft. Fl. white.

59156 R. litiense. 2-3 ft. Fl. bright yellow.

59157 R. sp. 12-15 ft. Fl. deep purple, darker spots.

59158 R. gymnanthum. 10-12 ft. Fl. purple. 59159 Series Triflorum. 4-5 ft. Fl. lavender.

59160 R. crinigerum. 6 ft. Fl. pink.

59161 R. flavorufum. 3 ft. Fl. pinkish-red. 59162 R. recurvum. 3 ft. Fl. pure white.

59163 Subseries Roxieanum. 4 ft. Fl. white.

59164 R. Wardii. 4 ft. Fl. bright yellow.

59165 R. chryseum. I ft. Fl. yellow. 59166 R. sp. I ft. Fl. yellowish-red.

59167 R. sp. 1-3 ft. Fl. yellowish-red. 59168 R. sp. 1-2 ft. Fl. reddish-purple.

59169 R. sp. 1-2 ft. Fl. yellow.

59170 R. pocophorum. 8-10 ft. Fl. red. 59171 R. chaetomallum. 4 ft. Fl. pink.

59172 R. sp. 18-20 ft. Fl. rich yellow.

59173 Series Campylogynum. 4 ft. Fl. yellow.

59174 R. repens var. chamae-Thomsonii.

59175 R. chaetomallum. 5 ft. Fl. rich red.

59176 R. sanguineum. 1-2 ft. Fl. deep crimson.

59177 R. sp. 2-3 ft. Fl. very dark crimson.

59178 R. didymum and/or haemaleum. 7-8 ft. Fl. red.

59179 R. eclecteum var. brachyandrum. 5 ft. Fl. red.

59180 R. sp. 3 ft. Fl. red.

59181 R. pocophorum. 6 ft. Fl. red.

59182 R. radicans. Prostrate plant. Fl. bright red.

59183 R. crinigerum. 10 ft. Fl. pink.

59184 R. Bainbridgeanum. 6 ft. Fl. pink.

59185 R. crinigerum. 10 ft. Fl. pink.

59186 R. crinigerum. 7-10 ft. Fl. pink.

59187 R. Bainbridgeanum. 8-10 ft. Fl. pink. 59188 R. crinigerum. 8-10 ft. Fl. pink.

59188 R. crinigerum. 8-10 ft. Fl. pink. 59189 Series Lapponicum. 2 ft. Fl. yellow.

59190 R. pocophorum. 6 ft. Fl. scarlet.

59191 R. sp. 7-8 ft. Fl. red. 59192 R. sp. 3 ft. Fl. red.

59192 R. sp. 3 H. Fl. red. 59193 R. arizelum. 15-18 ft.

59194 R. saluenense. 1½-2 ft. Fl. red. 59195 R. cucullatum. 8 ft. Fl. pink.

59196 Series Cephalanthum. 2 ft. Fl. pale pink. 59197 R. rhaibocarpum. 5 ft. Fl. purplish-

red.

59198 R. dasycladum. 12 ft. Fl. rich pink.

59199 Series Heliolepis. 6-10 ft. Fl. lavender to deep purple.

59200 R. tanastylum. 15-18 ft. Fl. red. 59201 R. irroratum and/or lukiangense.

1 R. irroratum and/or lukiangense.
6 ft. Fl. red.

59202 R. bullatum. 2-3 ft. Fl. pink.

59203 R. Yunnanense. 12-15 ft. Fl. white, tinged pinkish.

59204 Series Triflorum, in cultivation at Exbury.

R. brevistylum. 5 ft. Fl. pink.

59205 R. recurvum var. oreonastes. 10 ft. Fl. white.

59206 R. cuneatum var. 2 ft. Fl. red.

59207 Series Triflorum. 3 ft. Fl. white.

59208 R. rhaibocarpum. 6 ft. Fl. red. 59209 R. cantabile. 2 ft. Fl. purple-blue.

59210 R. cantabile. 2 ft. Fl. deep indigo with purplish tinge

59211 R. cantabile. 3 ft. Fl. deep purplishblue.

59212 R. irroratum. 3 ft. Fl. white.

59213 R. recurvum var. oreonastes. 5 ft. Fl. white.

59214 Series Lapponicum. 1 ft. Fl. pale blue.

59215 R. sp. 6-8 ins. Fl. purplish-pink to red. 59216 R. sp. A few inches. Fl. crimson.

59216 R. sp. A few inches. Fl. crimson. 59217 R. sp. Prostrate shrub. Fl. white,

59218 R. cucullatum. 8 ft. Fl. white.

59219 R. aureum. 5 ft. Fl. yellow.

59220 R. irroratum. I ft. Fl. pale pink.

59221 R. recurvum var. oreonastes. 5-6 ft. Fl. white.

59222 R. recurvum. 3-4 ft. Fl. white. 59223 R. Traillianum. 4 ft. Fl. pink.

59223 R. Traillianum. 4 ft. Fl. pink.
 59224 R. Traillianum. 4-5 ft. Fl. pink.

59225 R. hippophaeoides var. 2 ft. Fl. blue.

59226 R. molle. 5 ft. Fl. yellow.

59227 Series Thomsonii. 7-8 ft. Fl. yellow, tinged pinkish.

59228 R. dryophyllum var. 6-8 ft.

59229 R. phaeochrysum. 5-6 ft. 59230 R. agglutinatum var. 6 ft.

59231 R. schizopeplum. 5-6 ft. 59232 R. dryophyllum. 5-8 ft.

59233 R. dumosulum. 6-8 ft.

59234 R. sino-grande. 20-25 ft. Fl. cream.

59235 R. sp. 18-20 ft.

59236 R. gymnogynum. 18 ft. Fl. red. 59237 R. Wardii. 4-5 ft. Fl. yellow.

59238 R. sp. 10-12 ft.

59239 R. sp. 12-15 ft. Fl. purplish-red?

59240 R. lepidotum. 1-2 ft. Fl. whitish-pink? 59241 R. hippophaeoides var. 3-4 ft. Fl. pale

blue.

59242 R. eritimum. 12 ft. Fl. purple.

59243 R. cuneatum. 6-8 ft. Fl. lavender. 59244 R. hylothreptum forma. 8 ft. Fl. purplish-red, spotted darker red.

59245 R. niphargum. 25 ft. Fl. pale pink. 59246 R. niphargum. 25-30 ft. Fl. rose-pink.

59247 R. irroratum. 12-18 ft. Fl. delicate pink with a few purple spots.

59248 R. eritimum. 15-18 ft. Fl. pinkishpurple.

59249 R. eritimum. 12-18 ft. Fl. dark purple. 59250 R. fictolacteum. 15 ft. Fl. white.

59251 R. heptamerum. 7-8 ft. Fl. deep reddish-purple.

59252 R. eritimum. 6-8 ft. Fl. purple.

59253 R. cuneatum. 3-4 ft. Fl. rich bluishlavender, on limestone.

59254 R. cuneatum. 4 ft. Fl. deep lavender, on limestone.

59255 R. sp. 25 ft. Fl. pink.

59256 R. Traillianum. 8 ft. Fl. white.

59257 Series Lapponicum. 2 ft. Fl. white.

59258 R. racemosum. 2 ft. Fl. pale pink.

59259 R. telmateum. 2 ft. Fl. deep red.

59260 R. Traillianum. 6 ft. Fl. pure white.

59261 R. sp. 15-18 ft. Fl. pink.

Series Lapponicum. 1 ft. Fl. indigo blue. 59262

59263 R. impeditum. Ift. Fl. deep purplishblue.

R. vernicosum var. Araliaeforma? 59435 Fl. pink, sometimes white or purplish.

59436 R. Traillianum. 4 ft. Fl. rich pink, among limestone.

59437 R. sp. 3 ft. Fl. rich purplish-rose.

59438 R. sp. 3 ft. Fl. dark crimson.

59439 R. poecilodermum. 6 ft. Fl. white.

59440 R. fictolacteum. 13-14 ft. Fl. white.

59441 R. cloiophorum. 1-2 ft. Fl. orange to red.

59442 R. triplonaevium. 7 ft. Fl. rich pink.

59443 R. chamaetortum. 1-2 ft. Fl. deep rose-pink.

59444 R. sanguineum. 1-2 ft. Fl. bright red.

59445 R. probum. 6 ft. Fl. pink.

R. pagophilum. 3-4 ft. Fl. "handsome 59446 pink."

59447 R. fulvoides. 15-16 ft. Fl. rose-pink. R. brunneifolium. 4 ft. Fl. crimson.

59448 59449 R. dictyotum. 7 ft. Fl. white.

R. cloiophorum. 2 ft. Fl. yellowish-red. 59450

R. dryophyllum. 3-4 ft. Fl. rose-pink. 59451

R. chasmanthoides. 6-8 ft. Fl. rich 59452 blue-lavender.

59453 R. haemaleum. 2-3 ft. Fl. very dark

59454 R. eclecteum. 3-4 ft. Fl. deep purplishred.

59455 R. citriniflorum. 2-3 ft. Fl. yellow at base, lobes red.

59456 R. haemaleum. 3 ft. Fl. deep carmine.

59457 R. Albertsenianum. 3 ft. Fl. carminepurple.

R. mesopolium. 2 ft. Fl. rich pink. 59458

59459 R. fulvastrum. 2 ft. Fl. pale yellow R. temenium. 2-3 ft. Fl. rich crimson. 59460

R. Martinianum. 4 ft. Fl. pink. 59461

59462 R. praestans. 15-18 ft. Fl. purplish-red. 59463 R. crinigerum. 5-6 ft. Fl. white with a pinkish tinge.

59464 R. crinigerum. 8-10 ft. Fl. pinkish-white.

Series Trichocladum. 3 ft. Fl. deep 59465 vellow.

59466 R. crinigerum. 5 ft. Fl. white with a tinge of pink.

59467 R. crinigerum. 8 ft. Fl. pinkish-purple.

59468 R. crinigerum. 8-10 ft. Fl. white with a pinkish tinge.

59469 R. crinigerum. 5-6 ft. Fl. white.

59470 R. crinigerum. 5-6 ft. Fl. purple with a pinkish tinge.

59471 R. crinigerum. 8-10 ft. Fl. white with

pinkish-purple tinge.

59472 R. crinigerum. 5 ft. Fl. white. 59473

R. repens. 1 ft. Fl. bright scarlet. 59474 R. floccigerum. 7 ft. Fl. red with a purplish tinge.

59475 R. proteoides. 4 ft. Fl. pink.

59476 Series Triflorum. 6 ft. Fl. lavender to bluish-purple.

R. colletum. 14-15 ft. Fl. rich peach. 59477 59478 R. cosmetum. 1-3 ft. Fl. deep rich

purple to lavender. 59479 R. sp. 1-2 ft. Fl. rich yellow.

59480 R. coryphaeum. 15-18 ft. Fl. white to pink.

59481 R. praestans. 8-10 ft. Fl. purple, tinged pink.

59482 R. saluenense. 2-3 ft. Fl. rich purple.

R. didymum. 11 ft. Fl. rich red. 59483

59484 R. saluenense. 1-2 ft. Fl. deep purplishblue.

R. chamaetortum. 1-2 ft. Fl. delicate 59485 pink.

R. Roxieanum. 5 ft. Fl. white, spotted 59486 dark purple.

59487 R. haemaleum. 2 ft. Fl. deep crimson.

R. eclecteum var. bellatulum. 4-5 ft. 59488 Fl. rich golden yellow.

R. sp. Prostrate plant. Fl. rich carmine. 59489 R. eclecteum var. bellatulum. 3-4 ft. 59490

Fl. yellow, red lobes. R. repens var. chamae-Thomsonii. 59491 1-2 ft. Fl. deep purplish-red.

59492 R. eclecteum var. bellatulum. 3-4 ft. Fl. pink.

59493 R. sanguineum. 3 ft. Fl. deep carmine.
 59494 R. eclecteum var. bellatulum. 5 ft. Fl. pinkish-purple.

59495 R. fulvoides. 15 ft. Fl. pink.

59496 R. sanguineum. 2-3 ft. Fl. very rich carmine.

59497 R. fulvoides. 5-6 ft. Fl. rich reddishpurple.

59498 R. sanguineum. 2 ft. Fl. deep carmine

59499 R. eclecteum var. bellatulum. 5 ft. Fl. yellow, pinkish tinge.

59500 R. cloiophorum. 2 ft. Fl. reddishpurple.

59501 R. eclecteum var. bellatulum. 5 ft. Fl purplish-red.

59502 R. selense. 6 ft. Fl. crimson, tinged pinkish.

59503 R. eclecteum var. bellatulum. 6 ft. Fl. purplish-pink.

59504 R. sp. 6 ft. Fl. pale pink. 59505 R. telopeum. 5 ft. Fl. yellow.

59506 Series Heliolepis. 12-20 ft. Fl. lavender, spotted purple.

59507 R. niphargum. 8-10 ft. Fl. deep pink.

59508 R. sp. 3 ft. Fl. yellow.

59509 Series Lapponicum. 1-2 ft. Fl. bluishpurple.

59510 R. levistratum. 5 ft.

59511 R. dumosulum. 6 ft. Fl. pink, tinged purple, with dark purple spots.

59512 Series Selense. 4 ft. Fl. purple.

59513 Series Lapponicum. 1 ft. Fl. deep indigo shading to lighter blue.

59514 R. globigerum. 4-5 ft. Fl. purple, paler at base.

59515 R. globigerum. 8-10 ft. Fl. white.

59516 R. dryophyllum. 4-5 ft. Fl. pink.

59517 R. levistratum. 3 ft. Fl. white to purple, spotted deep purple.

59518 R. dryophyllum. 5-6 ft. Fl. white, pinkish tinge.

59519 R. levistratum. 10 ft. Fl. white.

59520 R. aiolopeplum. 5-6 ft. Fl. pink.

R. russotinctum. 10 ft. Fl. white, 59521 spotted purple.

R. tritifolium. 5 ft. Fl. white. 59522

59523 R. Wardii. 5-10 ft. Fl. bright yellow.

59524 R. recurvum. 3-4 ft. Fl. white.

59525 R. gymnanthum. 6-8 ft. Fl. deep red. 59526 Series Thomsonii. 8-10 ft. Fl. rich white.

59527 Series Taliense. 6 ft. Fl. pale pink, spotted purple.

R. flavorufum. 5 ft. Fl. rich purplish-red, spotted dark purple. 59528

R. flavorufum. 8 ft. Fl. pinkish white. 59529

R. Wardii. 5 ft. Fl. rich yellow. 59530

R. flavorufum. 13-15 ft. Fl. pale pink. 59531

R. pocophorum. 5 ft. Fl. red. 59532

59533 R. chaetomallum. Fl. rich carmine. R. arizelum. 12-15 ft. Fl. yellowish-red. 59534

59535 R. sp. 6 ins. Fl. red with glaucous tinge.

59536 R. hemidartum. 5-6 ft. Fl. red. R. crassum. 6-8 ft. Fl. white. 59537

59538 R. fulvoides. 15 ft. Fl. red.

R. chaetomallum. 3-4 ft. Fl. orange-59539

59540 R. charitostreptum. 2-3 ft. Fl. yellow. 59541

R. Coryanum. 18 ft. Fl. white. R. chaetomallum. 5 ft. Fl. red. R. catacosmum. 10 ft. Fl. red. 59542

59543 R. arizelum. 16-20 ft. Fl. red. 59544

59545 R. sp. 8 ft. Fl. pink.

R. cloiophorum. 2 ft. Fl. yellowish-red. 59546

59547 Series Stamineum. 18-20 ft. Fl. red. R. chaetomallum. 4-5 ft. Fl. red. 59548

R. horaeum. 2 ft. Fl. orange-red. 59549 59550 R. arizelum. 16-18 ft. Fl. red.

59551 Series Selense. 7 ft.

R. chaetomallum. 3½ ft. Fl. yellow. 59552

59553 R. sp. 2 ft.

R. dasycladum. 3 ft. 59554

R. didymum. 3 ft. Fl. red. 59555

R. gymnogynum. 15 ft. 59556 R. megacalyx. 6 ft. Fl. white. 59557

59558 R. fictolacteum. 15 ft. R. fulvoides. 6-8 ft. 59559

R. chaetomallum. 4 ft. Fl. red. 59560

R. sinonuttallii. 8-10 ft. Fl. yellow to 59561 cream coloured.

59562 R. colletum. 6 ft.

59563 R. fictolacteum. 20 ft. Fl. white.

59564 R. cantabile. 11 ft. Fl. deep indigo blue.

59565 R. fictolacteum. 24 ft. Fl. white. 59566 R. Traillianum. 10 ft. Fl. white.

R. croceum and/or cucullatum. 5-6 ft. 59567 Fl. cream to yellow with a pinkish tinge.

59568 Series Triflorum. 5 ft. Fl. pink.

Series Lapponicum. 1-2 ft. Fl. deep blue-59569 purple.

R. cucullatum. 5 ft. Fl. pink, spotted 59570 with purple.

59571 R. cucullatum. 4 ft. Fl. pink. R. cucullatum. 8 ft. Fl. white. 59572

59573 R. Clementinae. 18 ft. Fl. white to pink.

Series Fortunei. 15-18 ft. Fl. red to 59574 purple.

R. poecilodermum. 5 ft. Fl. pink. 59575

59576 Series Triflorum. 3 ft. Fl. pink. R. racemosum. 3 ft. Fl. pink. 59577

59578

R. racemosum. 2-3 ft. Fl. white. Series Irroratum. 6 ft. Fl. pure white, 59579 spotted purple.

59580 R. sp. 4 ft. Fl. white.

59581 R. irroratum. 25 ft. Fl. white. R. irroratum. 15-18 ft. Fl. white. 59582

59583 R. bullatum. 2-3 ft. Fl. pink, on limestone.

59584 R. Delavayi. 10 ft. Fl. red.

59585 Series Triflorum. 4 ft. Fl. white, spotted purple.

R. agastum. 8 ft. 59586

R. sp. 3 ft. lavender-blue. 59587

59588 R. fictolacteum. 15 ft. Fl. pink.

59589 R. recurvum var. oreonastes. 6-8 ft. Fl. pink, spotted with purple.

59590 R. recurvum var. oreonastes. 6 ft. Fl. white.

59591 Series Triflorum. 5 ft. Fl. red.

59592 R. aureum. 4-5 ft. Fl. yellow.

Series Triflorum. 7-8 ft. Fl. purple. 59593 R. recurvum. 7-8 ft. Fl. white. 59594

59595 R. cucullatum. 6 ft. Fl. white.

59596 R. sp. 6-8 ft. Fl. lavender. 59597 Series Lapponicum. 3 ft. Fl. deep bluishpurple.

59598 R. scintillans. 1-2 ft. Fl. rich blue. 59599 R. vernicosum. 3-4 ft. Fl. pinkishwhite, deep purple markings.

59600 R. dryophyllum. 7-8 ft. R. vernicosum. 5-6 ft. 59601 59602 R. dryophyllum. 8-10 ft.

59603 R. Beesianum. 10-15 ft.

59604 R. sp. 4 ft.

59605 R. colletum. 6-10 ft. 59606 R. levistratum. 5-6 ft.

R. schizopeplum. 4 ft. 59607

59608 R. sp. 4 ft.

59609 R. schizopeplum. 5-8 ft.

59610 R. schizopeplum. 6 ft. Fl. pink. R. eritimum. 12 ft. Fl. pink. 59611

59612 R. colletum. 5-6 ft.

59613 R. sp. 20 ft.

R. irroratum. 15-20 ft. Fl. red. 59614

R. hippophaeoides. 3 ft. Fl. rich blue. 59615 59616 Series Lapponicum. 2-3 ft. Fl. dark purplish-blue.

59617 R. adenogynum. 5-6 ft. Fl. white, dotted with red.

R. Traillianum. 5-8 ft. Fl. white with 59618 a pinkish tinge.

R. Traillianum. 6-8 ft. Fl. white. 59619

59620 R. irroratum. 12-15 ft. Fl. pinkishwhite.

59621 R. Beesianum. 20 ft. Fl. rich pink. R. litiense. 6 ft. Fl. rich yellow. 59622

R. niphargum. 12-15 ft. Fl. pink. R. fictolacteum. 25 ft. Fl. white. 59623

59624 59625 R. vernicosum. 15-20 ft. Fl. pink.

Series Triflorum. 3 ft. Fl. purple-59626 lavender.

R. sp. 6 ft. Fl. red. 59627

R. fictolacteum. 8-10 ft. Fl. white. 59628 R. brevistylum. 8 ft. Fl. pale pink. 59629

R. Traillianum. 8 ft. Fl. white. 59630

Series Cephalanthum. 1-3 ft. Fl. white. 59631

R. Traillianum. 10 ft. Fl. pink. 59632 R. Traillianum. 5 ft Fl. white. 59633

Series Cephalanthum. 2 ft. Fl. white. 59634

59635 R. Traillianum. 15 ft. Fl. white.

R. adenophorum. 3-4 ft. Fl. pink. 59636

59637 R. sp. 4 ft. Fl. white.

59638 R. racemosum. 11 ft. Fl. red, on limestone.

R. rufum. 5-6 ft. Fl. white pink. 13599

R. rufum. 6-10 ft. Fl. pink. 13601

R. capitatum. 3-4 ft. Fl. bluish. 13605

13610 R. anthopogonoides. 4-5 ft. Fl. white. R. capitatum. 1 ft. Fl. purplish-blue. 13611

R. Przewalskii. 3-4 ft. 13612

13628 R. rufum. 6-10 ft. Fl. deep pink, spotted purple.

13629 R. Przewalskii. 4-5 ft. Fl. white.

13630 R. rufum. 15-20 ft. Fl. pinkish, purple spotted.

R. anthopogonoides. 5 ft. Fl. white. 13636 R. rufum. 4-5 ft. Fl. purplish-pink. R. rufum. 4-5 ft. Fl. white, purplish-13640

13643 lilac tinge.

R. rufum. 4-8 ft. Fl. pink. 13645

R. rufum. 4-6 ft. Fl. pinkish-white, 13647 spotted purple.

13649 R. rufum. 5 ft.

R. rufum. 6-8 ft. Fl. pink. 13650

13675 R. sp. 4-5 ft. Fl. pink.

R. Przewalskii. 3-4 ft. Fl. white. 13676 R. Przewalskii. 4 ft. Fl. white. 13677

13678 R. rufum. 5-8 ft.

13679 R. Przewalskii. 3-4 ft. Fl. white. R. rufum. 8-12 ft. Fl. pinkish. 13680

R. Przewalskii. 5-6 ft. Fl. white. 13681

13683 R. rufum. 5-6 ft.

R. rufum. 6-8 ft. 13684 R. Przewalskii. 4-5 ft. R. Przewalskii. 5 ft. 13685

13686

R. capitatum. 1 ft. Fl. bluish-purple. 13688

13691 R. rufum. 6-8 ft. 13692 R. rufum. 15 ft.

13693 R. rufum. 5-6 ft.

R. Przewalskii. 3-4 ft. Fl. white. 13694

13695 R. Przewalskii. 6-15 ft.

13696 R. rufum. 15 ft. 13697 R. rufum. 6-8 ft.

R. rufum. 8-15 ft. Fl. pale to deep 14928 pink, spotted purple.

R. micranthum. 5-6 ft. Fl. white. 15004

15014 R. rufum. 10-15 ft.

## KINGDON WARD RHODODENDRONS

R. charianthum.

R. melinanthum. 6-8 ft. Fl. yellow. 406 R. Wardii. 15-21 ft. Fl. dilute yellow, 529 slightly tinged crimson within base. R. aganniphun. 2-3 ft. 768 R. campylogynum. Dwarf carpet shrub. 793 Fl. blood red. R. bullatum. 6-10 ft. Fl. white, flushed 3038 pink. 3039 Series Triflorum. 10-15 ft. Fl. pinkishpurple. 3040 R. neriiflorum, subspecies euchaites. 6-10 ft. Fl. scarlet-crimson. 3042 R. glischrum (in cultivation probably R. habrotrichum). 3061 R. sidereum. 25-35 ft. Fl. pale cream, purple blotch. 3095 R. megeratum. Dwarf shrub. Fl. lemonyellow, orange-red anthers. 3096

R. Stewartianum. 6-8 ft. Fl. rose-pink. 3097 R. trichocladum. Fl. lemon-yellow, basal

greenish spots.

260

3101 R. arizelum. 20 ft. Fl. cream with small purple blotch.

3155 R. hylaeum and or eritimum var. gymnogynum. 10-25 ft.

3172 R. myrtilloides. Dwarf. Fl. plumcoloured, white anthers.

3248 R. crassum. 12 ft. Fl. white.

3267 R. euchroum (in cultivation R. herpesticum). I ft. Fl. brick red to flaming orange.

Series Triflorum. 8 ft. Fl. bright purple. 3299

3300 R. Stewartianum. 6-10 ft.

R. aperantum. 1-2 ft. Fl. crimson-3301 scarlet.

R. charitostreptum. I ft. Fl. lemon, 3302 brick red anthers.

3303 R. myrtilloides. Cushion shrub. Fl. port wine coloured.

3304 R. achroanthum. I ft. Fl. purple.

R. lithophilum. 3 ft. Fl. pale sulphur. 3305

3365 R. nmaiense. Dwarf shrub. Fl. delicate pink.

R. keleticum. Dwarf. Fl. rich purple. 3390

R. campylogynum. Cushion shrub. Fl. 3391 flesh pink.

R. herpesticum. 1-2 ft. Fl. dirty yellow. 3392

3408 R. cyclium. 2-3 ft.

ARECO HOLL JURGEN

3721 R. cyclium. 6-8 ft. In cultivation caloxanthum?

3776 R. pachypodum. Fl. white.

3784 R. Delavayi. Small tree. Fl. hot crimson.

3805 R. decorum. 15 ft.

3948 R. Delavayi. Small tree. Fl. bright scarlet.

R. pubescens. Fl. pink. 3952

3952a R. mollicomum. Fl. pink. 3953 R. pubescens. Fl. rose.

3998 R. sphaeranthum. I ft. Fl. rose-pink or milk white.

4023 R. muliense. Undershrub. Fl. sulphur yellow.

4050 R. hemitrichotum. 4-8 ft.

R. telmateium. Dwarf undershrub. Fl. 4102 purple.

R. acraium. Bush. Fl. snow white. 4160

R. Wardii. 25 ft. Fl. lemon yellow. 4170 R. Balfourianum var. aganniphoides. 4177 6-11 ft. Fl. rose-pink with purple spots.

4184 R. intricatum. Dwarf undershrub. Fl. brilliant lavender blue.

4185 R. sphaeroblastum. 20 ft. Fl. white with a few purple spots.

4207 R. cucullatum. 15-20 ft. Fl. white with a few purple spots.

4211 R. Beesianum. 20-30 ft. Fl. rose-pink with dark purple blotch.

4268 R. telmateium. Dwarf undershrub. Fl. purple.

4308 R. desquamatum. 6-8 ft.

4309 R. oreotrephes. 4322 R. yunnanense.

4410 R. puralbum (in cultivation R. croceum?).

R. lysolepis. Undershrub. Fl. dark 4456 purple.

R. Wardii aff. 8-18 ft. 4458

4465 R. sphaeranthum.

AL DALL There

4486 R. ravum. 1-2 ft., on limestone.

4487 R. decorum. Fl. white, or white, flushed pink.

4509 R. fictolacteum. Large tree.

4583 R. elaeagnoides (in cultivation R. race-mosum?). Fl. cherry or plum coloured.

4733 R. telmateium. Undershrub. Fl. bright purple.

4843 R. flavorufum. 12-15 ft.

4860 R. Traillianum var. 25 ft. 4974 R. yunnanense. Fl. pale pink.

4994 R. hemitrichotum.

4995 R. niphargum. 30 ft., in forest facing limestone cliffs.

5001 R. scabrifolium. Small shrub. Fl. pale pink.

5002 R. decorum (in cultivation series Irroratum).

5004 R. scabrifolium. Small shrub. Fl. white, flushed palest pink.

5005 R. irroratum. 12-18 ft.

5384 R. tsarongense. 2-3 ft. Fl. chalk white, pink calyx.

5385 Series Lapponicum. 1 ft. Fl. purple.

5405 Series Fortunei. 6-8 ft. 5409 R. agglutinatum. 25 ft.

5414 R. selense aff. 6-10 ft.

5415 R. eritimum, subspecies heptamerum. 20 ft.

5416 R. haemaleum. 1-2 ft.

5417 R. repens.

5418 R. sinogrande. 40-60 ft. Fl. white.

5421 R. oleifolium. 1-3 ft.

5425 R. stenaulum. 30-50 ft. 5427 R. crinigerum. 2-3 ft.

5428 R. desquamatum var. stenoplastum. 6-10 ft. Fl. purple.

5430 R. keleticum.

5431 R. chaetomallum.

5432 R. didymum. 1-2 ft.

5433 R. haemaleum. 4-6 ft.

5434 R. Martinianum. 2-4 ft. 5435 R. eudoxum, subspecies glaphyrum.

1-2 ft. 5436 R. saluenense. 1 ft.

5437 R. brachyanthum. 2-3 ft.

5438 R. arizelum. 15-20 ft.

5438b Series Heliolepis.

5439 R. bullatum. 6-10 ft.

5440 R. bullatum.

5445 R. facetum or agapetum. 20-30 ft.

5446 R. aureum. 3-6 ft. 5447 R. ciliicalyx. 6-10 ft.

5448 R. crassum. 6-10 ft. 5449 R. ciliicalyx. 6-10 ft.

5457 Series Fortunei. 6-12 ft.

5458 R. Tree of 15-25 ft.

5458a Mixed seed of alpines.

5466 R. sinonuttallii. 15-25 ft. 5469 R. agapetum. 15-20 ft.

5480 R. neriiflorum var. 5 ft. 5481 R. brachyanthum. 3-6 ft.

5482 R. keleticum. I ft.

5483 R. neriiflorum, subspecies phaedropum. Shrub or small tree. 5-20 ft.

5484 R. pocophorum. Small undershrub.

5485 R. sidereum. 30 ft.

5487 R. herpesticum. Low spreading bush. Fl. tawny orange-red.

5489 R. melinanthum. 3-5 ft.

5490 Series Fortunei? or series Irroratum?

5508 R. indicum forma. 12-15 ft.

5533 R. agapetum. 10-15 ft. 5545 R. vaccinioides. 2 ft.

5602 R. sp.

5656 R. vellereum. 6-8 ft. Fl. white or flushed pink, speckled purple.

5659 R. hirtipes. 20-25 ft. Fl. pure rose-pink, speckled carmine, broad bands of pink and white outside.

5660 Series Arboreum. 20-30 ft. Fl. white, purple blotch.

5687 R. triflorum var.? Fl. pure yellow, or flushed ochre, mahogany, or almost salmonpink.

5700 Series Anthopogon. 8 ft. Fl. rose, or pale pink.

5718 R. colletum. Fl. white, or flushed more or less deeply rose and purple blotch.

5729 R. 12-15 ins. Fl. purple, violet or lavender.

5732 R. 15-25 ft. Fl. rose-carmine with deeper spots.

5733 R. temoense. Low undershrub. Fl. snow white.

5734 R. fragariflorum. 6 ins. Fl. crushed strawberry.

5735 R. 1-3 ft. Fl. purple.

5736 R. Wardii. 15-20 ft. Fl. sulphur yellow.

5756 Series Thomsonii. Seed mixed.

5759 R. agglutinatum. 10-15 ft. Fl. white, pink, rose or crimson, more or less spotted purplish-crimson.

5777 R. paludosum. 1 ft. Fl. purple to

lavender.

5778 R. paludosum. 1½ ft. Fl. purple.

5790 R. timeteum. 10-15 ft. Fl. rich purplishrose.

5792 R. paludosum.

5828 R. riparium. 1 ft. Fl. bright rosy-purple with darker spots.

5829 R. melinanthum. 12-15 ins. Fl. pale yellow, spotted yellowish-green.

5830 R. cerasinum. 6-12 ft. Fl. brilliant scarlet, five coal-black glands at base.

5842 R. campylogynum. 6 ins. Fl. dusky plum colour.

5843 R. 1-2 ft. Fl. dark cerise.

5844 R. tsangpoense. 1-2 ft. Fl. pink.

5844a R. tsangpoense.

5845 R. repens var. chamaedoxa. 2 ins. Fl. bright scarlet.

5846 R. repens var. chamaedoxa. A few inches. Fl. crimson.

5847 R. repens var. chamaethauma. Fl. bright carmine with darker spotting.

5848 R. temoense. 12-15 ins. Fl. snow white.

5849 Series anthopogon. 6-9 ins. Fl. cream. 5850 Series anthopogon. 1-2 ft. Fl. rose.

5851 R. rubrolineatum? Fl. bright yellow lobes, tinged red on reverse.

5853 R. campylocarpum var. 6 ft. Fl. cream, sulphur or white, with basal blotch.

5856 R. pumilum. Matted shrub. Fl. pale pink or pinkish-purple.

5861 Series Sanguineum. 2 ft.

5862 R. paludosum. Fl. pale violet.

5863 R. doshongense. 2-3 ft. Fl. pink, spotted purple.

5874 R. cinnabarinum var.? 6ft. Fl. orange.

5875 Series Sanguineum. 3-5 ft. Fl. white, speckled crimson.

5876 R. uniflorum. Dwarf plant. Fl. purple.

5877 R. arizelum. 15-25 ft. Fl. white, purple basal flash.

5878 Series Sanguineum. Seed probably mixed together with 5875.

5911 R. sp.

5940 R. obovatum. 1-2 ft. Fl. magentapurple.

5953 R. sp.

5971 Sub-series Roxieanum. 6-10 ft. or 15-20 ft.
 5994 R. elaeagnoides. Dwarf undershrub. Fl. pale yellow, greenish-yellow spots.

6020 R. sp. 6 ft. Fl. pink. 6021 R. sp. 3-6 ft. Fl. pink.

6026 Series Cinnabarinum? 15-25 ft. Fl.

6069 R. oleifolium. 1-2 ft. Fl. pale rose-pink.

6079 R. sp.

6215 R. campanulatum var. 10-15 ft.

6223 R. hirtipes var. 6-8 ft.

6229 R. campylocarpum. 6-10 ft.

6250 near R. megeratum. 6251 R. micromeres var. 6256 R. glischrum. 6-12 ft.

6257 R. Keysii? contains also a good Trichocla-6257a dum or Triflorum rogue. 8-10 ft.

6258 R. niveum. 20-25 ft.

6261 R. sino-grande. 40-50 ft.

6261a R. sino-grande.

6263 R. 3-4 ft.

6273 R. leucaspis. 1-2 ft. Fl. milky white.

6275 R. 15-20 ft.

6276 R. Maddenii. 10-15 ft. 6278 R. auritum. 6-10 ft.

6279 R. virgatum var. 5 ft. Fl. pink.

6281 R. glischrum. 20-25 ft. 6283 R. vaccinioides. 1 ft.

6284 R. Kendrickii. 35-40 ft. Fl. deep crimson.

6285 Series Barbatum? 8-12 ft. Fl. scarlet.

6286 R. megacalyx. 6-8 ft.

6291 R. sp. 1-3 ft.

6301 R. pemakoense. Undershrub.

6303 R. tephropeplum. 6-8 ft.

6304 R. sp. 8-12 ft. 6307 R. sp. 10-15 ft.

6310 R. Lindleyi? 12-18 ins.

6311 R. Coryanum var. 30-40 ft. Fl. pinkishpurple spotted.

6313 R. flaveranthum. Fl. bright clear yellow, orange anthers.

6325 R. scopulorum. 15 ft.

6330 R. 12-18 ins.

6333 R. Nuttallii var. 15-20 ft. Fl. white, pale yellow at base.

6335 R. gracile. 10-15 ft.

6354 R. scopulorum. 6-8 ft. Fl. white, flushed rose.

6401 R. hylaeum. 10-15 ft.

6403 R. sp. 10 ft.

6409 R. sp. 5-10 ft.

6411 R. sp. 2-4 ft.

6413 R. sp. 10-15 ft. 6414 R. sp. 15-25 ft.

6415 R. sp. 2-3 ft.

6735 R. insculptum. Undershrub. Fl. bright orange, red anthers.

6736 R. Maddenii. 10-12 ft.

6751 R. aureum. Fl. bright butter yellow.

6753 R. sidereum. 30 ft. Fl. cream, twin basal violet spots.

6782 R. sinogrande. 60-80 ft.

6792 R. sidereum. 40-50 ft.

6793 R. seinghkuense. Fl. bright canaryyellow.

6794 R. tephropeplum. 3-5 ft. Fl. flesh pink, or pink and white.

6795 R. Martinianum. 2-3 ft.

805 R. chaetomallum. Small tangled bush. Fl. blood red.

6806 R. trichocladum. 5 ft. Fl. bright yellow.

6807 R. bullatum. Fl. white.

6809 R. Taggianum.

6818 R. arizelum. Small tree. Fl. pink fading to cream with basal purple flash.

6819 R. megeratum. Fl. pale yellow.

6829 R. chaetomallum. Bushy undershrub. Fl. bright blood red or carmine or flesh pink.

6831 R. sanguineum var. 2-3 ft. Fl. scarlet to

carmine.

6832 R. repens. Creeping plant. Fl. scarlet.

6833 R. hylaeum. 30-40 ft. Fl. pink, spotted at base.

6834 R. tephropeplum var. Fl. bright rosepurple.

6848 R. micromeres. Epiphytic undershrub. Fl. pale yellow.

6854 R. euchaites. Fl. light orange, rimmed and streaked red.

6855 R. exasperatum.

6856 R. vesiculiferum. Slim tree. Fl. pinkishpurple, splashed deeper at base.

6868 R. telopeum. Tangled bush. Fl. sulphur

yellow.

6869 R. eclecteum. 3-5 ft. Fl. white, sometimes finely peppered with crimson or purple spots.

6884 R. imperator. Thin mat plant. Fl.

bright purple.

6900 R. eclecteum var. 6 ft. Fl. glowing rosepink.

6903 R. riparium. Small shrub. Fl. bright purple, darker spots.

6914 Series anthopogon. 2 ft. Fl. rose.

6921 R. eclecteum var. 6-10 ft. Fl. white, flushed pink speckled crimson.

6923 R. cerasinum. 8-10 ft. Fl. creamy-white with broad cherry red band round the summit, or cherry red all through.

6924 R. pruniflorum. 1-3 ft. Fl. plum-purple,

darker spots.

6930 R. campylocarpum. 6 ft. Fl. bright sulphur, purple basal flash.

6935 R. repens var. chamaethauma. Creeping plant. Fl. bright pink or pinkish-purple.

6936 R. eclecteum var. 6 ft. Fl. delicate pink.

6945 R. sanguineum var.

6953 R. Beesianum. 10-12 ft. Fl. white, or pink with crimson basal flash.

6954 R. sigillatum. 2-3 ft. Fl. white, upper half spotted crimson.

6955 R. sanguineum. 2 ft. Fl. intense glowing scarlet.

6960 R. rupicola aff. I ft. Fl. violet.

6961 R. pumilum. 3 ins. Fl. delicate shell pink, sometimes on limestone.

6962 R. myiagrum. 2-3 ft. Fl. milk white, flushed purple.

6967 Series anthopogon. 6-8 ins. Fl. white, flushed pale pink.

6984 R. calciphila. 6 ins. Fl. bright rosypurple on limestone.

R. horaeum. Scrub plant. Fl. blood red.
 R. saluenense. Fl. rich magenta-purple.

7023 Series anthopogon. I ft. Fl. deep rose.

7038 R. hypolepidotum. 1 ft. Fl. cream, or flushed salmon pink.

7046 R. hypolepidotum. Fl. yellow.

7048 Series Lapponicum. 1-2 ft. Fl. dark purple-magenta.

7058 R. paludoseum? Fl. purple.7061 R. riparium. Dwarf form.

7062 R. riparium. 12-18 ins. Late flowering form.

7084 Series Lapponicum.

7090 R. nakotiltum. 1 ft. Fl. carmine.

7108 R. brevistylum. 8-10 ft. Fl. white, or flushed pink with large purplish-crimson blotch.

7121 Series Triflorum. 6 ft.

7122 R. niphargum. 20-25 ft. 7123 R. crinigerum. 12-20 ft.

7124 R. sperabile. Fl. deep crimson.

7125 Series Thomsonii. 40-60 ft. 7136 R. manipurense. Fl. pure white.

7136 R. manipurense. Fl. pure white 7137 Series Edgeworthii.

7138 R. virgatum. 7139 R. megacalyx.

7140 R. arboreum. Fl. cherry red, darker spots.

7171 R. sp.

7184 R. recurvoides. 4-5 ft.

7187 Series Anthopogon. I ft.

7188 R. pruniflorum. 1-2 ft. Fl. crimson plum-purple to violet plum-purple.

7189 R. rhaibocarpum. 4-6 ft

7190 R. setiferum. 5 ft.

7196 Subseries Souliei. Fl. snow white, basal purple flash.

7229 R. lepidotum. 2-3 ins. Fl. purplishcrimson, dusky spots.

7259 Series Maddennii. 10-15 ft.

7426 R. tanastvlum.

7427 Series Grande? Series Irroratum?

7428 R. Nuttallii.

7455 R. chrysolepis. Fl. bright yellow.

7523 Series Saluenense. 2 ins.

7606 Series Maddenii.

7612 R. Martinianum. 7625 R. tanastylum.

7630 R. notatum.

7642 R. siderium or sinogrande. 30-40 ft.

7701 R. formosum. 10-12 ft.

7717 Series Maddenii. Small bush. 7723

R. manipurense. 20-30 ft. 7724 R. Macabeanum. 40-50 ft.

7725 R. Elliotii.

7731 R. bauhiniiflorum. 10-12 ft. Fl. pale purplish-pink.

7732 R. Johnstoneanum.

7968 R. arboreum. Fl. blood red.

7969 R. stenaulum?

8016 R. dendriocola? or notatum? Fl. creamy-white.

8044 R. tanastylum. Small tree. Fl. light or dark amethyst-purple, darker markings.

8045

R. Griffithianum. Fl. white.
R. bullatum. Fl. white, flushed rose, 8052 purple outside.

8069 Series Grande.

8081 R. vaccinioides. 8101 R. aureum. Fl. butter yellow.

8112 Series Neriiflorum. Fl. bright scarlet.

8113 R. mishmiensie. Fl. deep yellow, spotted ochre.

8122 = 8112.

8130 R. sinogrande. Fl. cream.

8163 R. arizelum. Fl. cream.

R. crinigerum. Fl. white, pink, white 8164 banded pink, interior heavily spotted purple.

8165 R. deleiense. Small shrub. Fl. bright purple.

8203 Series Thomsonii. Small tree. Fl. purple, dark spots.

8205 R. megacalyx. 9,000 ft. Possibly hardier than the type.

8206 R. bullatum. Fl. white, flushed rosepurple.

8208 R. Keysii. Large bush. Fl. flame coloured.

8221 R. kasoense.

8225 R. megeratum. Fl. bright yellow.

8227 R. concinnoides.

8229 R. riparium. Undershrub. Fl. bright purple.

8238 Series **Thomsonii.** Medium-sized tree. Fl. purple.

8239 R. cinnabarinum var. Small shrub. Fl. flame coloured, tawny-orange, salmon.

8250 R. exasperatum. Fl. bright brick red.

8251 R. lanigerum. Fl. rose-purple. 8254 R. haematodes. Fl. blood red.

8255 R. Smithii var. intonsum. Fl. carmine.

8256 R. telopeum. Fl. pale yellow, crimson basal flash.

8257 R. pruniflorum. Small shrub. Fl. plumpurple.

8258 R. cerasinum. Fl. crimson-scarlet.

8259 R. trichocladum. Fl. yellowish.

8260 R. patulum. Prostrate creeper. Fl. bright purple, upper lobe spotted crimson.

8288 R. lanatum var. 3-5 ft. Fl. cream, sometimes flushed pink, heavily speckled rose-purple.

8289 R. coelicum. Fl. glowing translucent crimson.

8293 R. haemaleum. Fl. intense red.

8294 Series Souliei. Fl. pink.

8300 R. fulvoides.

8326 R. micromeres. Undershrub. Fl. sickly yellow.

8337 R. crebreflorum. Prostrate plant. Fl. pale shell pink.

8341 R. repens var. chamaethauma. Fl. shell

8362 Series Sanguineum. Probably seed of 8293 mixed herein.

R. manipurense. 12-15 ft. Fl. white. 8400

R. pruniflorum. Alpine undershrub. Fl. 8415 claret coloured.

Series Barbatum. (Hybrid or mutant of 8431 crinigerbum.)

Series Neriiflorum. I ft. 8521

R. kasoense. 6-8 ft. 8522

8545 R. manipurense.

R. Lindleyi. 10-12 ft. 8546

8591

R. virgatum.
R. mishmiensie. 8592 R. concionoides, seather wind and

## THE RHODODENDRON SHOW OF 1930.

By G. H. Johnstone.

Dealing first with the trade exhibits and commencing these with Class I., this was again awarded to Messrs. Gill & Son, who brought a very large and interesting collection of plants.

Of varieties here staged, Burmanicum was outstanding, as indeed so good a yellow is bound to be in whatever company it appears. Wightii (also a yellow) was shown here in flower, and peregrinum, though not in bloom, appeared for perhaps the first time in a nurseryman's exhibits.

A very large plant of grande occupied the centre of the stand, while flowering examples of Falconeri and sino-grande impressed one with the scale of this exhibit, which also included representatives of the more tender species such as Nuttallii and Dalhousiae as well as many of the hardy hybrids.

Messrs. Veitch & Son were second in this class, and if their exhibit lacked something of the comprehensiveness of the winning group, it certainly was the more attractive in arrangement. There was an interesting yellow form of cinnabarinum in this group that was certainly a most unusual colour, much lighter than Blandfordiaeflorum, of which no doubt it is a variant.

Mr. Reuthe's exhibit was third in this class, Thomsonii and campylocarpum being prominent on this stand.

Class 2, for an exhibit of 300 feet of plants capable of being grown and flowered in the open at Kew, brought three entries; the winner being Mr. W. C. Slocock, second Messrs. Wallace & Co., with Messrs. Waterer, Sons & Crisp, third.

Mention ought to be made of the exhibit here placed third. Lacking perhaps in rarity or novelty, it certainly was an example of what can be done with hardy Rhododendrons when the highest grade of skill is applied to them. Alice, Pink Pearl, Starfish and Loder's White, of course, were here. Saturn, something of a novelty, brought an unusual colour to the group, while Mother-O-Pearl was subsequently given an award of merit.

Messrs. Wallace included several uncommon species in their group, notably calostrotum, tephropeplum, No. 25,581. a glaucum which may prove to be charitopes, a nice little mauve irroratum under No. K.W. 5,002, and an attractive white of Rock's under No. 59,258.

This stand included several of the campylocarpum hybrids. Of these, Unique was perhaps the best, though Moonlight and Distinction ran it very close. Painted Lady, another of the batch, did not seem so happily named, unless the lady had been out in the rain.

The winning exhibit (Mr. Slocock's), also contained a large number of interesting species and varieties.

Queen Wilhelmina was here shown to excellent effect. This hybrid was one of the outstanding features of the show, looking excellent wherever shown.

Mary Ashley was good as shown here, also Purple Splendour, Duchess of Portland, and for those who enjoy a very decided magenta, General Cavendish.

On this stand, too, were some of the campylocarpum hybrids, which have justly gained popularity with rhododendron growers. No. 166 was especially good here, and so was Unique. As proof of the hardy nature of this hybrid it should be mentioned that No. 167, a large plant in full bloom, was removed from the open ground only the day previous to the show.

Of species, Wightii was unexpected, and there was a very beautiful form of hippophaeoides, as well as a cephalanthum, which created a lot of interest. It was shown under the number KW 5,849. Orbiculare, also included here, always claims attention.

To have staged attractively such a wide range of variety, and only a few of them have been mentioned, was a real achievement by those responsible for this exhibit.

Class 3, for a group of 120 feet of plants not in flower, and staged for their foliage effect, brought only two competitors, Messrs. Gill & Son being placed first and Messrs. Hillier & Sons second.

Messrs. Gill & Son were the winners also of the next class, being that for 120 feet of cut blooms, Mr. Reuthe being second. The latter exhibitor here staged some blooms of the unusual Albrechtii, also a fine form of formosum, to which was affixed the further name of magnificum.

In the Azalea class (No. 5), for a trade exhibit of 250 feet, Messrs. Cuthbert were the winners, the grouping of their large exhibit being particularly good.

Here, at Class 6, we reach the amateur classes, the first being for groups of 180 feet, for which there were six entries. The judges confessed to considerable difficulty in reaching their decision in this class, which ultimately was in favour of Mr. Lionel de Rothschild's group, with those of Leonardslee and Bodnant sharing the honours for second place.

Other exhibitors in this class were Col. Stephenson Clarke, Sir John Ramsden, and Admiral A. W. Heneage-Vivian.

Next in order comes Class 7, in which Mr. J. C. Williams had no competitors.

One feels that the recounting of a bare list of the varieties and species shown inadequately conveys the interest of this stand. There was Baileyi in superb form, a fulvum remarkable in size of flower and size of leaf, desquamatum rather like a huge rubiginosum, Martinianum, lacteum, calophytum, eudoxum which probably few of us had seen before. There was a truss of irroratum more yellow than this species is usually seen, while a white form of virgatum was another striking thing in this group. Amongst a quantity of neriiflorum was one outstanding because almost a real scarlet. Adenophorum was

staged here in good form, as were also maculiferum and the uncommon spinuliferum.

Other very interesting exhibits on this stand were Farrer 875, on the lines of a large Augustinii, planetum, which came as though to defy the suggestion that it has not yet been introduced into this country, and two forms of cyclium, one with a rounder leaf than the type and the flowers a more pronounced shade of yellow with almost brown markings. Basilicum was yet another on this stand which was unknown except from the description of the collector. This, however, failed to come up to expectation, being somewhat like a poor form of Falconeri.

The next class (7a), for a group of plants shown by an amateur, attracted only one entry staged by Sir John Ramsden, and included Rock 59,185.

Lady Aberconway and Mr. McLaren won the class for 12 species (No. 8), which, attracting seven entries, filled a long run of staging. The winning exhibit included a very beautiful pink arboreum, fulvum, calophytum, irroratum, Fargesii, lacteum, barbatum, Hodgsonii, Taliense and neriiflorum.

Mr. Gerald Loder's exhibit, which was second, included the rare adenophorum, crinigerum, a very yellow form of irroratum, niphargum, haematodes and a lovely example of the mauve Wallichii.

Third prize was awarded to Mr. A. M. Williams, who seems able to produce an unending series of remarkable blooms of floccigerum, the one selected for this Show having a curious picotee colouring, unlike anything else that has yet been seen amongst Rhododendrons.

He also included Meddianum, which is destined for great popularity amongst those who like red flowers.

Mention should also be made of the fine truss of lanatum, shown by Mr. Magor in this class, and of the white arboreum included in Lord Stair's twelve. This was surely as near perfection as this charming Rhododendron gets. The first prize in Class 9, for 12 hybrids, went to Bodnant, the group including Otto Foster, Tregedna, Colonel Roger's hybrid, niveum, a sutchuenense hybrid, and Beauty of Tremough.

The Crosfield Cup, under Class 10, was won by Mr. Lionel de Rothschild, whose selection of four hybrids raised at Exbury, was Sir Charles Lemon x neriiflorum, Griffithianum x Thomsonii, Prometheus x neriiflorum (Nancy), and Aurora x Fortunei. Second prize was awarded to Lady Loder. Of other entries, mention should be made of a remarkable white arboreum hybrid staged by Col. Stephenson Clarke, and also of Admiral Heneage-Vivian's group of hybrids from Falconeri, eximeum and grande.

Eight exhibits were staged for Class II (three distinct species) and the awards went to Sir John Ramsden, Mr. Magor and Mr. G. W. E. Loder, in that order. The winning group consisted of euchaites, Thomsonii, and orbiculare. Sir John Ramsden was also the winner of Class I2, the corresponding class for hybrids; his Glory of Leonardslee x Thomsonii, Pink Coral x Blood red Arboreum, and Thomsonii x Fortunei being unrivalled examples of these showy hybrids.

Second prize here went to Lady Aberconway and Mr. McLaren, while the third was awarded to Mr. J. A. Holmes, who brought his exhibits from Arisaig.

There were no less than 14 entries in this class and ten in Class 13, which carries with it the award of the Loder Challenge Cup, offered for the best species. As last year, this was awarded to the superb lacteum put up by Mr. A. M. Williams. Doubtless opinions differ as to what is the most attractive Rhododendron, but this one would surely attract a majority of votes.

Lord Stair was the runner up with a new form of bullatum under Rock's 59,202, this being a flower quite as large again as the type, while the leaves were longer, more lanceolate and less tomentose. Third prize went to Mr. Williamson for a fine truss of calophytum from the Heligan garden.

Class 14, for a single truss of any hybrid, was won by the Thomsonii x Kewense shown by Lady Aberconway and Mr. McLaren, Sir John Ramsden and Mr. P. D. Williams being respectively second and third out of 13 entries.

The arboreums (Class 15) drew 15 entries, and the winner was Mrs. Carrick Buchanan, second Mr. P. W. Williams, third Lord Stair, and fourth Mrs. Hext, of Trebah.

Of the 18 exhibits staged under Class 16, the judges selected the Delavayi staged by Mr. Johnstone for first place, Mr. Williamson being second, Mr. P. D. Williams third (with Zaleucum) and Mrs. Whittall fourth.

Of the barbatums shown under Class 17, the superb scarlet strigilosum, shown by Colonel Rogers, was outstanding, the Morii brought by Mr. Johnstone was second, Mr. Magor's pachytrichum third, and Mr. G. W. E. Loder's habrotrichum fourth.

Mr. P. D. William's sulphureum won Class 17a for the Boothii series, both second and third prizes going to Bodnant for tephropeplum.

In Class 18, Mr. Magor's lanatum was outstanding, as indeed it was in the several classes in which it was included. Mrs. Whittall was second here and Mr. C. E. Heath third.

Both prizes in the next class, that for Falconeri, went to Scotland, the winner being Mrs. Buchanan and the runner up Lord Stair.

Class 20 drew only Mr. G. W. E. Loder's entry, but there were four for Class 21 (any other of the Falconeri series), which was won by an eximeum hybrid shown by Lord Digby, Colonel Stephenson Clarke being second with a yellow eximeum and Colonel Rogers third with coriaceum, as yet a rare plant, and the flower an attractive mauve colour.

For Class 23, Mr. Lionel de Rothschild brought a superb truss of calophytum, which proved an easy winner, being followed by Mr. Crosfield's very beautiful Fargesii, and with Mr. P. D. Williams' exhibit third.

Colonel Stephenson Clarke, Colonel Rogers, and Dame Alice Godman were the three winners in the fulvum class (No. 23a).

Special mention must be made of the grande with which Mr. Carrick Buchanan won Class 24. This was remarkable for the bright scarlet stigmas which gave the white flowers a most striking contrast. The sino-grande, shown by Mr. Johnstone, was second here and the same exhibitor won the next class, which was confined to the irroratum series, Mr. Magor being second and Mr. de Rothschild third.

There were three entries in Class 26, which was won by the Traillianum shown by Lady Aberconway and Mr. McLaren.

There was no doubt about the huge truss of Nuttallii, shown by Lord Swaythling, being the winner in Class 27, which drew four good entries, Admiral Heneage-Vivian's Lindleyi being second.

Class 28, for any others of the Maddenii series, went to Mr. G. W. E. Loder's Cuffeanum, Lord Digby being second with bullatum (No. 21,564). There was a good example of burmanicum in this class, but it lacked the name of the exhibitor.

Mr. Loder also won the next class, for haematodes, which, however, only brought three entries, whereas Class 30 drew 15 neriiflorums, Mr. A. M. Williams being awarded first, as he was also for his dichroanthum in Class 31.

The Taliense series in Class 32 brought out an outstanding exhibit in the Wasonii exhibited by Lady Aberconway and Mr. McLaren, who won both the awards in this class.

Mr. Lionel de Rothschild won Class 33, his exhibit being placed ahead of that shown by Colonel Stephenson Clarke, who can be depended upon to set a pretty high standard in these campylocarpums.

Only two blooms were entered in Class 34 and both were poor, but Class 35 drew a large entry and, of the 17 trusses staged, Sir John Ramsden's was the best and Mr. Crosfield's second.

Lady Aberconway and Mr. McLaren won both the next two classes, their caloxanthum in Class 35a meriting special mention.

Mr. Rothschild was second in Class 36 and also in Class 37, which was won by Admiral Heneage-Vivian. One wonders how long his plants of Azalea Amoena will last for an annual cutting of some six years' growth, perhaps more.

In Class 38, for a spray of Edgworthii, Mr. Lionel de Rothschild and Sir John Ramsden were placed first and second respectively, and Mr. Magor had the next class all to himself, while No. 40 (for cinnabarinums) was without any entries.

Charitopes (from Bodnant) proved the winner of Class 41, in which Lord Digby was the second amongst six entries.

Colonel Rogers staged a very good desquamatum, which won in Class 42, Mr. Loder's being awarded second here as also in Class 43, which was won by Colonel Stephenson Clarke.

The two lepidotums in the next class were both very poor, as were also the Augustiniis in Class 45, which was won by Dame Alice Godman.

The winning exhibit in the polylepis class (46) came from Bodnant and the second from Mr. Magor's garden; but these positions were reversed in Class 48 in which Mr. Magor's spray of Davidsonianum deserves special mention.

Lady Aberconway and Mr. McLaren were the winners in Classes 49, 51 and 51a. Their exhibit in the two latter classes being, in 51a, a really good truss of adenopodum which one does not often see, and in 51a riparium, which has probably never been shown in London before. In the classes offered for Aucklandii hybrids, it will perhaps be sufficient to mention

the winning exhibit staged by Mr. Williamson in Class 54. This was the hybrid named John Tremayne, raised in the Heligan garden many years ago, and must surely be one of the earliest hybrids raised by crossing Griffithianum with another species.

Class 56, for campylocarpum hybrids drew 12 exhibits, while the Thomsonii hybrids in the next class brought no less than 18. Sir John Ramsden won the former and Admiral Heneage-Vivian the latter class with a truly astonishing bloom of Thomsonii crossed with Fortunei, Mr. Rothschild here being second with a remarkably fine example of Shilsoni.

Mr. P. D. Williams staged an interesting hybrid in Class 58, namely orbiculare x Houlstonii, but this was defeated by Mr. Magor's neriiflorum x haematodes, which was awarded the first prize.

Lord Swaythling was the winner of Class 60 with a campylocarpum Fortunei hybrid, Mr. I. Whitaker being second.

Except for Class 62, which was supported by eight competitors of which Mr. P. D. Williams proved the winner, the next five classes attracted little support, Mr. Magor's exhibit being the only entry in Class 64, while for 60, 61 and 63 there were none.

Of the remaining classes mention need only be made of No. 66, which appeared for the first time in the schedule. This was for duplicate leaves of 12 Rhododendrons, to be displayed face and reverse.

This class excited a lot of interest and the variety of designs in staging the exhibits was almost as numerous as the leaves selected for the purpose. The judges here came to a very popular decision in awarding the first prize to the exhibit staged by Masters Charles and John McLaren, with their sister, Miss Betty McLaren. Their arrangement of the leaves was excellent, their selection instructive and the trouble taken to fix the leaves on cardboards justly rewarded.

It remains only to record that the challenge cup for the best exhibit in Classes 1-5 was won by Mr. W. C. Slocock, that for the best exhibit in Classes 6 and 7 by Mr. L. de Rothschild, and that the special prize for the best Rhododendron plant exhibited was won by Messrs. Gill & Son for their large plant of Nuttallii.

WILLIAM NEELY & CO., 1, GEORGE STUEET. MANSION HOUSE, E.C. 4-





